

## Chapter 7 Literature Cited

- Adams, T. C. (2000). "Foraging differences and early maternal investment in adult female Alaskan Steller sea lions (*Eumetopias jubatus*)," Unpublished Ph.D. dissertation, Texas A & M University, Galveston.
- Ainley, D. G., Henderson, R. P., Huber, H. R., Boelkelheide, R. J., Allen, S. G., and McElroy, T. L. (1985). "Dynamics of white hake/pinniped interactions in the Gulf of the Farallones." *Memoirs of the Southern California Academy of Sciences*, 9, pp. 109-122.
- Alaska Department of Fish and Game (ADF&G). (1995). "The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1994." ADF&G Technical Paper, 236, Alaska Department of Fish and Game: Prepared for NMFS: Juneau.
- ADF&G. (1996). "The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1994." ADF&G Technical Paper, 238, Alaska Department of Fish and Game: Prepared for NMFS: Juneau.
- ADF&G. (1997a). "The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1994." ADF&G Technical Paper, 241, Alaska Department of Fish and Game: Prepared for NMFS: Juneau.
- ADF&G. (1997b). "Overview of information about Subsistence Uses of Marine Mammals in Aleutian/Pribilof Islands Communities.", Alaska Department of Fish and Game, Division of Subsistence, Anchorage.
- ADF&G. (1998). "The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1994." ADF&G Technical Paper, 246, Alaska Department of Fish and Game: Prepared for NMFS: Juneau.
- ADF&G. (1999). "The Subsistence Harvest of Harbor Seal and Sea Lion by Alaska Natives in 1994." ADF&G Technical Paper, 250, Alaska Department of Fish and Game: Prepared for NMFS: Juneau.
- ADF&G. (2000a). "Community Profile Database 3.0." Available on CD-ROM or can be downloaded from the ADF&G website, Alaska Department of Fish and Game, Division of Subsistence, Anchorage.
- ADF&G. (2000b). "Overview of Alaska's herring fisheries.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- ADF&G. (2000c). "Outlook for 2000 Alaska herring sac roe fisheries.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- ADF&G. (2000d). "1999 - 2000 Alaska food and bait herring harvest.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- ADF&G. (2000e). "Alaska species now extinct.", State of Alaska, Department of Fish and Game, Division of Wildlife Conservation, P.O. Box 25526, Juneau, AK 99802. p. 2.
- ADF&G. (2001a). "2000 Preliminary Alaska Commercial Shellfish Catches & Exvessel Values.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- ADF&G. (2001b). "2001 Cumulative Statewide Salmon Harvests with Recent 5-year Average and 2001 Forecast.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.

- Alaska Department of Fish and Game and North Pacific Fishery Management Council. (1998). "Draft Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility Analysis of a proposal to Minimize Chinook Salmon Bycatch in Groundfish Trawl Fisheries of the Bering Sea and Aleutian Islands.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Alaska Sea Grant. (1993). "Is it food?" Alaska Sea Grant Report, 93-1, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775. p. 59.
- Albers, W. D., and Anderson, P. J. (1985). "Diet of Pacific cod, *Gadus macrocephalus*, and predation on the northern pink shrimp, *Pandalus borealis*, in Pavlov Bay, Alaska." *Fishery Bulletin*, 83(4), pp. 601-610.
- Albers, P. H., and Loughlin, T. R. (In press). "Effects of PAHs on marine birds, mammals, and reptiles." PAHs, An Ecotoxicological Perspective, P. Douben, ed., John Wiley & Sons, Ltd., London.
- Allen, J. A. (1880). "History of North American pinnipeds. A monograph of the walruses, seals, sea-bears, and seals of North America." U.S. Geological and Geographical Survey Territory, *Miscellaneous Publication 12*, U.S. Government Printing Office, Washington, DC. p. 785.
- Allen, K. R. (1980). "Conservation and Management of Whales.", University of Washington Press, Seattle, WA.
- Alton, M. S., and Megrey, B. A. (1986). "Condition of the walleye pollock resource of the Gulf of Alaska as estimated in 1985." NOAA Technical Memorandum, *NMFS F/NWC-106*, U.S. Department of Commerce, NOAA.
- Alverson, D. L. (1992). "A review of commercial fisheries and the Steller sea lion (*Eumetopias jubatus*): The conflict arena." *Reviews in Fisheries Science*, 6(3,4), pp. 203-256.
- Amano, M., and Miyazaki, N. (1993). "External morphology of Dall's porpoise (*Phocoena phocoena*): growth and sexual dimorphism." *Canadian Journal of Zoology*, 71, pp. 1124-1130.
- Anderson, P. J., and Piatt, J. F. (1999). "Community reorganization in the Gulf of Alaska following ocean climate regime shift." *Marine Ecology Progress Series*, 189, pp. 117-123.
- Andrews, R. D. (1998). "Remotely releasable instruments for monitoring the foraging behavior of pinnipeds." *Marine Ecology Progress Series*, 175, pp. 289-294.
- Andrews, R. D. (2001). "Foraging behavior and energetics of adult female Steller sea lions. Abstract of paper presented at the." *Is It Food? II workshop*, Alaska Sea Life Center, Seward, Alaska.
- Angliss, R. P., Lopez, A., and DeMaster, D. P. (2001). "Draft Alaska Marine Mammal Stock Assessments, 2001.", National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115. p. 181.
- Anonymous. (1991). "International Whaling Commission Report." *Report of the International Whaling Commission*, 41, pp. 1-2.
- Anthony, J. A., Roby, D. D., and Turco, K. R. (2000). "Lipid content and energy density of forage fishes from the northern Gulf of Alaska." *Journal of Experimental Marine Biology and Ecology*, 248, pp. 3-78.
- Antonelis, G. A., Lowry, M. S., DeMaster, D. P., and Fiscus, C. H. (1987). "Assessing northern elephant seal feeding habits by stomach lavage." *Marine Mammal Science*, 3, pp. 308-322.

- Antonelis, G. A., Sinclair, E. H., Ream, R. R., and Robson, B. W. (1997). "Inter-island variation in the diet of female northern fur seals (*Callorhinus ursinus*) in the Bering Sea." *Journal of Zoology (London)*, 242, pp. 435-451.
- Antonelis Jr., G. A., Lowry, M. S., Fiscus, C. H., Stewart, B. S., and DeLong, R. L. (1994). "Diet of the northern elephant seal." Elephant Seals, B. J. LeBoeuf and R. M. Laws, eds., University of California Press, Berkeley, CA, pp. 211-223.
- Arctic Monitoring and Assessment Programme (AMAP). (1997). "Arctic pollution issues: a state of the arctic environment report.", Arctic Monitoring and Assessment Programme, Oslo, Norway. p. 188.
- Arnould, J. P. Y., Boyd, I. L., and Speakman, J. R. (1996). "The relationship between foraging behavior and energy expenditure in Antarctic fur seals." *Journal of Zoology (London)*, 239, pp. 769-782.
- Arsen'ev, V. A. (1941). *The feeding of the ribbon seal (Histriophoca fasciata Zimm.)*, A. D. o. F. a. G. Translated from Russian by J.J. Burns, Fairbanks, Alaska, 1977, 8 pp., translator. 121-127 pp.
- Ashwell-Erickson, S., and Elsner, R. (1981). "The energy cost of free existence for Bering Sea harbor and spotted seals." The Eastern Bering Sea Shelf: Oceanography and Resources, D. E. Hood and J. A. Calder, eds., Office of Marine Pollution Assessment, National Oceanic and Atmospheric Administration, University of Washington Press, Seattle, WA, pp. 869-899.
- Auster, P. J., and Langton, R. W. (1999). "The effects of fishing on fish habitat." *Fish habitat: Essential Fish Habitat and Rehabilitation*, Bethesda, MD, pp. 150-187.
- Backus, R. H., and Schevill, W. E. (1961). *The stranding of a Cuvier's beaked whale (Ziphius cavirostris) in Rhode Island, USA*, American Fisheries Symposium, Bethesda, MD. 177-181 pp.
- Bailey, A. M. (1928). "An unusual migration of the spotted and ribbon seals." *Journal of Mammalogy*, 9, pp. 250-251.
- Bailey, K. M. (1989). "Interaction between the vertical distribution of juvenile walleye pollock *Theragra chalcogramma* in the eastern Bering Sea, and cannibalism." *Marine Ecology Progress Series*, 53, pp. 205-213.
- Bailey, K. M., and Macklin, S. A. (1994). "Analysis of patterns in larval walleye pollock (*Theragra chalcogramma*) survival and wind mixing events in Shelikof Strait, Gulf of Alaska." *Marine Ecology Progress Series*, 113, pp. 1-12.
- Bailey, K. M., Brodeur, R. D., and Hollowed, A. B. (1996). "Cohort survival patterns of walleye pollock, *Theragra chalcogramma*, in Shelikof Strait, Alaska: a critical factor analysis." *Fisheries Oceanography*, 5(Suppl. 1), pp. 179-188.
- Bailey, K. M., Quinn II, T. J., Bentzen, P., and Grant, W. S. (1999). "Population structure and dynamics of walleye pollock." *Advances in Marine Biology*, 37, pp. 179-255.
- Baker, C. S., Herman, L. M., Perry, A., Lawton, W. S., Straley, J. M., Wolman, A. A., Kaufman, G. D., Winn, H. E., Hall, J. D., Reinke, J. M., and Ostman, J. (1986). "Migratory movement and population structure of humpback whales (*Magaptera novaeangliae*) in the central and eastern North Pacific." *Marine Ecology Progress Series*, 31, pp. 105-119.
- Baker, C. S., Perry, A., and Herman, L. H. (1987). "Reproductive histories of female humpback whales *Megaptera novaeangliae* in the North Pacific." *Marine Ecology Progress Series*, 41, pp. 103-114.
- Baker, C. S., and Herman, L. M. (1987). "Alternative population estimates of humpback whales (*Megaptera novaeangliae*) in Hawaiian waters." *Canada Journal Zoology*, 65, pp. 2818-2821.

- Baker, C. S., Perry, A., and Vequist, G. (1988). "Conservation update - humpback whales of Glacier Bay, Alaska." *Whalewatcher, Journal of the American Cetacean Society*, 22, pp. 13-17.
- Baker, C. S., Palumbi, S. R., Lambertsen, R. H., Weinrich, M. T., Calambokidis, J., and O'Brien, S. J. (1990). "Influence of seasonal migration on geographic distribution of mitochondrial DNA haplotypes in humpback whales." *Nature*, 344, pp. 238-240.
- Baker, J. D., Antonelis, G. A., Fowler, C. W., and York, A. E. (1995). "Natal site fidelity in northern fur seals, *Callorhinus ursinus*." *Animal Behavior*, 50, pp. 237-247.
- Bakkala, R. G. (1984). "Pacific cod of the eastern Bering Sea." *International North Pacific Fisheries Commission Bulletin*, 42, pp. 157-179.
- Bakkala, R. G., Traynor, J., Teshima, K., Shimada, A. M., and Yamaguchi, H. (1985). "Results of cooperative U.S.-Japan groundfish investigations in the eastern Bering Sea during June-November 1982." NOAA Technical Memorandum, *NMFS F/NWC-87*, U.S. Department of Commerce, NOAA. p. 448.
- Bakkala, R. G. (1993). "Structural and historical changes in the groundfish complex of the eastern Bering Sea." NOAA Technical Report, *NMFS 114*, U.S. Department of Commerce, NOAA. p. 91.
- Balcomb, K., and Nichols, G. (1978). "Western North Atlantic humpback whales." *Report of the International Whaling Commission*, 28, pp. 159-164.
- Balcomb, K. D. (1989). "Baird's beaked whale, *Berardius bairdii* Stejneger, 1993: Arnoux's beaked whale *Iberardius arnouxii* Douvrenoy, 1851." Handbook of Marine Mammals: River Dolphins and the Larger Toothed Whales, S. H. Ridgway and R. Harrison, eds., Academic Press, New York, pp. 261-288.
- Bancroft, H. H. (1959). *History of Alaska, 1730-1885*, Antiquarian Press Ltd., New York. 775 pp.
- Baretta, L., and Hunt Jr., G. L. (1994). "Changes in the numbers of cetaceans near the Pribilof Island, Bering Sea, between 1975-78 and 1987-89." *Arctic*, 47, pp. 321-326.
- Barlough, J. E., Berry, E. S., Goodwin, E. A., Brown, R. F., DeLong, R. L., and Smith, A. W. (1987). "Antibodies to marine caliciviruses in the Steller sea lion (*Eumetopias jubatus* Schreber)." *Journal of Wildlife Disease*, 23, pp. 34-44.
- Barlow, J. (1995). "The abundance of cetaceans in California waters. I. Ship surveys in summer/fall 1991." *Fishery Bulletin*, 93, pp. 1-14.
- Barrett-Lennard, L. G., Heise, K., Saulitas, E., Ellis, G., and Matkin, C. (1995). "The impact of killer whale predation on Steller sea lion populations in British Columbia and Alaska.", North Pacific Universities Marine Mammal Research Consortium, Vancouver, BC. p. 65.
- Bartholomew, G. A., and Hoel, L. G. (1953). "Reproductive behavior of the Alaska fur seal, *Callorhinus ursinus*." *Journal of Mammalogy*, 34, pp. 417-436.
- Bartholomew, G. A. (1970). "A model for the evolution of pinniped polygyny." *Evolution*, 24, pp. 546-559.
- Bauer, G. B., Mobley, J. R., and Herman, L. M. (1993). "Responses of wintering humpback whales to vessel traffic." *Journal of the Acoustic Society of America*, 94, p. 1848.
- Beamish, R. J. (1993). "Climate and exceptional fish production off the west coast of North America." *Canadian Journal of Fisheries and Aquatic Science*, 50, pp. 2270-2291.
- Bechtol, W. R. (2000). "Prince William Sound walleye pollock: Current assessment and 2001 management recommendations." Regional Information Report, *2400-42*, Alaska Department of Fish and Game, Division of Commercial Fisheries, 333 Raspberry Road, Anchorage, AK.

- Benson, A. J., and Trites, A. W. (2000). "A review of the effects of regime shifts on the production domains in the eastern North Pacific Ocean." Unpublished report, Marine Mammal Research Unit, Fisheries Centre, University of British Columbia, 2204 Main Mall, Vancouver, BC V6T 1Z4.
- Berger, J., Wall, J., and Nelson Jr., R. (1984). "Summary of U.S. observer sampling of foreign and joint-venture fisheries in the northeast Pacific Ocean and eastern Bering Sea, 1983." Document submitted to the annual meeting of the International North Pacific Fisheries Commission, Vancouver, B.C., Canada, Northwest and Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, Seattle, WA.
- Berzin, A. A., and Rovnin, A. A. (1966). "The distribution and migrations of whales in the northeastern part of the Pacific, Chukchi and Bering Seas." Soviet Research on Marine Mammals of the Far East, K. I. Panin, ed., pp. 103-136.
- Berzin, A. A. (1971). "*Kashalot* [the sperm whale]." *NTIS TT71-50152/50160*, Israel Program Scientific Translations. p. 394.
- Bessonov, B., Mel'nikov, V. V., and Bobkov, V. A. (1990). "Distribution and migration of cetaceans in the Soviet Chukchi Sea." Conference Proceedings, Third Information Transfer Meeting, U.S. Minerals Management Service, Alaska OCS Region, pp. 25-31.
- Best, E. A. (1963). "Contribution to the biology of the Pacific hake, *Merluccius productus* (Ayers)." *California Cooperative Oceanic Fisheries Investigative Report*, 9, pp. 51-56.
- Best, E. A., and St-Pierre, F. (1986). "Pacific halibut as predator and prey." International Pacific Halibut Commission Technical Report, 21, International Pacific Halibut Commission, P.O. Box 95009, Seattle, WA 98145.
- Best, P. B. (1993). "Increase rates in severely depleted stocks of baleen whales." *ICES Journal of Marine Science*, 50, pp. 169-186.
- Bickham, J. W., Patton, J. C., and Loughlin, T. R. (1996). "High variability for control-region sequences in a marine mammal: Implications for conservation and biogeography of Steller sea lions (*Eumetopias jubatus*)." *Journal of Mammalogy*, 7, pp. 95-108.
- Bickham, J. W., Sandhu, S., Hebert, P. D. N., Chikhi, L., and Athwal, R. (2000). "Effects of chemical contaminants on genetic diversity in natural populations; implications for biomonitoring and ecotoxicology." *Mutation Research*, 463, pp. 33-51.
- Bigg, M. A. (1969). "The Harbour seal in British Columbia." *Fisheries Research Board of Canada Bulletin*, 172, p. 33.
- Bigg, M. A. (1981). "Harbour seal, *Phoca vitulina* Linnaeus, 1758 and *Phoca largha* Pallas, 1811." Handbook of Marine Mammals, S. H. Ridgway and R. J. Harrison, eds., Academic Press, New York, pp. 1-27.
- Bigg, M. A. (1985). "Status of Steller sea lion (*Eumetopias jubatus*) and California sea lion (*Zalophus californianus*) in British Columbia." *Canadian Special Publication of Fisheries and Aquatic Sciences*, 77, p. 20.
- Bigg, M. A. (1986). "Arrival of northern fur seals, (*Callorhinus ursinus*), on St. Paul Island, Alaska." *Fishery Bulletin*, 84, pp. 383-394.
- Bigg, M. A., Ellis, G. M., Ford, J. K. B., and Balcomb, K. C. (1987). "Killer whales, a study of their identification, genealogy and natural history in British Columbia and Washington state.", West Coast Whale Research Foundation and Phantom Press and Publishers Inc., Nanaimo, British Columbia, Canada.
- BINMIC Planning Committee (Seattle). (1998). "Ballard Interbay Northend Manufacturing and Industrial Center (BINMIC) Final Plan."
- Bishop, D. H., and Morado, J. F. (1995). "Results on blood cell morphology and differential blood cell counts from seventeen Steller sea lion *Eumetopias jubatus* pups." *Diseases of Aquatic Organisms*, 23, pp. 1-6.

- Bockstoce, J. R. (1986). *Whales, ice and men: the history of whaling in the western Arctic*, University of Washington Press, Seattle, WA. 400 pp.
- Bodkin, J. L., and Udevitz, M. S. (1999). "An aerial survey method to estimate sea otter abundance." *Marine mammal survey and assessment methods*, G. W. Garner, S. C. Amstrup, J. L. Laake, B. F. J. Manly, L. L. McDonald, and D. G. Robertson, eds., A.A. Balkema, Publishers, Rotterdam, pp. 13-26.
- Boehlert, G. (1996). "Biodiversity and the sustainability of marine fisheries." *Oceanography*, 9, pp. 28-35.
- Bogoslovskaya, L. S., Votrogov, L. M., and Krupnik, I. I. (1982). "The bowhead whale off Chukotka: migrations and aboriginal whaling." *Report of the International Whaling Commission*, 32, pp. 391-399.
- Bograd, S. J., Stabeno, P. J., and Schumacher, J. D. (1994). "A census of mesoscale eddies in Shelikof Strait, Alaska, during 1991." *Geophysical Research Letters*, 99, pp. 18243-18254.
- Boyd, I. L. (1991). "Environmental and physiological factors controlling the reproductive cycles of pinnipeds." *Canadian Journal of Zoology*, 69, pp. 1135-1148.
- Boyd, I. L. (1995). "Steller sea lion research." Unpublished report, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115. p. 90.
- Boyd, I. L. (1996). "Temporal scales of foraging in a marine predator." *Ecology*, 77, pp. 426-434.
- Boyd, I. L., and Croxall, J. P. (1996). "Dive durations in pinnipeds and seabirds." *Canadian Journal of Zoology*, 74, pp. 1696-1705.
- Boyd, I. L. (1997). "The behavioural and physiological ecology of diving." *Trends in Ecology and Evolution*, 12, pp. 213-217.
- Boyd, I. L. (1998). "Time and energy constraints in pinniped lactation." *American Naturalist*, 152, pp. 717-728.
- Boyd, I. L. (1999). "Foraging and provisioning in Anarctic fur seals: interannual variability in time-energy budgets." *Behavioral Ecology*, 10, pp. 198-202.
- Braham, H. W., Fraker, M. A., and Krogman, B. D. (1980). "Spring migration of the western Arctic population of bowhead whales." *Marine Fisheries Review*, 42(9-10), pp. 36-46.
- Braham, H. W., Everitt, R. D., and Rugh, D. J. (1980). "Northern sea lion decline in the eastern Aleutian Islands." *Journal of Wildlife Management*, 44, pp. 25-33.
- Braham, H. W., and Dahlheim, M. E. (1982). "Killer whales in Alaska documented in the Platforms of Opportunity Program." *Report of the International Whaling Commission*, 32, pp. 643-646.
- Braham, H. W., and Rice, D. W. (1984). "The right whale, *Balaena glacialis*." *Marine Fisheries Review*, 46, pp. 38-44.
- Braham, H. W., Burns, J. J., Fedoseev, G. A., and Krogman, B. D. (1984). "Habitat partitioning by ice-associated pinnipeds: distribution and density of seals and walruses in the Bering Sea, April 1976." *Soviet-American cooperative research on marine mammals*, F. H. Fay and G. A. Fedoseev, eds., pp. 25-47.
- Brandon, E. A. A., Davis, R. W., Kanatous, S., Calkins, D. G., and Loughlin, T. R. (1996). "Pup condition and growth rates in declining and stable populations of Steller sea lions in Alaska." *Steller Sea Lion Recovery Investigations in Alaska, 1992-1994*, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK, pp. 62-68.
- Brandon, A. A., and Davis, R. W. (1999). "Neonatal growth and condition and female attendance patterns." *Steller Sea Lion Research Peer Review Physiology Workshop*.
- Brandon, E. A. A. (2000). "Maternal investment in Steller sea lions in Alaska," Ph.D. dissertation, Texas A & M University, Galveston.

- Bright, D. B. (1959). "The occurrence and food of the sleeper shark, *Somniosus pacificus*, in a central Alaska bay." *Copeia*, 1959, pp. 76-77.
- Brodeur, R. D., and Wilson, M. T. (1996). "A review of the distribution, ecology, and population dynamics of age-0 walleye pollock in the Gulf of Alaska." *Fisheries Oceanography*, 5(Supplement 1), pp. 148-166.
- Brodeur, R. D., Mills, C. E., Overland, J. E., Walters, G. E., and Schumacher, J. D. (1999). "Evidence for a substantial increase in gelatinous zooplankton in the Bering Sea, with possible links to climate change." *Fisheries Oceanography*, 8(4), pp. 292-306.
- Brooks, J. W. (1954). "A contribution to the life history and ecology of the Pacific walrus." Special Report, I, Alaska Coop. Wildl. Res. Unit, University of Alaska Fairbanks, Fairbanks, AK 99775. p. 103.
- Browne, P., and Loughlin, T. R. (2001). "Interannual and regional differences in clinical blood parameters as an indication of Alaskan Steller sea lion condition." *Biological Conservation*, In review.
- Brownell, R. L., Yablokov, A. V., and Zemsky, V. A. (1998). "USSR pelagic catches of North Pacific sperm whales, 1949-1979: conservation implications." Paper Sc/50/CAWS27 submitted to the IWC Scientific Committee. p. 12.
- Bryant, P. J., Nichols, G., Braynt, T. B., and Miller, K. (1981). "Krill availability and the distribution of humpback whales in southeastern Alaska." *Journal of Mammalogy*, 62, pp. 427-430.
- Brylinsky, M., Gibson, J., and Gordon Jr., D. C. (1994). "Impacts of flounder trawls on the intertidal habitat and community of the Minas Basin, Bay of Fundy." *Canadian Journal of Fisheries and Aquatic Science*, 51, pp. 650-661.
- Buckland, S. T., Breiwick, J. M., Cattanach, K. L., and Laake, J. L. (1993a). "Estimated population size of the California gray whale." *Marine Mammal Science*, 9(3), pp. 235-249.
- Buckland, S. T., Cattanach, K. L., and Hobbs, R. C. (1993b). "Abundance estimates of Pacific white sided dolphin, northern right whale dolphin, Dall's porpoise and northern fur seal in the North Pacific, 1987/90." Biology, Distribution, and Stock Assessment of Species Caught in the High Seas Driftnet Fisheries in the North Pacific Ocean, W. Shaw, R. L. Burgner, and J. Ito, eds., International North Pacific Fisheries Commission, 6640 Northwest Marine Drive, Vancouver, BC, Canada V6T 1X2, pp. 387-407.
- Bukhtiyarov, Y. A., Frost, K. J., and Lowry, L. F. (1984). "New information on the foods of the spotted seal, *Phoca largha*, in the Bering Sea in spring." Soviet-American cooperative research on marine mammals, F. H. Fay and G. A. Fedoseev, eds., U.S. Department of Commerce, NOAA, pp. 55-59.
- Burger, C. V., and Wertheimer, A. C. (1995). "Pacific salmon in Alaska." Our living resources: a report to the nation on the distribution, abundance, and health of U.S. plants, animals, and ecosystems, E. T. LaRoe, G. S. Farris, C. E. Puckett, P. D. Doran, and M. J. Mac, eds., U.S. Department of the Interior, National Biological Survey, Washington, DC, pp. 343-347.
- Burkanov, V. N. (1989). "The spotted seal (*Phoca largha*) in the waters of Kamchatka and its impact on Pacific salmon," Ph.D., Institute of evolution, morphology, and biology of animals, Moscow University, Moscow, Russia.
- Burns, J. J. (1965). "The walrus in Alaska: its ecology and management." Fed. Aid Wildlife Restoration Project Report, 5, Alaska Department of Fish and Game. p. 48.
- Burns, J. J. (1967). "The Pacific bearded seal." Federal Aid in Wildlife Restoration, *Projects W-6-R and W-14-R*, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 66.

- Burns, J. J. (1970). "Remarks on the distribution and natural history of pagophilic pinnipeds in the Bering and Chukchi Seas." *Journal of Mammalogy*, 51, pp. 445-454.
- Burns, J. J., and Harbo Jr., S. J. (1972). "An aerial census of ringed seals, northern coast of Alaska." *Arctic*, 25, pp. 279-290.
- Burns, J. J. (1973). "Marine Mammal report." *W-17-3, W-17-4, W-17-5*, Pittman-Robertson.
- Burns, J. J. (1981a). "Bearded seal, *Erignathus barbatus* Erxleben, 1777." Handbook of Marine Mammals, S. H. Ridgway and R. J. Harrison, eds., Academic Press, New York, pp. 145-170.
- Burns, J. J. (1981b). "Ribbon seal, *Phoca fasciata*." Handbook of Marine Mammals, S. H. Ridgway and R. J. Harrison, eds., Academic Press, New York, pp. 89-109.
- Burns, J. J., and Frost, K. J. (1983). "The natural history and ecology of the bearded seal, *Erignathus barbatus*." OCSEAP Final Report, 19, U.S. Department of Commerce, NOAA. pp. 311-392.
- Byrd, G. V., Williams, J. C., and Walder, R. (1992). "Status and biology of the tufted puffin in the Aleutian Islands, Alaska, after a ban on salmon driftnets." U.S. Department of the Interior, Fish and Wildlife Service, Alaska Maritime National Wildlife Refuge, Aleutian Islands Unit, PSC 486, Box 5251, FPO AP 96506-5251, Adak, AK.
- Caddy, J. F. (1973). "Underwater observations on tracks of dredges and trawls and some effects of dredging on a scallop ground." *Journal of the Fisheries Research Board of Canada*, 30, pp. 173-180.
- Calambokidis, J., and Barlow, J. (1991). "Chlorinated hydrocarbon concentrations and their use for describing population discreteness in harbor porpoises from Washington, Oregon, and California." NOAA Technical Report, *NMFS 98*, Department of Commerce, Miami, Florida. pp. 101-110.
- Calambokidis, J., and Steiger, G. H. (1995). "Population assessment of humpback and blue whales using photo-identification from 1993 surveys off California." Final contact report, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038.
- Calambokidis, J., Sears, R., Steiger, G. H., and Evenson, J. (1995). "Movement and stock structure of blue whales in the eastern North Pacific." *Proceedings of the 11th Biennial Conference on the Biology of Marine Mammals*, Orlando, FL, p. 19.
- Calambokidis, J., Steiger, G. H., Evenson, J. R., Flynn, K. R., Balcomb, K. C., Claridge, D. E., Bloedel, P., Straley, J. M., Baker, C. S., von Ziegesar, O., Dahlheim, M. E., Waite, J. M., Darling, J. D., Ellis, G., and Green, G. A. (1996). "Interchange and isolation of humpback whales off California and other North Pacific feeding grounds." *Marine Mammal Science*, 12, pp. 215-226.
- Calambokidis, J., Steiger, G. H., Straley, J. M., Quinn, T., Herman, L. M., Cerchio, S., Salden, D. R., Yamaguchi, M., Sato, F., Urban, J. R., Jacobsen, J., von Ziegesar, O., Balcomb, K. C., Gabriele, C. M., Dahlheim, M. E., Higashi, N., Uchida, S., Ford, J. K. B., Miyamura, Y., Ladron de Guevara, P., Mizroch, S. A., Schlender, L., and Rasmussen, K. (1997). "Abundance and population structure of humpback whales in the North Pacific basin." Final contract report, *50ABNF500113*, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038. p. 72.
- Calambokidis, J., Steiger, G. H., Rasmussen, K., Urban, J. R., Balcomb, K. C., Ladron de Guevara, P., Salinas, M., Jacobsen, J. K., Baker, C. S., Herman, L. M., Cerchio, S., and Darling, J. D. (2000). "Migratory destinations of humpback whales that feed off California, Oregon and Washington." *Marine Ecology Progress Series*, 192, pp. 295-304.



- Calambokidis, J., Steiger, G. H., Straley, J. M., Herman, L. M., Cerchio, S., Salden, D. R., Urban, J. R., Jacobsen, J., von Ziegesar, O., Balcomb, K. C., Gabriele, C. M., Dahlheim, M. E., Uchida, S., Ellis, G., Miyamura, Y., Ladron de Guevara, P., Yamaguchi, M., Sato, F., Mizroch, S. A., Schlender, L., Rasmussen, K., and Barlow, J. (In press). "Movements and population structure of humpback whales in the North Pacific Basin." *Marine Mammal Science*.
- Calkins, D. G., and Pitcher, K. W. (1982). "Population assessment, ecology and trophic relationships of Steller sea lions in the Gulf of Alaska." Environmental Assessment of the Alaskan Continental Shelf Final Report, 19 (1983), U.S. Department of Commerce, NOAA. pp. 445-546.
- Calkins, D. G. (1987). "Marine Mammals." The Gulf of Alaska: Physical Environment and Biological Resources, D. W. Hood and S. T. Zimmerman, eds., Alaska Office, Ocean Assessments Division, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, and the Alaska OCS Region Office, Minerals Management Service, U.S. Department of the Interior, Washington, DC, pp. 527-560.
- Calkins, D. G., and Goodwin, E. (1988). "Investigation of the declining sea lion population in the Gulf of Alaska.", State of Alaska, Department of Fish and Game, Anchorage Regional Office, 333 Raspberry Road, Anchorage, AK 99518. p. 76.
- Calkins, D. G., Becker, E. F., Spraker, T. R., and Loughlin, T. R. (1994). "Impacts on Steller sea lions." Marine mammals and the *Exxon Valdez*, T. R. Loughlin, ed., Academic Press, San Diego, CA, pp. 119-139.
- Calkins, D. G. (1998). "Prey of Steller sea lions in the Bering Sea." *Biosphere Conservation*, 1(1), pp. 33-44.
- Calkins, D. G., Becker, E. F., and Pitcher, K. W. (1998). "Reduced body size of female Steller sea lions from a declining population in the Gulf of Alaska." *Marine Mammal Science*, 14, pp. 232-244.
- Calkins, D. G., McAllister, D. C., and Pitcher, K. W. (1999). "Steller sea lion status and trend in Southeast Alaska: 1979-1997." *Marine Mammal Science*, 15, pp. 462-477.
- Canino, M. F. (1994). "Effects of temperature and food availability on growth and RNA/DNA ratios of walleye pollock, *Theragra chalcogramma* (Pallas), eggs and larvae." *Journal of Experimental Marine Biology and Ecology*, 175, pp. 1-16.
- Carlson, H. R., and Straty, R. R. (1981). "Habitat and nursery grounds of Pacific rockfish, *Sebastes* spp., in rocky coastal areas of Southeastern Alaska." *Marine Fisheries Review*, 43, pp. 13-19.
- Carlson, H. R. (1995). "Consistent yearly appearance of age-0 walleye pollock, *Theragra chalcogramma*, at a coastal site in southeastern Alaska, 1973-1994." *Fishery Bulletin*, 93, pp. 386-390.
- Carlton, J. T. (1996). "Marine bioinvasions: The alteration of marine ecosystems by nonindigenous species." *Oceanography*, 9, pp. 36-43.
- Carretta, J. V., Lynn, M. S., and LeDuc, C. A. (1994). "Right whale (*Eubalaena glacialis*) sighted off San Clemente Island, CA." *Marine Mammal Science*, 10, pp. 101-105.
- Castellini, M. A. (1991). "The biology of diving mammals: behavioral, physiological, and biochemical limits." *Advances in Comparative and Environmental Physiology*, 8, pp. 105-134.
- Castellini, M. A., and Calkins, D. G. (1993). "Mass estimates using body morphology in Steller sea lions." *Marine Mammal Science*, 9, pp. 48-54.
- Castellini, M. A., Davis, R. W., Loughlin, T. R., and Williams, T. M. (1993). "Blood chemistries and body condition of Steller sea lion pups at Marmot Island, Alaska." *Marine Mammal Science*, 9, pp. 202-208.

- Castellini, M. A., and Cherian, M. G. (1999). "The biochemistry of assessing heavy metals in populations of coastal marine mammals." *EPA Symposium on Western Ecological Systems*.
- Castellini, M. A. (2001). "Captive studies with Steller sea lions at the Alaska SeaLife Center." *Abstract of paper presented at the "Is it food? II workshop"*, Alaska Sea Life Center, Seward Alaska, pp. 30-31.
- Chase, R. A., and Pascall, G. (1996). "Jobs Today - Jobs Tomorrow: The Puget Sound-Alaska Partnership." Prepared for the Tacoma-Pierce County Chamber of Commerce and the Greater Seattle Chamber of Commerce.
- Chumbley, K., Sease, J., Strick, M., and Towell, R. (1997). "Field studies of Steller sea lions (*Eumetopias jubatus*) at Marmot Island, Alaska, 1979 through 1994." NOAA Technical Memorandum, NMFS-AFSC-77, U.S. Department of Commerce, NOAA. p. 99.
- Churchill, J. H. (1989). "The effect of commercial trawling on sediment resuspension and transport over the Middle Atlantic Bight continental shelf." *Continental Shelf Research*, 9(9), pp. 841-864.
- Cimberg, R. L., Gerrodette, T., and Muzik, K. (1981). "Habitat requirements and expected distribution of Alaska coral." OCSEAP Final Report, 54(1987), Report prepared for Office of Marine Pollution Assessment, Alaska Office, DOC, NOAA. pp. 207-308.
- Clapham, P. J., and Mayo, C. A. (1987). "Reproduction and recruitment of individually identified humpback whales, *Megaptera novaeangliae*, observed in Massachusetts Bay, 1979-1985." *Canadian Journal of Zoology*, 65(12), pp. 2853-2863.
- Clausen, D. M. (1983). "Food of walleye pollock, *Theragra chalcogramma*, in an embayment of southeastern Alaska." *Fishery Bulletin*, 81(3), pp. 637-642.
- Collie, J. S., Hall, S. J., Kaiser, M. J., and Poiner, I. R. (2000). "A quantitative analysis of fishing impacts on shelf-sea benthos." *Journal of Animal Ecology*, 69, pp. 785-798.
- Condit, R., and LeBoeuf, B. J. (1984). "Feeding habits and feeding grounds of the northern elephant seal." *Journal of Mammalogy*, 65(2), pp. 281-290.
- Coon, C., Shirley, T. C., and Heifetz, J. (1999). "Spatial and temporal patterns of bottom trawling in the Gulf of Alaska and Aleutian Islands." NOAA Technical Report, submitted, U.S. Department of Commerce.
- Cosens, S. E., and Dueck, L. P. (1993). "Icebreaker noise in Lancaster Sound, N.W.T., Canada: Implications for marine mammal behavior." *Marine Mammal Science*, 9, pp. 285-300.
- Costa, D. P., Croxall, J. P., and Duck, C. D. (1989). "Foraging energetics of Antarctic fur seals in relation to changes in prey availability." *Ecology*, 70, pp. 596-606.
- Costa, D. P. (1993). "The relationship between reproductive and foraging energetics and the evolution of the Pinnipedia." *Zoological Symposium*, 66, pp. 293-314.
- Council on Environmental Quality (CEQ). (1997). "Considering Cumulative Effects Under the National Environmental Policy Act.", Council on Environmental Quality, Executive Office of the President, Washington, DC.
- Cousins, K., and Cooper, J. (2000). The Population biology of the black-footed albatross in relation to mortality caused by longline fishing., Honolulu, HI, 159 pp.
- Cousins, K. (2001). "The black-footed albatross population biology workshop: a step to understanding the impacts of longline fishing on seabird populations." *Proceedings - Seabird Bycatch: Trends, Roadblocks, and Solutions*, E. F. Melvin and J. K. Parrish, eds., University of Alaska Sea Grant Press, pp. 95-114.
- Cousins, K., Dalzell, P., and Gilman, E. (2001). "International efforts to manage pelagic longline-albatross interactions in the North and Central Pacific Ocean." *Marine Ornithology*, 28(2).

- Crawford, T. W. (1981). "Vertebrate prey of *Phocoenoides dalli* (Dall's porpoise) associated with the Japanese high seas salmon fishery in the North Pacific Ocean," M.S. Thesis, University of Washington Press, Seattle, WA.
- Credle, V. R., DeMaster, D. P., Merklein, M. M., Hanson, M. B., Karp, W. A., and Fitzgerald, S. M. e. (1994). "NMFS observer programs: minutes and recommendations from a workshop held in Galveston, Texas, November 10-11, 1993." NOAA Technical Memorandum, *NMFS-OPR-94-1*, U.S. Department of Commerce, NOAA. p. 96.
- Croll, D. A., Tershy, B. R., Hewitt, R., Demer, D., Hayes, S., Fiedler, P., Popp, J., and Lopez, V. L. (1988). "An integrated approach to the foraging ecology of marine birds and mammals." *Deep-Sea Research II*, 45, pp. 1353-1371.
- Croxall, J. P., Rodwell, S., and Boyd, I. L. (1990). "Entanglement in man-made debris of Antarctic fur seals at Bird Island, South Georgia." *Marine Mammal Science*, 6, pp. 221-223.
- Dahlheim, M. E. (1987). "Bio-acoustics of the gray whale (*Eschrichtius robustus*)," Unpublished Ph.D., University of British Columbia, Vancouver.
- Dahlheim, M. E., and Towell, R. G. (1994). "Occurrence and distribution of Pacific white-sided dolphins (*Lageorhynchus obliquidens*) in southeastern Alaska, with notes on attack by killer whales (*Orcinus orca*)." *Marine Mammal Science*, 10(4), pp. 458-464.
- Dahlheim, M., York, A., Towell, R., Waite, J., and Breiwick, J. (2000). "Harbor porpoise (*Phocoena phocoena*) abundance in Alaska: Bristol Bay to Southeast Alaska, 1991-1993." *Marine Mammal Science*, 16, pp. 28-45.
- Darling, J. D., and Jurasz, C. M. (1983). "Migratory destinations of North Pacific humpback whales (*Megaptera novaeangliae*)." Communication and behavior of whales, R. Payne, ed., Westview Press, Boulder, pp. 359-368.
- Darling, J. D., and McSweeney, D. J. (1985). "Observations of the migrations of North Pacific humpback whales (*Megaptera novaeangliae*)." *Canadian Journal of Zoology*, 63, pp. 308-314.
- Darling, J., and Mori, K. (1993). "Recent observations of humpback whales (*Megaptera novaeangliae*) in Japanese waters off Ogasawara and Okinawa." *Canadian Journal of Zoology*, 71, pp. 325-333.
- Davis, R. W., Brandon, A. A., Adams, T. C., Williams, T. M., Castellini, M. A., Loughlin, T. R., and Calkins, D. G. (1996). "Indices of reproductive effort, body condition and pup growth for Steller sea lions (*Eumetopia jubatus*) in Alaska." Wildlife Technical Bulletin, 13, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK. pp. 53-61.
- Day, R. H., Kuletz, K. J., and Nigro, D. A. (1999). "Kittlitz's murrelet (*Brachyramphus brevirostris*)." The Birds of North America, A. Poole and F. Gill, eds., Academy of Natural Sciences, Philadelphia, PA and American Ornithologists' Union, Washington, DC.
- De Swart, R.L., Ross, P. S., Timmerman, H. H., Hijman, W. C., de Ruiter, E. M., Liem, A. K. D., Brouwer, A., van Loveren, H., Reijnders, P. J. H., Vos, J. G., and Osterhaus, A. D. M. E. (1995). "Short term fasting does not aggravate immunosuppression in harbour seals (*Phoca vitulina*) with high body burdens of organochlorines." *Chemosphere*, 31, pp. 4289-4306.
- De Swart, R. L., Ross, P. S., Vos, J. G., and Osterhaus, A. D. M. E. (1996). "Impaired immunity in harbor seals (*Phoca vitulina*) exposed to bioaccumulated environmental contaminants: review of a long-term feeding study." *Environmental Health Perspectives*, 104, pp. 823-828.

- Decker, M. B., Hunt Jr, G. L., and Byrd Jr., G. V. (1995). "The relationships among sea-surface temperature, the abundance of juvenile walleye pollock (*Theragra chalcogramma*), and the reproductive performance and diets of seabirds at the Pribilof Islands, southeastern Bering Sea." *Climate change and northern fish populations*, R. J. Beamish, ed., Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 425-437.
- DeGange, A. R., and Sanger, G. A. (1986). "Marine Birds." *The Gulf of Alaska: Physical environment and biological resources*, D. W. Hood and S. T. Zimmerman, eds., U.S. National Oceanic and Atmospheric Administration, Ocean Assessments Division, Anchorage, AK, pp. 479-524.
- DeLong, R. L., Gilmartin, W. G., and Simpson, J. G. (1973). "Premature births in California sea lions: association with high organochlorine pollutant residue levels." *Science*, 81, pp. 1168-1169.
- Dick, M. H., and Warner, I. M. (1982). "Pacific sand lance, *Ammodytes hexapterus* Pallas, in the Kodiak Island group, Alaska." *Syesis*, 15, pp. 43-50.
- Didier, A. (1999). "Steller Sea Lion Research Peer Review Physiology Workshop.", National Marine Fisheries Service, Seattle, WA. p. 34.
- Dohl, T., Guess, R., Duman, M., and Helm, R. (1983). "Cetaceans of central and northern California, 1980-1983: status, abundance, and distribution." Rep. OCS Study, *NMS 84-0045*, U.S. Department of the Interior.
- Dolphin, W. E., and McSweeney, D. (1983). "Incidental ingestions of Cassin's auklets by humpback whales." *Auk*, 100, p. 214.
- Donaldson, W. E. (1990). "Determination of experimentally induced non-observable mortality on red king crab." Regional Information Report, *4K90-13*, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Donnelly, C. P., and Trites, A. W. (2000). "The nutritional stree hypothesis as it relates to Alaskan pinnipeds." Unpublished report, Marine Mammal Research Unit, Fisheries Centre, University of British Columbia, 2204 Main Mall, Vancouver, BC V6T 1Z4. p. 26.
- Donovan, G. P. (1991). "A review of IWC stock boundaries." *Report of the International Whaling Commission*, Special Issue 13, pp. 39-63.
- Dorn, M., Hollowed, A., Brown, E., Megrey, B., Wilson, C., and Blackburn, J. (1999). "Walleye pollock." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, p. 67.
- Dorn, M. W., Hollowed, A. B., Brown, E., Megrey, B., Wilson, C., and Blackburn, J. (2000). "Walleye pollock." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Doroshenko, N. V. (2000). "Soviet whaling for blue, gray, bowhead and right whales in the North Pacific Ocean, 1961-1979." Soviet whaling data (1949-1979), A. V. Yablokov and V. A. Zemsky, eds., Center for Russian Environmental Policy, Marine Mammal Council, Moscow.
- Dorsey, E. M., Stern, S. J., Hoelzel, A. R., and Jacobsen, J. (1990). "Minke whale (*Balaenoptera acutorostrata*) from the west coast of North America: individual recognition and small scale site fidelity." *Report of the International Whaling Commission*, Special Issue 12, pp. 357-368.

- Dotinga, H. M., and Oude Elferink, A. G. (2000). "Acoustic pollution in the oceans: the search for legal standards." *Ocean Development and International Law*, 31, pp. 151-182.
- Dragoo, E. E., Byrd Jr., G. V., and Irons, D. B. (2000). "Breeding status and population trends of seabirds in Alaska in 1999." *AMNWR 2000/02*, U.S. Fish and Wildlife Service.
- Dwyer, D. A. (1984). "Feeding habits and daily ration of walleye pollock (*Theragra chalcogramma*) in the eastern Bering Sea," Masters Thesis, University of Washington, Seattle, WA.
- Dwyer, D. A., Bailey, K. M., and Livingston, P. A. (1987). "Feeding habits and daily ration of walleye pollock (*Theragra chalcogramma*) in the eastern Bering Sea, with special reference to cannibalism." *Canadian Journal of Fisheries and Aquatic Science*, 44, pp. 1972-1984.
- Economic Consulting Services. (1997). "Ballard-Interbay-Northend Manufacturing and Industrial Center Plan Economic Analysis and Economic Development Strategy." Prepared for the City of Seattle and the BINMIC Planning Committee.
- Edds, P. L. (1988). "Characteristics of finback, *Balaenoptera physalus*, vocalizations in the St. Lawrence Estuary." *Bioacoustics*, 1(2/3), pp. 131-149.
- Erbe, C., and Farmer, D. M. (2000). "Zones of impact around icebreakers affecting beluga whales in the Beaufort Sea." *Journal of Acoustic Society of American*, 108, pp. 1332-1340.
- Eschmeyer, W. N., Herald, E. S., Hammann, H., and Smith, K. P. (1984). *A field guide to Pacific coast fishes of North America from the Gulf of Alaska to Baja California*, Houghton-Mifflin, Boston. 336 pp.
- Estes, J. A., and Palmisano, J. F. (1974). "Sea otters: their role in structuring nearshore communities." *Science*, 185, pp. 1085-1060.
- Estes, J. A. (1980). "*Enhydra lutris*." *Mamm. Species*, 133, p. 8.
- Estes, J. A., and Van Blaricom, G. R. (1985). "Sea otters and shellfisheries." Marine mammals and fisheries, J. R. Beddington, R. J. H. Beverton, and D. M. Lavigne, eds., George Allen and Unwin, London, pp. 187-235.
- Estes, J. A., Tinker, M. T., Williams, T. M., and Doa, D. F. (1998). "Killer whale predation on sea otters linking oceanic and nearshore ecosystems." *Science*, 282, pp. 473-476.
- Ettefagh, S. (2001). "2000 Final Report of the Unalaska Fleet Cooperative." Presented to the North Pacific Fishery Management Council.
- Fadely, B. S., Worthy, G. A. J., and Costa, D. P. (1990). "Assimilation efficiency of northern fur seals determined using dietary manganese." *Journal of Wildlife Management*, 54, pp. 246-251.
- Fadely, B. S., Zeligs, J. A., and Costa, D. P. (1994). "Assimilation efficiencies and maintenance requirements of California sea lions (*Zalophus californianus*) fed walleye pollock (*Theragra chalcogramma*) and herring (*Clupea harengus*)." Final Report to the National Marine Mammal Laboratory. p. 29.
- Fadely, B. S. (1997). "Investigations of harbor seal (*Phoca vitulina*) health status and body condition in the Gulf of Alaska," Unpublished Ph.D. Dissertation, University of Alaska, Fairbanks.
- Fadely, B. S., and Loughlin, T. R. (2001). "Weak association between Steller sea lion pup condition and population and environmental trends in western Alaska." *Abstract submitted to 14th Biennial Conference on the Biology of Marine Mammals*, Vancouver, Canada.
- Favorite, F., Dodimead, A. J., and Nasu, K. (1976). "Oceanography of the Subarctic Pacific region, 1960-71." International North Pacific Fisheries Commission Bulletin, 33, International North Pacific Fisheries Commission, 6640 Northwest Marine Drive, Vancouver, BC, Canada V6T 1X2. p. 187.

- Fay, F. H. (1955). "The Pacific Walrus (*Odobenus rosmarus divergens*): spatial ecology, life history, and population," Ph.D. Thesis, University of British Columbia, Vancouver.
- Fay, F. H., and Cade, T. J. (1959). "An ecological analysis of the avifauna of St. Lawrence Island, Alaska." *University of California Publ. Zool.*, 63, pp. 73-150.
- Fay, F. H. (1961). "The distribution of waterfowl on St. Lawrence Island, Alaska." *Wildfowl*, 12, pp. 70-80.
- Fay, F. H. (1974). "The role of ice in the ecology of marine mammals of the Bering Sea." *Oceanography of the Bering Sea*, D. W. Hood and E. J. Kelley, eds., University of Alaska, Fairbanks, pp. 383-389.
- Fay, F. H. (1982). "Ecology and biology of the Pacific walrus, (*Odobenus rosmarus divergens*)." *Illiger. N. Am. Fauna*, 74, p. 279.
- Fay, F. H., and Furman, D. P. (1982). "Natal mites (Acari: Halarachnidae) in the spotted seal, *Phoca largha* Pallas, and other pinnipeds of Alaskan waters." *Journal of Wildlife Diseases*, 18, pp. 63-67.
- Fay, F. H., and Stoker, S. W. (1982a). "Reproductive success and feeding habits of walruses taken in the 1982 spring harvest, with comparisons from previous years.", Eskimo Walrus Commission, Nome, AK (Available from Institute of Marine Science, University of Alaska, Fairbanks, AK), Nome, Alaska. p. 91.
- Fay, F. H., and Stoker, S. W. (1982b). "Analysis of reproductive organs and stomach contents from walruses taken in the Alaskan Native harvest, spring 1980." Final report for contract 14-16-0007-81-5216, U.S. Department of the Interior, Fish and Wildlife Service, 1211 E. Tudor Road, Anchorage, AK 99503. p. 86.
- Fay, F. H., Kelly, B. P., Gehnrich, P. H., Sease, J. L., and Hoover, A. A. (1984). "Modern populations, migrations, demography, trophics, and historical status of the Pacific walrus." OCSEAP Final Report, 37, U.S. Department of Commerce, NOAA. pp. 231-376.
- Fedoseev, G. A. (1965). "Food of the ringed seal." *Izvestiya TINRO*, 59, pp. 216-223.
- Fedoseev, G. A., and Bukhtiyarov, Y. A. (1972). "Food of seals of the Okhotsk Sea." Abstracts of papers, Fifth All-Union Conference on Studies of Marine Mammals, V. A. Arsen'ev, V. M. Bel'kovich, V. A. Zemskii, B. A. Zenkovich, V. E. Sokolov, and K. K. Chapskii, eds., Akad. Nauk SSSR, Makhachkala (Translated from Russian by F.H. Fay, University of Alaska, Fairbanks, 1977), pp. 110-112.
- Fedoseev, G. A. (1984). "Present status of the population of walruses (*Odobenus rosmarus*) in the eastern Arctic and Bering Sea." *Marine mammals of the Far East*, V. E. Rodin, A. S. Perlov, A. A. Berzin, G. M. Gavrilov, A. I. Shevchenko, N. S. Fadeev, and E. B. Kucheriavenko, eds., Nauchnoissled. Inst. Morsk. Rybn. Khoz. Okeanogr. (TINRO), Vladivostok, pp. 73-85.
- Feldkamp, S. D. (1987). "Swimming in the California sea lion: morphometrics, drag and energetics." *Journal of Experimental Marine Biology and Ecology*, 131, pp. 117-135.
- Ferrero, R., and Walker, W. (1996). "Age, growth and reproductive patterns of the Pacific white-sided dolphin (*Lagenorhynchus obliquidens*) taken in high seas drift nets in the central North Pacific Ocean." *Canada Journal of Zoology*, 74(9), pp. 1673-1687.
- Ferrero, R. C., DeMaster, D. P., Hill, P. S., Muto, M. M., and Lopez, A. L. (2000). "Alaska marine mammal stock assessments, 2000." NOAA Technical Memorandum, *NMFS-AFSC-119*, U.S. Department of Commerce, NOAA. p. 191.
- Fiedler, P. C., Reilly, S. B., Hewitt, R. P., Demer, D., Philbrick, V. A., Smith, S., Armstrong, W., Croll, D. A., Tershy, B. R., and Mate, B. R. (1998). "Blue whale habitat and prey in the California Channel Islands." *Deep-Sea Research II*, 45, pp. 1781-1801.

- Finley, K. J., Miller, G. W., Davis, R. A., and Koski, W. R. (1983). "A distinctive large breeding population of ringed seal (*Phoca hispida*) inhabiting the Baffin Bay pack ice." *Arctic*, 36, pp. 162-173.
- Fiscus, C. H., and Baines, G. A. (1966). "Food and feeding behavior of Steller and California sea lions." *Journal of Mammalogy*, 47, pp. 195-200.
- Fiscus, C. H. (1997). "Cephalopod beaks in a Cuvier's beaked whale (*Ziphius cavirostris*) from Amchitka Island, Alaska." *Marine Mammal Science*, 13(3), pp. 481-486.
- Fisher, H. D. (1952). "The status of the harbour seal in British Columbia, with particular reference to Skeena River." *Fisheries Research Board of Canada Bulletin*, 93, p. 58.
- Fitch, J. E., and Brownell Jr., R. L. (1968). "Fish otoliths in cetacean stomachs and their importance in interpreting feeding habits." *Journal of Fisheries Research Board of Canada*, 25, pp. 2561-2574.
- Forney, K. A., and Brownell Jr., R. L. (1996). "Preliminary report of the 1994 Aleutian Island marine mammal survey." Document SC/48/O11 presented to the IWC Scientific Committee, unpublished, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038.
- Forney, K. A., Barlow, J., Muto, M. M., Lowry, M., Baker, J., Cameron, G., Mobley, J. R., Stinchcomb, C., and Carretta, J. V. (2000). "U.S. Pacific Marine Mammal Stock Assessments 2000." NOAA Technical Memorandum, NMFS-SWFSC-300, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038.
- Fossa, J. H., Furevik, D. M., Mortensen, P. B., and Hovland, M. (1999). "Effects of bottom trawling on Lophelia deep water coral reefs in Norway. Poster presented at ICES meeting on Ecosystem Effects of Fishing, March 1999. Institute of Marine Research, Bergen, Norway." Megafauna associations with gorgonian coral (*Primnoa* spp.) in the Gulf of Alaska, K. J. Krieger and B. L. Wing, eds., Draft manuscript available from NMFS, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, AK 99801.
- Foster, N. R., and Hare, M. P. (1990). "Cephalopod remains from a Cuvier's beaked whale (*Ziphius cavirostris*) stranded in Kodiak, Alaska." *Northwestern Naturalist*, 71, pp. 49-51.
- Fowler, C. W. (1987). "Marine debris and northern fur seals: a case study." *Marine Pollution Bulletin*, 18(6B), pp. 326-335.
- Francis, R. C., and Hare, S. R. (1994). "Decadal-scale regime shifts in the large marine ecosystems of the North-east Pacific: a case for historical science." *Fisheries Oceanography*, 3, pp. 279-291.
- Francis, R. C., Aydin, K., Merrick, R. L., and Bollens, S. (1999). "Modeling and management of the Bering Sea ecosystem." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, eds., University of Alaska Sea Grant, Fairbanks, AK, pp. 409-433.
- Franzmann, A. W. (1985). "Assessment of nutritional status." Bioenergetics of wild herbivores, R. J. Hudson and R. G. White, eds., CRC Press, Inc., Boca Raton, FL, pp. 240-259.
- Freese, L., Auster, P. J., Heifetz, J., and Wing, B. L. (1999). "Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska." *Marine Ecology Progress Series*, 182, pp. 119-126.
- Fritz, L. W., Ferrero, R. C., and Berg, R. J. (1995). "The threatened status of Steller sea lions, *Eumetopias jubatus*, under the Endangered Species Act: Effects on Alaska Groundfish Management." *Marine Fisheries Review*, 57(2), pp. 14-27.
- Fritz, L. W. (1996). "Juvenile walleye pollock, *Theragra chalcogramma*, bycatch in commercial groundfish fisheries in Alaskan waters." NOAA Technical Report NMFS, 126, U.S. Department of Commerce, NOAA.

- Fritz, L. W., Greig, A., and Reuter, R. F. (1998). "Catch-per-unit-, length, and depth distributions of major groundfish and bycatch species in the Bering Sea, Aleutian Islands, and Gulf of Alaska regions based on groundfish fishery observer data." NOAA Technical Memorandum, *NMFS-AFSC-88*, U.S. Department of Commerce. p. 179.
- Fritz, L. W., and Lowe, S. A. (1998). "Seasonal distributions of Atka mackerel (*Pleuragrammus monopterygius*) in commercially-fished areas of the Aleutian Islands and Gulf of Alaska." NOAA Technical Memorandum, *NMFS-AFSC-92*, Department of Commerce, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. p. 29.
- Fritz, L. (1999). "Squid and other species." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea and Aleutian Islands region, Bering Sea and Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252, p. 29.
- Fritz, L. (2000). "Squid and other species." Section 14 in Appendix A, Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea and Aleutian Islands region, Bering Sea and Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- Fritz, L. W. (2001). "Section 14 Summary of Changes in the Bering Sea-Aleutian Islands Squid and Other Species Assessment." Squid and Other Species, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Frost, K. J., and Lowry, L. F. (1980). "Feeding of ribbon seals (*Phoca fasciata*) in the Bering Sea in spring." *Canada Journal Zoology*, 58, pp. 1601-1607.
- Frost, K. J., and Lowry, L. F. (1981). "Foods and trophic relationships of cetaceans in the Bering Sea." *The Eastern Bering Sea Shelf: Oceanography and Resources*, D. W. Hood and J. A. Calder, eds., University of Washington Press, Seattle, WA, pp. 825-836.
- Frost, K. J. (1985). "The ringed seal." Unpublished report, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 14.
- Frost, K. J., and Lowry, L. F. (1986). "Sizes of walleye pollock, *Theragra chalcogramma*, consumed by marine mammals in the Bering Sea." *Fishery Bulletin*, 84, pp. 192-197.
- Frost, K. J., Lowry, L. F., Gilbert, J. R., and Burns, J. J. (1988). "Ringed seal monitoring: relationships of distribution and abundance to habitat attributes and industrial activities." Final Rep. Contract, *84-ABC-00210*, U.S. Department of the Interior, Minerals Management Service, Anchorage, AK. p. 101.
- Frost, K. J., and Lowry, L. F. (1990). "Distribution, abundance, and movements of beluga whales, *Delphinapterus leucas*, in coastal waters of western Alaska." *Advances in research on the beluga whale, Delphinapterus leucas*, T. G. Smith, D. J. St. Aubin, and J. R. Geraci, eds., pp. 39-57.
- Frost, K. J., Russell, R. B., and Lowry, L. F. (1992). "Killer whales, *Orcinus orca*, in the Southeastern Bering Sea: recent sighting and predation on other marine mammals." *Marine Mammal Science*, 8, pp. 110-119.
- Frost, K. J., Lowry, L. F., Hills, S., Pendleton, G., and DeMaster, D. (1997). "Monitoring distribution and abundance of ringed seals in northern Alaska." Interim report, *Cooperative Agreement 14-35-001-30810*, U.S. Department of the Interior, Minerals Management Service, Anchorage, AK. p. 42.
- Frost, K. J., Lowry, L. F., Hills, S., Pendleton, G., and DeMaster, D. (1998). "Monitoring distribution and abundance of ringed seals in northern Alaska." Interim report, *Cooperative Agreement 14-35-001-30810*, U.S. Department of the Interior, Minerals Management Service, Anchorage, AK. p. 48.



- Frost, K. J., Lowry, L. F., Hessinger, C., Pendleton, G., DeMaster, D., and Hills, S. (1999). "Monitoring distribution and abundance of ringed seals in northern Alaska." Interim report, *Cooperative Agreement 14-35-001-30810*, U.S. Department of the Interior, Minerals Management Service, Anchorage, AK. p. 37.
- Furness, R. W., and Ainley, D. G. (1984). "Threats to seabird populations." *Bird Preservation*, 2, pp. 179-186.
- Furness, R. W., Ensor, K., and Hudson, A. V. (1992). "The use of fishery waste by gull populations around the British Isles." *Ardea*, 80, pp. 105-113.
- Gaichas, S. K., Fritz, L. W., and Ianelli, J. N. (1999). "Other Species Considerations for the Gulf of Alaska." Appendix D in Stock Assessment and Fishery Evaluation Report for the Groundfish Resources in the Gulf of Alaska, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Gambell, R. (1985a). "Fin Whale, *Balaenoptera physalus* (Linnaeus, 1758)." Handbook of Marine Mammals, S. H. Ridgway and R. Harrison, eds., Academic Press, London, pp. 171-192.
- Gambell, R. (1985b). "Sei whale, *Balaenoptera borealis*, (Lesson, 1828)." Handbook of Marine Mammals, S. H. Ridgway and R. Harrison, eds., Academic Press, London, pp. 155-170.
- Garshelis, D. L., and Garshelis, J. A. (1984). "Movements and management of sea otters in Alaska." *Journal of Wildlife Management*, 48(3), pp. 665-678.
- Garthe, S., Camphuysen, C. J., and Furness, R. W. (1996). "Amounts of discards by commercial fisheries and their significance as food for seabirds in the North Sea." *Marine Ecology Progress Series*, 136, pp. 1-11.
- Gaskin, D. E. (1984). "The harbor porpoise (*Phocoena phocoena* L.) Regional populations, status, and information on direct and indirect catches. In Diets of Seabirds and Consequences of Changes in Food Supply." *Report of the International Whaling Commission*, 34, pp. 569-586.
- Gearin, P. J., Melin, S. R., DeLong, R. L., Kajimura, H., and Johnson, M. A. (1994). "Harbor porpoise interactions with a chinook salmon set-net fishery in Washington state." Special Issue, 15, Report of the International Whaling Commission. pp. 427-438.
- Gearin, P. J. (1999). "Makah Whaling." Status review of the eastern North Pacific stock of gray whales, D. J. Rugh, M. M. Muto, S. E. Moore, and D. P. DeMaster, eds., DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 96.
- Gentry, R. L. (1970). "Social behavior of the Steller sea lion," Ph.D., University of California, Santa Cruz.
- Gentry, R. L., and Kooyman, G. L. (1986). *Fur Seals. Maternal Strategies on Land and At Sea*, Princeton University Press, Princeton, NJ,
- Gentry, R. L., and Holt, J. R. (1986). "Attendance behavior of northern fur seals." Maternal strategies on land and at sea, R. L. Gentry and G. L. Kooyman, eds., Princeton University Press, Princeton, NJ, pp. 41-60.
- Gentry, R. L., Kooyman, G. L., and Goebel, M. E. (1986). "Feeding and diving behavior of northern fur seals." Maternal strategies on land and at sea, R. L. Gentry and G. L. Kooyman, eds., Princeton University Press, Princeton, NJ, pp. 61-78.
- Gentry, R. L. (1998). *Behavior and ecology of the northern fur seal*, Princeton University Press, Princeton, NJ. 392 pp.
- George, J. C., Philo, L. M., Hazard, K., Withrow, D., Carroll, G. M., and Suydam, R. (1994). "Frequency of killer whale (*Orcinus orca*) attacks and ship collisions based on scarring on bowhead whales (*Balaena mysticetus*) of the Bering-Chukchi-Beaufort seas stock." *Arctic*, 47, pp. 247-255.

- Geraci, J. R. (1981). "Dietary disorders in marine mammals: synthesis and new findings." *Journal of the American Veterinary Association*, 179, pp. 1183-1191.
- Gilkinson, K., Paulin, M., Hurley, S., and Schwinghamer, P. (1998). "Impacts of trawl door scouring on infaunal bivalves: results of a physical trawl door model/dense sand interaction." *Journal of Experimental Marine Biology and Ecology*, 224(2), pp. 291-312.
- Gilpatrick, J., Perryman, W., Lynn, L., and DeAngelis, M. A. (1995). "Geographic populations of blue whales (*Balaenoptera musculus*) in the North Pacific investigated from whaling records and aerial photogrammetry." Document SC/47/NP4 presented to the IWC Scientific Committee, *Unpublished*, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038.
- Gilpatrick, J., Perryman, W., Lynn, L., and DeAngelis, M. A. (1997). "Geographic populations of blue whales (*Balaenoptera musculus*) in the North Pacific investigated from whaling records and aerial photogrammetry." Document SC/47/NP4 presented to the IWC Scientific Committee, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038. p. Unpublished.
- Gisiner, R. C. (1985). "Male territorial and reproductive behavior in the Steller sea lion, (*Eumetopias jubatus*)," Ph. D., University of California, Santa Cruz.
- Goddard, P. D., and Rugh, D. J. (1998). "A group of right whales seen in the Bering Sea in July 1996." *Marine Mammal Science*, 14(2), pp. 344-349.
- Goebel, M. E., Bengtson, J. L., DeLong, R. L., Gentry, R. L., and Loughlin, T. R. (1991). "Diving patterns and foraging locations of female northern fur seals." *Fishery Bulletin*, 89, pp. 171-179.
- Goebel, M. E. (2001). "Unpublished manuscript," Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038.
- Golet, G. H., Kuletz, K. J., Roby, D. D., and Irons, D. B. (2000). "Adult prey choice affects chick growth and reproductive success in pigeon guillemots." *Auk*, 117(1), pp. 82-91.
- Golley, F. B., Petrides, G. A., Rauber, E. L., and Jenkins, J. H. (1965). "Food intake and assimilation by bobcats under laboratory conditions." *Journal of Wildlife Management*, 29, pp. 442-447.
- Gorbics, C. S., Garlich-Miller, J. L., and Schliebe, S. L. (1998). "Draft Alaska marine mammal stock assessments 1998 sea otters, polar bears, and walrus," U.S. Department of the Interior, U.S. Fish and Wildlife Service, 1211 E. Tudor Road, Anchorage, AK 99503. p. 45.
- Gorbics, G. S., and Bodkin, J. E. (2001). "Stock identity of sea otters in Alaska," U.S. Department of the Interior, Fish and Wildlife Service, 1211 E. Tudor Road, Anchorage, AK 99503.
- Gordon, J., Leaper, R., Hartley, F. G., and Chappell, O. (1992). "Effects of whale-watching vessels on the surface and underwater acoustic behaviour of sperm whales off Kaikoura, New Zealand." *New Zealand Department of Conservation Science and Research Series*, 52, p. 64.
- Goto, Y., and Shimazaki, K. (1998). "Diet of Steller sea lions off the coast of Rausu, Hokkaido, Japan." *Biosphere Conservation*, 1, pp. 141-148.
- Gould, P. J., Walker, W. W., and Ostrom, P. (1997). "Foods of northern fulmars associated with high-seas drift nets in the transitional region of the North Pacific." *Northwestern Naturalist*, 78, pp. 57-61.
- Grant, W. S., Zhang, C. I., Kobayashi, T., and Stahl, G. (1987). "Lack of genetic stock discretion in Pacific cod (*Gadus macrocephalus*)." *Canadian Journal of Fisheries and Aquatic Science*, 44, pp. 490-498.

- Greenstreet, S. P. R., and Rogers, S. I. (2000). "Effects of fishing on non-target fish species." *Effects of Fishing on Non-target Species and Habitats*, M. J. Kaiser and S. J. de Groot, eds., Blackwell Science, Oxford, pp. 217-234.
- Groot, C., and Margolis, L. (1991). *Pacific Salmon Life Histories*, UBC Press, Vancouver, British Columbia, Canada. 564 pp.
- Grover, J. J. (1990). "Feeding ecology of late-larval and early juvenile walleye pollock (*Theragra chalcogramma*) from the Gulf of Alaska in 1987." *Fishery Bulletin*, 88(3), pp. 463-470.
- Gulland, F. M. D., Trupkiewicz, J. G., Spraker, T. R., Lowenstein, L. J., Stein, J., Tilbury, K. L., Reichert, W. L., and Hom, T. (1997). "Metastatic carcinoma and exposure to chemical contaminants in California sea lions (*Zalophus californianus*) stranded along the central California coast." *Proceedings of the Fifth International Effects of Oil on Wildlife Conference*, p. 146.
- Gurevich, V. S. (1980). "Worldwide distribution and migration patterns of the white whale (beluga), *Delphinapterus leucas*." Report of the International Whaling Commission. pp. 465-480.
- Guttormsen, M., Narita, R., and Berger, J. (1990). "Summary of U.S. observer sampling of foreign and joint-venture fisheries in the northeast Pacific Ocean and eastern Bering Sea, 1989." NOAA Technical Memorandum, *NMFS F/NWC-189*, NMFS, Northwest Region, 7600 Sand Point Way NE, Seattle, WA 98115.
- Hacker, E. S. (1986). "Stomach content analysis of short-finned pilot whales and northern elephant seals from the Southern California Bight." SWFSC Administrative Report, *LJ-86-08C*. p. 34.
- Hall, S. J. (1999). *The effects of fishing on marine ecosystems and communities*, Blackwell Science, Oxford. 274 pp.
- Hanna, G. (1920). "Mammals of the St. Matthew Islands, Bering Sea." *Journal of Mammalogy*, 1, pp. 118-122.
- Hanski, I. (1997). "Be diverse, be predictable." *Nature*, 390, pp. 440-441.
- Hare, S. R., and Mantua, N. J. (2000). "Empirical evidence for Northeast Pacific regime shifts in 1977 and 1989." *Progress in Oceanography*, 46, pp. 6-50.
- Hastings, K. K., Small, R. J., Simpkins, M. A., and Swain, U. G. (2001). "Dive behavior of adult and subadult harbor seals from Kodiak Island and Southeast Alaska." NOAA Grant NA87FX0300, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK. pp. 184-208.
- Hatch, S. A., and Sanger, G. A. (1992). "Puffins as samplers of juvenile pollock and other forage fish in the Gulf of Alaska." *Marine Ecology Progress Series*, 80, pp. 1-14.
- Hazard, K. (1988). "Beluga whale, *Delphinapterus leucas*." Selected marine mammals of Alaska. Species accounts with research and management recommendations, J. W. Lentfer, ed., Marine Mammal Commission, Washington, DC, pp. 195-235.
- Heide-Jorgensen, M. P., Stewart, B. S., and Leatherwood, S. (1992). "Satellite tracking of ringed seals *Phoca hispida* off northwest Greenland." *Ecography*, 15, pp. 56-61.
- Heifetz, J., and Fujioka, J. T. (1991). "Modeling movement dynamics of sablefish (*Anoplopoma fimbria*) in the Northeastern Pacific." *Fisheries Research*, 11, pp. 355-374.
- Heise, K. A. (1997). "Diet and feeding behaviour of Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) as revealed through the collection of prey fragments and stomach content analysis." *Report of the International Whaling Commission*, 47, pp. 807-825.
- Helle, E., Olsson, M., and Jensen, S. (1976). "DDT and PCB levels and reproduction in ringed seal from the Bothnian Bay." *Ambio*, 5, pp. 188-189.

- Hermann, A. J., Hinckley, S., Megrey, B. A., and Stabeno, P. J. (1996). "Interannual variability of the early life history of walleye pollock near Shelikof Strait as inferred from a spatially explicit, individual - based model." *Fisheries Oceanography*, 5(Suppl. 1), pp. 39-57.
- Heyning, J. E., and Dalheim, M. E. (1988). "Orcinus orca. Mammalian Species Account." *American Society of Mammalogists*, 304, pp. 1-9, 4 figures.
- Heyning, J. E. (1989). "Cuvier's beaked whale, *Ziphius cavirostris* G. Cuvier, 1823." Handbook of marine mammals: river dolphins and the larger toothed whales, S. H. Ridgway and R. Harrison, eds., Academic Press, New York, pp. 289-308.
- Higgins, L. V., Costa, D. P., Huntley, A. C., and LeBoeuf, B. J. (1988). "Behavioural and physiological measurements of maternal investment in the Steller sea lion, *Eumetopias jubatus*." *Marine Mammal Science*, 4, pp. 44-58.
- High, W. L. (1987). "Biological and technical observations of halibut longline gear from a submersible." *NOAA Symposium Series for Undersea Research*, 2(2), pp. 93-100.
- Hilborn, R., and Walters, C. J. (1992). *Quantitative Fisheries Stock Assessment: Choice, Dynamics and Uncertainty*, Chapman and Hall, New York. 570 pp.
- Hill, P. S., and DeMaster, D. P. (1999). "Alaska Marine Mammal Stock Assessments, 1999." NOAA Technical Memorandum, *NMFS-AFSC-110*, U.S. Department of Commerce, NMFS, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115. p. 166.
- Hill, P. S., Laake, J. L., and Mitchell, E. (1999). "Results of a pilot program to document interactions between sperm whales and longline vessels in Alaska waters." NOAA Technical Memorandum, *NMFS-AFSC-108*, U.S. Department of Commerce, NOAA. p. 42.
- Hines, A. H., and Ruiz, G. M. (2000). "Biological invasions of cold-water coastal ecosystems: ballast-mediated introductions in Port Valdez/Prince William Sound, Alaska." Final Project Report, Smithsonian Environmental Research Center, P.O. Box 28, 647 Contees Wharf Road, Edgewater, MD 21037-0028.
- Hirschberger, W. A., and Smith, G. B. (1983). "Spawning of twelve groundfish species in the Alaska and Pacific coast regions, 1975-1981." NOAA Technical Memorandum, *NMFS F/NWC-44*, U.S. Department of Commerce, NOAA. p. 50.
- Hobbs, R. C., and Lerczak, J. A. (1993). "Abundance of Pacific white-sided dolphin and Dall's porpoise in Alaska estimated from sightings in the North Pacific Ocean and the Bering Sea during 1987 through 1991." MMPA Status of Stocks and Impacts of Incidental Take, Annual reports, Unpublished report, available from NMFS, Office of Protected Resources, 1315 East West Highway, Silver Spring, MD 20910. p. 17.
- Hobbs, R. C., and Rugh, D. J. (1999). "The abundance of gray whales in the 1997-98 southbound migration in the eastern North Pacific." paper SC/51/AS10 presented to the IWC Scientific Committee (unpublished).
- Hobbs, R. C., Rugh, D. J., and DeMaster, D. P. (2000). "Abundance of belugas, *Dephinapterus leucas*, in Cook Inlet, Alaska, 1994-2000." *Marine Fisheries Review*, In press.
- Hollowed, A. B., and Wooster, W. S. (1995). "Decadal-scale variations in the eastern Subarctic Pacific: II. Response of Northeast Pacific fish stocks. In Climate Change and Northern Fish Populations." *Canadian Special Publication of Fisheries and Aquatic Sciences*, 121, pp. 373-385.
- Hollowed, A. B., Brown, E., Ianelli, J., Livingston, P., Megrey, B., and Wilson, C. (1997). "Walleye pollock." North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252. pp. 362-396.

- Hollowed, A. B., Hare, S. R., and Wooster, W. S. (1998). "Pacific-Basin climate variability and patterns of northeast Pacific marine fish production. *In* Biotic Impacts of Extratropical Climate Variability in the Pacific." *Proceedings 'Aha Huliko'a Hawaiian Winter Workshop*, University of Hawaii at Manoa, pp. 1-21.
- Hollowed, A. B., Ianelli, J. N., and Livingston, P. A. (2000). "Including predation mortality in stock assessments: A case study involving Gulf of Alaska walleye pollock." *ICES Journal of Marine Science*, 57, pp. 279-293.
- Honkalehto, T. (1989). "A length-cohort analysis of walleye pollock based on empirical estimation of cannibalism and predation by marine mammals. Proceedings Intl. Symp. Biol. Management Walleye Pollock, November 1988." Alaska Sea Grant Report, 89-1, University of Alaska Fairbanks, Fairbanks, AK 99775. pp. 651-665.
- Hood, W. R., and Ono, K. A. (1997). "Variation in maternal attendance patterns and pup behavior in a declining population of Steller sea lions (*Eumetopias jubatus*)." *Canadian Journal of Zoology*, 75, pp. 1241-1246.
- Horning, M., and Trillmich, F. (1997). "Development of hemoglobin, hematocrit, and erythrocyte values in Galapagos fur seals." *Marine Mammal Science*, 13, pp. 100-113.
- Hulbert, L., Sigler, M., and Lunsford, C. (2001). "Pacific sleeper shark predation on Steller sea lions." *Abstract paper presented at the "Is is food? II workshop"*, Alaska Sea Life Center, Seward, Alaska.
- Hunt Jr., G. L., Decker, M. B., and Kitaysky, A. (1995). "Fluctuations in the Bering Sea ecosystem as reflected in the reproductive ecology and diets of kittiwakes on the Pribilof Islands, 1975 to 1990." *Aquatic Predators and their Prey*, S. P. R. Greenstreet and M. L. Tasker, eds., Blackwell Scientific Publications, Oxford.
- Ianelli, J. N., Fritz, L., Honkalehto, T., Williamson, N., and Walters, G. (1999). "Eastern Bering Sea walleye pollock assessment." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands regions, B. S. a. A. I. P. Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 37-150.
- Ianelli, J. N., and Gaichas, S. (1999). "Stock assessment of Gulf of Alaska Thornyheads (*Sebastolobus spp.*)." Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska as projected for 2000, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 467-510.
- Ianelli, J., Fritz, L., Honkalehto, T., Williamson, N., and Walters, G. (1999). "Walleye pollock." Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea and Aleutian Islands region, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, p. 88.
- Ianelli, J., Fritz, L., Honkalehto, T., Williamson, N., and Walters, G. (2000). "Walleye pollock." Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea and Aleutian Islands region, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, p. 92.
- Imler, R. H., and Sarber, H. R. (1947). "Harbor seals and sea lions in Alaska." Special Scientific Report, 28, U.S. Department of the Interior.
- Impact Assessment Inc. (1987). "Analysis of Aleut Institutional Response and Change: 1980-1985." Minerals Management Service OCS Study, *MMS 87-0014*.
- Impact Assessment Inc. (1991). "Community Profiles Developed for the Social Impact Assessment of the Inshore/Offshore Amendment Proposal." Submitted to the North Pacific Fishery Management Council.

- Impact Assessment Inc. (1994). "Sector Description and Preliminary Social Impact Assessment of the North Pacific Fishery Management Council Regulatory Changes in the Groundfish and Crab Fisheries for the Gulf of Alaska and Bering Sea/Aleutian Islands." Prepared for the North Pacific Fishery Management Council.
- International Council for the Exploration of the Sea. (1988). "Report of the study group on the effects of bottom trawling." *CM 1988/B*, International Council for the Exploration of the Sea. p. 56.
- International Whaling Commission. (1997). "Chairman's report of the forty-eighth annual meeting." *Report of the International Whaling Commission*, 47(1), pp. 17-55.
- International Whaling Commission. (2000). "Nomenclature: Section 11.4 in Report of the Scientific Committee (IWC/52/4)." *52nd Meeting of the International Whaling Commission*, Adelaide, Australia.
- Ivashin, M. V., and Rovnin, A. A. (1967). "Some results of the Soviet whale marking in the waters of the North Pacific." *Norsk Hvalfangst-tid*, 56, pp. 123-135.
- James, G. D., and Stahl, J.-D. (2000). "Diet of southern Buller's albatross (*Diomedea bulleri bulleri*) and the importance of fishery discards during chick rearing." *NZ Journal of Marine and Freshwater Research*, 34, pp. 435-454.
- Jefferson, T. A., Stacey, P. J., and Baird, R. W. (1991). "A review of killer whale interactions with other marine mammals: predation to co-existence." *Mammal Review*, 21, pp. 151-180.
- Jemison, L. A. (2001). "Summary of harbor seal diet data collected in Alaska from 1990-1999 in Harbor Seal Investigations in Alaska Annual Report." NOAA Grant NA87FX0300, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK. pp. 314-322.
- Jemison, L. A., and Pendleton, G. W. (2001). "Harbor seal population trends and factors influencing counts on Tugidak Island, Alaska in Harbor Seal Investigations in Alaska Annual Report." NOAA Grant NA87FX0300, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK. pp. 31-52.
- Jemison, L. A., Pendleton, G. W., and Wilson, C. A. (2001). "Harbor seal population trends and factors influencing counts at Nanvek Bay, northern Bristol Bay, Alaska in Harbor Seal Investigations in Alaska Annual Report." NOAA Grant NA87FX0300, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK. pp. 52-70.
- Jennings, S., and Kaiser, M. J. (1998). "The effects of fishing on marine ecosystems." *Advances in Marine Biology*, 34, pp. 201-351.
- Jennings, S., and Reynolds, J. D. (2000). "Impacts of fishing on diversity: from pattern to process." *Effects of Fishing on Non-Target Species and Habitats*, M. J. Kaiser and S. J. de Groot, eds., Blackwell Science, Oxford, pp. 235-250.
- Jewett, S. C. (1978). "Summer food of the Pacific cod, *Gadus macrocephalus*, near Kodiak Island, Alaska." *Fishery Bulletin*, 76(3), pp. 700-706.
- Jobling, M., and Brieiby, A. (1986). "The use and abuse of fish otoliths in studies of feeding habits of marine piscivores." *Sarsia*, 71, pp. 265-274.
- Johnson, M. L., Fiscus, C. H., Ostenson, B. T., and Barbour, M. L. (1966). "Marine Mammals." *Environment of the Cape Thomson Region, Alaska*, N. J. Wilimovsky and J. N. Wolfe, eds., U.S. Atomic Energy Commn., Oak Ridge, TN, pp. 877-924.
- Johnson, J. H., and Wolman, A. A. (1984). "The humpback whale, *Megaptera novaeangliae*." *Marine Fisheries Review*, 46(4), pp. 30-37.

- Johnson, S., Burns, J., Malme, C., and Davis, R. (1989). "Synthesis of information on the effects of noise and disturbance on major haulout concentrations of Bering Sea pinnipeds." OCS Study MMS 88-0092, NTIS PB89-191373, LGL Alaska Res. Assoc., Inc. for U.S. Minerals Management Service, Anchorage. p. 267.
- Jones, R. E. (1981). "Food habits of smaller marine mammals from northern California." *Proceedings of the California Academy of Science*, 42, pp. 409-433.
- Jones, J. B. (1992). "Environmental impact of trawling on the seabed: a review." *New Zealand Journal of Marine and Freshwater Research*, 26, pp. 59-67.
- Kaiser, M. J., and Spencer, B. E. (1994). "Fish scavenging behavior in recently trawled areas." *Marine Ecology Progress Series*, 112(41-49).
- Kaiser, M. J., and Spencer, B. E. (1996a). "The effects of beam-trawl disturbance on infaunal communities in different habitats." *Journal of Animal Ecology*, 65, pp. 348-358.
- Kaiser, M. J., and Spencer, B. E. (1996b). "Fish scavenging behavioral response of scavengers to beam-trawl disturbance." *Aquatic Predators and their Prey*, S. P. R. Greenstreet and M. L. Tasker, eds., Blackwell Scientific Publications, Oxford.
- Kajimura, H., and Fowler, C. W. (1984). "Apex predators in the walleye pollock ecosystem in the eastern Bering Sea and Aleutian Islands regions." NOAA Technical Memorandum, NMFS F/NWC-62, U.S. Department of Commerce, NOAA. pp. 193-234.
- Kajimura, H. (1984). "Opportunistic feeding by the northern fur seal, *Callorhinus ursinus*, in the Eastern North Pacific Ocean and Eastern Bering Sea." NOAA Technical Report, NMFS SSRF-779, U.S. Department of Commerce, NOAA. p. 49.
- Kajimura, H., and Loughlin, T. R. (1988). "Marine mammals in the oceanic food web of the eastern subarctic Pacific." *Bulletin of the Ocean Research Institute, University of Tokyo*, 26 (part II), pp. 187-223.
- Kanatous, S. B., DiMichele, L. V., Cowan, D. F., and Davis, R. W. (1999). "High aerobic capacities in the skeletal muscles of pinnipeds: adaptations to diving hypoxia." *Journal of Applied Physiology*, 86, pp. 1247-1256.
- Kapel, F. O., Christiansen, J., Heide-Jorgensen, M. P., Harkonen, T., Born, E. W., Knutsen, L. O., Riget, F., and Teilmann, J. (1998). "Netting and conventional tagging used to study movements of ringed seals (*Phoca hispida*) in Greenland." *Ringed seals in the North Atlantic*, M. P. Heide-Jorgensen and C. Lydersen, eds., NAMMCO Scientific Publications, Tromso, pp. 211-228.
- Kasamatsu, F., and Hata, T. (1985). "Notes on minke whales in the Okhotsk Sea - West Pacific area." *Report of the International Whaling Commission*, 35, pp. 299-304.
- Kasamatsu, F., and Tanaka, S. (1992). "Annual changes in prey species of minke whales taken off Japan 1948-87." *Nippon Suisan Gakkaishi*, 58(4), pp. 637-651.
- Kastelein, R. A., Vaughan, N., and Wiepkema, P. R. (1990). "The food consumption of Steller sea lions (*Eumetopia jubatus*)." *Aquatic Mammals*, 15, pp. 137-144.
- Kastelein, R. A., Ford, J., Berghout, E., Wiepkema, P. R., and van Boxsel, M. (1994). "Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care." *Aquatic Mammals*, 20(2), pp. 81-97.
- Kastelein, R. A., Hardeman, J., and Boer, H. (1997). "Food consumption and body weight of harbour porpoises (*Phocoena phocoena*)." *The biology of the harbour porpoise*, A. J. Read, P. R. Wiepkema, and P. E. Nachtigall, eds., De Spil Publishers, Woerden, The Netherlands, pp. 217-233.
- Kasuya, T., and Ohsumi, S. (1984). "Further analysis of the Baird's beaked whale stock in the western North Pacific." *Report of the International Whaling Commission*. pp. 587-595.
- Kasuya, T. (1986). "Distribution and behavior of Baird's beaked whales off the Pacific coast of Japan." *Scientific Report of the Whales Research Institute Tokyo*, 37, pp. 61-83.

- Kasuya, T., and Ogi, H. (1987). "Distribution of mother-calf Dall's porpoise pairs as an indication of calving grounds and stock identity." *Scientific Report of the Whales Research Institute Tokyo*, 38, pp. 125-140.
- Kasuya, T., Brownell Jr, R. L., and Balcomb, K. C. (1997). "Life history of Baird's beaked whales off the Pacific coast of Japan." *Report of the International Whaling Commission*, 47, pp. 969-979.
- Kawakami, T. (1980). "A review of sperm whale food." *Scientific Report of the Whales Research Institute Tokyo*, 32, pp. 199-218.
- Kawamura, A. (1980). "A review of food of balaenopterid whales." *Scientific Report of the Whales Research Institute Tokyo*, 32, pp. 155-197.
- Kawamura, A. (1982). "Food habits and prey distributions of three rorqual species in the North Pacific Ocean." *Scientific Report of the Whales Research Institute Tokyo*, 34, pp. 59-91.
- Keiver, K. M., Ronald, K., and Beamish, F. W. H. (1984). "Metabolizable energy requirements for maintenance and faecal and urinary losses of juvenile harp seals (*Phoca groenlandica*)." *Canadian Journal of Zoology*, 62, pp. 769-776.
- Kelly, B. P. (1988a). "Bearded seal, *Erignathus barbatus*." Selected marine mammals of Alaska species accounts with research and management recommendations, J. W. Lentfer, ed., Marine Mammal Commission, Washington, DC, pp. 77-94.
- Kelly, B. P. (1988b). "Ribbon seal, *Phoca fasciata*." Selected marine mammals of Alaska species accounts with research and management recommendations, J. W. Lentfer, ed., Marine Mammal Commission, Washington, DC, pp. 95-106.
- Kelly, B. P. (1988c). "Ringed seal, *Phoca hispida*." Selected marine mammals of Alaska species accounts with research and management recommendations, J. W. Lentfer, ed., Marine Mammal Commission, Washington, DC, pp. 57-75.
- Kendall, A. W., Schumacher, J. D., and Kim, S. (1996). "Walleye pollock recruitment in Shelikof Strait: Applied fisheries oceanography." *Fisheries Oceanography*, 5(Supplement 1), pp. 4-18.
- Kendall Jr., A. W., Clarke, M. E., Yoklavich, M. M., and Boehlert, G. W. (1987). "Distribution, feeding and growth of larval walleye pollock, *Theragra chalcogramma*, from Shelikof Strait, Gulf of Alaska." *Fishery Bulletin*, 85(3), pp. 499-521.
- Kenney, R. D., and Kraus, S. D. (1993). "Right whale mortality-a correction and an update." *Marine Mammal Science*, 9, pp. 445-446.
- Kenyon, K. W., and Rice, D. W. (1961). "Abundance and distribution of the Steller sea lion." *Journal of Mammalogy*, 42, pp. 223-234.
- Kenyon, K. W. (1962). "Notes on phocid seals at Little Diomed Island, Alaska." *Journal of Wildlife Management*, 26, pp. 380-387.
- Kenyon, K. W. (1969). "The sea otter in the eastern Pacific Ocean." *North American Fauna*, 68, p. 352.
- Kenyon, K. W. (1981). "Sea otter, *Enhydra lutris* (Linnaeus, 1758)." Handbook of marine mammals, S. H. Ridgway and R. J. Harrison, eds., Academic Press, London, pp. 209-223.
- Ketchen, K. S. (1964). "Preliminary results of studies on a growth and mortality of Pacific cod (*Gadus macrocephalus*) in Hecate Strait, British Columbia." *Journal of the Fisheries Research Board of Canada*, 21, pp. 1051-1067.
- Kibal'chich, A. A., Dzhamanov, G. A., and Ivashin, M. V. (1986). "Records of bowhead and gray whales in the early winter in the Bering Sea." *Report of the International Whaling Commission*, 36, pp. 291-292.
- Kimura, D. K., and Ronholt, L. L. (1988). "Atka mackerel." NOAA Technical Memorandum, NMFS F/NWC-139, U.S. Department of Commerce, NOAA. pp. 143-171.



- Kimura, D. K., Shimada, A. M., and Shaw, F. R. (1998). "Stock structure and movement of tagged sablefish, *Anoplopoma fimbria*, in offshore northeast Pacific waters and the effects of El Niño-Southern Oscillation on migration and growth." *Fisheries Bulletin*, 96, pp. 462-481.
- Kingsley, M. C. S., Stirling, I., and Calvert, W. (1985). "The distribution and abundance of seals in the Canadian High Arctic, 1980-82." *Canadian Journal of Fisheries and Aquatic Science*, 42, pp. 1189-1210.
- Klumov, S. K. (1962). "The northern right whales in the Pacific Ocean." *Trudy Instituta Okeanologii (Akademii Nauk SSSR)*, 58, pp. 202-297.
- Klumov, S. K. (1963). "Pitaniye i Gel'mintofauna Usatykh Kitov (Mystacoceti) V Osnovnykh Promyslovnykh Rayonakh Mirovogo Okeana (Food and helminth fauna of whalebone whales (Mystacoceti) in the main whaling regions of the world ocean." *Biologicheskkiye Issledovaniya Morey*, 71.
- Knechtel, C. D., and Bledsoe, L. J. (1981). "A numerical simulation model of the population dynamics of walleye pollock, *Theragra chalcogramma* (Pallas 1811), in a simplified ecosystem. Part I, Model Description." NOAA Technical Memorandum, NMFS F/NWC-19, U.S. Department of Commerce, NOAA. p. 212.
- Knechtel, C. D., and Bledsoe, L. J. (1983). "A numerical simulation model of the population dynamics of walleye pollock, *Theragra chalcogramma* (Pallas 1811), in a simplified ecosystem: Part II, Model calibration, validation, and exercise." NOAA Technical Memorandum, NMFS F/NWC-50, U.S. Department of Commerce, NOAA. p. 264.
- Konishi, G. L. (1998). "Halarachnid mites infesting the respiratory tract of Steller sea lions." *Biosphere Conservation*, 1, pp. 45-48.
- Kooyman, G. L. (1985). "Physiology without restraint in diving mammals." *Marine Mammal Science*, 1, pp. 166-178.
- Kornev, S. I. (1994). "A note on the death of a right whale (*Eubalaena glacialis*) off Cape Lopakta (Kamchatka)." Special Issue 15, Report of the International Whaling Commission. pp. 443-444.
- Kosygin, G. M. (1966). "Some data on the feeding of the bearded seal in the Bering Sea during the spring-summer period." Soviet research on marine mammals of the Far East, K. I. Panin, ed., U.S. Department of the Interior, Bureau of Commercial Fisheries, Seattle, Washington, pp. 78-82.
- Kosygin, G. M. (1971). *Feeding of the bearded seal, Erignathus barbatus nauticus (Pallas), in the Bering Sea during the spring-summer period*, Translated from Russian by Can. Fish. Mar. Serv., Transl. Ser. 3747, 16 pp., translator. 144-151 pp.
- Kovacs, K. M., and Lavigne, D. M. (1992). "Maternal investment in otariid seals and walruses." *Canadian Journal of Zoology*, 70, pp. 1953-1964.
- Krahn, M. M., Ylitalo, G. M., Burrows, D. G., Calambokidis, J., Moore, S. E., Gosho, M., Gearin, P. J., Plesha, P. D., Brownell Jr, R. L., Blokhin, S. A., Tilbury, K., Rowles, T., and Stein, J. E. (2001). "Organochlorine contaminant concentrations and lipid profiles in eastern North Pacific gray whales (*Eschrichtius robustus*)." *Journal of Cetacean Research and Management*, In press.
- Kreiger, K. J., and Wing, B. L. (1999). Megafauna Associations with Gorgonian Coral (*Primnoa spp.*) in the Gulf of Alaska, NMFS, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, AK 99801,
- Krieger, K. J. (1985). "Food habits and distribution of first-year walleye pollock, *Theragra chalcogramma* (Pallas), in Auke Bay, Southeastern Alaska," Masters Thesis, University of Alaska Southeast, 11120 Glacier Highway, Juneau, AK 99801.

- Krieger, K. J. (1993). "Distribution and abundance of rockfish determined from a submersible and by bottom trawling." *Fishery Bulletin*, 91(1), pp. 87-96.
- Krieger, K. J. (1997). "Sablefish, *Anoplopoma fimbria*, observed from a manned submersible." NOAA Technical Report, *NMFS 130*, U.S. Department of Commerce, NOAA, Seattle, WA.
- Krieger, K. J., and Wing, B. L. (2000). "Megafauna associations with gorgonian coral (*Primnoa* spp.) in the Gulf of Alaska.", NMFS, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, AK 99801.
- Krost, P., Bernhard, M., Werner, F., and Hukriede, W. (1990). "Otter trawl tracks in Kiel Bay (Western Baltic) mapped by side-scan sonar." *Meeresforschung*, 32, pp. 344-353.
- Krost, P. (1993). "The consequences of bottom trawl fisheries for the sediment and its exchange processes as well as for the benthic communities of Kiel Bight." *Arbeiten Des Deutschen Fischerei-Verbandes*, 57, pp. 43-60.
- Kruse, G. H., Funk, F. C., Geiger, H. J., Mabry, K. R., Savikko, H. M., and Siddeek, S. M. (2000). "Overview of State-managed Marine Fisheries in the Central and Western Gulf of Alaska, Aleutian Islands, and the Southeastern Bering Sea, with Reference to Steller Sea Lions.", Alaska Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Kubodera, T., and Yoshida, H. (1981). "The gill-net mesh selectivity for flying squid, *Ommastrephes bartrami* (Lesueur)." *Research Institute North Pacific Fishery Species*, pp. 181-190.
- Kuletz, K. J., Irons, D. B., Agler, B. A., Piatt, J. F., and Duffy, D. C. (1997). "Long-term changes in diets and populations of piscivorous birds and mammals in Prince William Sound, Alaska." Alaska Sea Grant Report, *AK-SG-97-01*, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775. pp. 703-706.
- Kurle, K. M., and Worthy, G. A. J. (2000). "Stable isotope assessment of temporal and geographic differences in feeding ecology of northern fur seals (*Callorhinus ursinus*) and their prey." *Oecologia*, 126, pp. 254-265.
- Laevastu, T., and Larkins, H. A. (1981). *Marine fisheries ecosystem, its quantitative evaluation and management*, Fishing News Books Ltd., Farnham, Surrey, England. 159 pp.
- Laidig, T. E., Adams, P. B., and Samiere, W. M. (1997). "Feeding habits of sablefish, *Anoplopoma fimbria*, off the coast of Oregon and California." NOAA Technical Report, *NMFS 130*, U.S. Department of Commerce, NOAA, Seattle, WA.
- Laidre, K. L., Sheldon, K. E. W., Rugh, D. J., and Mahoney, B. A. (2000). "Distribution of belugas, *Delphinapterus leucas*, and survey effort in the Gulf of Alaska." *Marine Fisheries Review*, In press.
- Laist, D. (1987). "Overview of the biological effects of lost and discarded plastic debris in the marine environment." *Marine Pollution Bulletin*, 18(6B), pp. 319-326.
- Laist, D. (1997). "Impacts of marine debris: entanglement of marine life in marine debris including a comprehensive list of species with entanglement and ingestion records." *Marine debris, sources, impacts and solutions*, J. Coe and D. B. Rogers, eds., Springer-Verlag New York Inc., New York, pp. 99-140.
- Lang, G. M., and Livingston, P. A. (1996). "Food habits of key groundfish species in the eastern Bering Sea slope region." NOAA Technical Memorandum, *NMFS-AFSC-297*, U.S. Department of Commerce, NOAA. p. 110.
- Lavigne, D. M., Barchard, W., Innes, S., and Oritsland, N. A. (1982). "Pinniped bioenergetics." *FAO Fisheries Series*, 5, pp. 191-235.

- Lavigne, D. M., Innes, S., Worthy, G. A. J., Kovacs, K. M., Schmitz, O. J., and Hickie, J. P. (1986). "Metabolic rates of seals and whales." *Canadian Journal of Zoology*, 64, pp. 279-284.
- Laws, R. M. (1956). "Growth and sexual maturity in aquatic mammals." *Nature*, 178, pp. 193-194.
- Lawson, J. W., Hare, J. A., Noseworthy, E., and Friel, J. K. (1997a). "Assimilation efficiency of captive ringed seals (*Phoca hispida*) fed different diets." *Polar Biology*, 18, pp. 107-111.
- Lawson, J. W., Miller, E. H., and Noseworthy, E. (1997b). "Variation in assimilation efficiency and digestive efficiency of captive harp seals (*Phoca groenlandica*) on different diets." *Canadian Journal of Zoology*, 75, pp. 1285-1291.
- Leape, G., and Cline, D. (2001). "Draft NPFMC Steller Sea Lion RPA Committee Proposal to Avoid Jeopardy and Adverse Modification, presented to the RPA Committee." North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Leatherwood, S., Reeves, R. R., Perrin, W. F., and Evans, W. E. (1982). "Whales, dolphins, and porpoises of the eastern North Pacific and adjacent Arctic waters: A guide to their identification." NOAA Technical Report, *NMFS Circular 444*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, Seattle, WA 98115. p. 245.
- LeBoeuf, B. J., Perez-Cortes, H., Urban, J. R., Mate, B. R., and Ollervides, F. U. (2000). "High gray whale mortality and low recruitment in 1999: potential causes and implications." *Journal of Cetacean Research and Management*, 2(2), pp. 85-99.
- LeBoeuf, B. J., Crocker, D. E., Costa, D. P., Blackwell, S. B., Webb, P. M., and Houser, D. S. (2000). "Foraging ecology of northern elephant seals." *Ecological Monographs*, 70, pp. 353-382.
- LeBrasseur, R. J. (1966). "Stomach contents of Salmon and Steelhead Trout in the Northeastern Pacific Ocean." *Journal of Fisheries Research Board of Canada*, 23(1), pp. 85-100.
- LeDuc, R., Perryman, W. L., MacDonald, M., Hyde, J., and Brownell Jr, R. L. (2000). "Progress report on the eastern North Pacific right whale research during July 1999." Paper SC/52OS13 presented to the IWC Scientific Committee, Unpublished report, available from Southwest Fisheries Science Center, NMFS, P.O. Box 271, La Jolla, CA 92038.
- Lee, P. C., Majluf, P., and Gordon, I. J. (1991). "Growth, weaning and maternal investment from a comparative perspective." *Journal of Zoology (London)*, 225, pp. 99-114.
- Lee, J. S., Tanabe, S., Umino, H., Tatsukawa, R., Loughlin, T. R., and Calkins, D. G. (1996). "Persistent organochlorines in Steller sea lion (*Eumetopias jubatus*) from the bulk of Alaska and the Bering Sea (1976-1984)." *Marine Pollution Bulletin*, 32, pp. 535-544.
- Lensink, C. J. (1962). "The history and status of sea otters in Alaska," Ph.D. Thesis, Purdue University, Lafayette, Indiana.
- Lentfer, J. W. (1988). Selected Marine Mammals off Alaska, Marine Mammal Commission, 1625 I Street NW, Washington, DC 20006, 275 pp.
- Lincoln, J. M., and Conway, G. A. (1999). "Preventing commercial fishing deaths in Alaska." *Occup. Environ. Med.*, 56, pp. 691-695.
- Livingston, P. A. (1985). "Summer food habits of young-of-the-year walleye pollock, *Theragra chalcogramma*, in the Kodiak area of the Gulf of Alaska during 1985." Unpublished manuscript, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Livingston, P. A. (1989). "Key fish species, northern fur seals (*Callorhinus ursinus*), and fisheries interactions involving walleye pollock (*Theragra chalcogramma*), in the eastern Bering Sea." *Journal of Fisheries Biology*, 35, pp. 179-186.

- Livingston, P. A. (1991a). "Groundfish food habits and predation on commercially important prey species in the Eastern Bering Sea from 1984-1986." NOAA Technical Memorandum, *NMFS F/NWC-207*, U.S. Department of Commerce, NOAA. p. 240.
- Livingston, P. A. (1991b). "Total groundfish consumption of commercially important prey." NOAA Technical Memorandum, *NMFS F/NWC-207*, U.S. Department of Commerce, NOAA. p. 240.
- Livingston, P. A., Ward, A., Lang, G. M., and Yang, M. S. (1993). "Groundfish food habits and predation on commercially important prey species in the eastern Bering Sea from 1987 to 1989." NOAA Technical Memorandum, *NMFS-AFSC-11*, U.S. Department of Commerce, NOAA. p. 192.
- Livingston, P. A. (1993). "Importance of predation by groundfish, marine mammals and birds on walleye pollock and Pacific herring in the eastern Bering Sea." *Marine Ecology Progress Series*, 102, pp. 205-215.
- Livingston, P. A. (1994). "Overview of multispecies interactions involving walleye pollock in the eastern Bering Sea and Gulf of Alaska." Draft manuscript, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Livingston, P. A., and DeReynier, Y. (1996). "Groundfish food habits and predation on commercially important prey species in the eastern Bering Sea from 1990 to 1992." AFSC Processed Report, *96-04*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. p. 214.
- Livingston, P. A., and Methot, R. D. (1998). "Incorporation of predation into a population assessment model of eastern Bering Sea walleye pollock. *In* Fishery Stock Assessment Models." NOAA Technical Report 126, *NMFS F/NWC-54*, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775. pp. 663-678.
- Livingston, P. A., Low, L.-L., and Marasco, R. J. (1999). "Eastern Bering Sea Ecosystem Trends." Large Marine Ecosystems of the Pacific Rim: Assessment, Sustainability, and Management, K. Sherman and Q. Tang, eds., Blackwell Science, Inc., Malden, MA, pp. 140-162.
- Livingston, P. A., and Jurado-Molina, J. (1999). "A multispecies virtual population analysis of the eastern Bering Sea." *ICES Journal of Marine Science*, 56, p. In press.
- Livingston, P. A., and Tjelmeland, S. (2000). "Fisheries in boreal ecosystems." *ICES Journal of Marine Science*, 57, p. In press.
- Lloyd, D. S., McRoy, C. P., and Day, R. H. (1981). "Discovery of northern fur seals (*Callorhinus ursinus*) breeding on Bogoslof Island, southeastern Bering Sea." *Arctic*, 34, pp. 318-320.
- Lockyer, C. (1976). "Body weights of some species of large whales." *J. Conseil International l'Exploration de la Mer*, 36(3), pp. 259-273.
- Lockyer, C. (1977). "Observations of diving behavior of the sperm whale, *Phseter catadon*." A voyage of discovery, M. Angel, ed., Pergamon, Oxford, UK, pp. 591-609.
- Lockyer, C. (1981). "Growth and energy budgets of large baleen whales from the Southern hemisphere." *FAO Fisheries Series*, 5, pp. 379-487.
- Loeb, V. J. (1972). "A study of the distribution and feeding habits of Dall porpoise in Monterey Bay, California," Unpublished M.Sc., San Jose State College, San Jose, CA.
- Loughlin, T. R., and Ohtani, K. e. "Dynamics of the Bering Sea." *AK-SG-99-03*, University of Alaska Sea Grant, Fairbanks. p. 838.
- Loughlin, T. R., Fiscus, C. H., Johnson, A. M., and Rugh, D. J. (1982). "Observations of *Mesoplodon stejnegeri* (Ziphiidae) in the central Aleutian Islands, Alaska." *Journal of Mammalogy*, 63, pp. 697-700.

- Loughlin, T. R., Rugh, D. J., and Fiscus, C. H. (1984). "Northern sea lion distribution and abundance: 1956 - 80." *Journal of Wildlife Management*, 48(3), pp. 729-740.
- Loughlin, T. R., and Perez, M. A. (1985). "*Mesoplodon stejnegeri*." *Mammalian Species*, 250.
- Loughlin, T., and Nelson Jr., R. (1986). "Incidental mortality of northern sea lions in Shelikof Strait, Alaska." *Marine Mammal Science*, 2, pp. 14-33.
- Loughlin, T. R., Gearin, P. J., DeLong, R. L., and Merrick, R. L. (1986). "Assessment of net entanglement on northern sea lions in the Aleutian Islands, 25 June - July 1985." NWAFC Processed Report, 86-02, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. p. 50.
- Loughlin, T. R., Bengtson, J. L., and Merrick, R. L. (1987). "Characteristics of feeding trips of female northern fur seals." *Can. J. Zool.*, 65(2), pp. 2079-2084.
- Loughlin, T. R., Perlov, A. S., and Vladimirov, V. V. (1992). "Range-wide survey and estimation of total number of Steller sea lions in 1989." *Marine Mammal Science*, 8, pp. 220-239.
- Loughlin, T. R. (1997). "Using the phylogeographic method to identify Steller sea lion stocks." Molecular genetics of marine mammals., A. Dizon, S. J. Chivers, and W. F. Perrin, eds., Special Publication #3 of the Society for Marine Mammalogy, pp. 159-171.
- Loughlin, T. R., Ingraham Jr., W. J., Baba, N., and Robson, B. W. (1999). "Use of a surface-current model and satellite telemetry to assess marine mammal movements in the Bering Sea." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, eds., University of Alaska Sea Grant Press, Fairbanks, AK, pp. 615-630.
- Loughlin, T. R., Sukanova, I. N., Sinclair, E. H., and Ferrero, R. C. (1999). "Summary of biology and ecosystem dynamics in the Bering Sea." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, eds., University of Alaska Sea Grant Press, Fairbanks, pp. 387-407.
- Loughlin, T. R., and York, A. E. (2001). "An accounting of the sources of Steller sea lion mortality." Unpublished report, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115.
- Loughlin, T. R., Sterling, J. T., Merrick, R. L., and Sease, J. L. (Unpublished). "Immature Steller sea lion foraging behavior." National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115.
- Lowe, S. A., and Fritz, L. W. (1996). "Atka mackerel." Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska region as projected for 1997, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 331-361.
- Lowe, S. A., and Fritz, L. W. (1997). "Atka mackerel." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands as Projected for 1998, Bering Sea/Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 405-462.
- Lowe, S. A., Van Doornik, D. M., and Winans, G. A. (1998). "Geographic variation in genetic and growth patterns of the Atka mackerel *Pleurogrammus monopterygius* (Hexagrammidae) in the Aleutian Archipelago." *Fishery Bulletin*, 96, pp. 502-515.
- Lowe, S. A., and Fritz, L. W. (1999). "Atka mackerel." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands as Projected for 2000, Bering Sea and Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 569-638.

- Lowe, S. A., and Fritz, L. W. (2000). "Assessment of Gulf of Alaska Atka mackerel." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Lowe, S. A., Fritz, L. W., and Zenger, H. H. (2000). "Assessment of Bering Sea/Aleutian Islands Atka mackerel." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands as Projected for 2000, Bering Sea and Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 1-52.
- Lowry, L. F., Frost, K. H., and Burns, J. J. (1978). "Food of ringed seals and bowhead whales near Point Barrow, Alaska." *Canadian Field-Naturalist*, 92, pp. 67-70.
- Lowry, L. F., Frost, K. H., and Burns, J. J. (1979). "Potential resource competition in the southeastern Bering Sea: fisheries and phocid seals." Alaska Sea Grant Report, 79-6, University of Alaska Fairbanks, Fairbanks, AK 99775. pp. 287-296.
- Lowry, L. F., Frost, K. J., and Burns, J. J. (1980a). "Feeding of bearded seals in the Bering and Chukchi seas and trophic interaction with Pacific walruses." *Arctic*, 33, pp. 330-342.
- Lowry, L. F., Frost, K. J., and Burns, J. J. (1980b). "Variability in the diet of ringed seals, *Phoca hispida*, in Alaska." *Can. J. Fish. Aquat. Sci.*, 37, pp. 2254-2261.
- Lowry, L. F., and Frost, K. H. (1981). "Feeding and trophic relationships of phocid seals and walruses in the eastern Bering Sea." The eastern Bering Sea shelf: oceanography and resources, D. W. Hood and J. A. Calder, eds., U.S. Department of Commerce, NOAA, Office of Marine Pollution Assessment, Juneau, AK, pp. 813-824.
- Lowry, L. F., Frost, K. J., and Burns, J. J. (1981a). "Trophic relationships among ice-inhabiting phocid seals and functionally related marine mammals in the Bering Sea." Final Report, *Biol. Stud.* 11, U.S. Department of Commerce, NOAA, OCSEAP Environ. Assess. Alaskan Continental Shelf. pp. 97-173.
- Lowry, L. F., Frost, K. J., and Burns, J. J. (1981b). "Trophic relationships among ice-inhabiting phocid seals and functionally related marine mammals in the Chukchi Sea." *Biol. Stud.*, U.S. Department of Commerce, NOAA, OCSEAP Environmental Assessment Alaskan Continental Shelf, Final Report. pp. 37-95.
- Lowry, L. F. (1982). "Documentation and assessment of marine mammal-fishery interactions in the Bering Sea." *Trans. 47th North American Wildlife and Natural Resource Conference*, Portland, Oregon, pp. 300-311.
- Lowry, L. F., Frost, K. J., Calkins, D. G., Swartzman, G. L., and Hills, S. (1982). "Feeding habits, food requirements, and status of Bering Sea marine mammals." *Document Nos. 19 and 19A*, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252. p. 574.
- Lowry, L. F. (1984). "The spotted seal (*Phoca largha*)." Alaska Department of Fish and Game marine mammal species accounts, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. pp. 1-11.
- Lowry, L. F., and Frost, K. J. (1985). "Biological interactions between marine mammals and commercial fisheries in the Bering Sea." Marine mammals and fisheries, J. R. Beddington, R. J. H. Beverton, and D. M. Lavigne, eds., George Allen & Unwin, London, pp. 42-61.
- Lowry, L. F., Frost, K. J., and Seaman, G. A. (1985). "Investigations of belukha whales in coastal waters." Final rep. OCSEAP Res. Unit 512, Alaska Department of Fish and Game, 1300 College Road, Fairbanks, AK 99701. p. 24.

- Lowry, L. F., Frost, K. J., and Loughlin, T. R. (1989). "Importance of walleye pollock in the diets of marine mammals in the Gulf of Alaska and Bering Sea, and implications for fishery management." Alaska Sea Grant Report, *AK-SG-89-01*, Anchorage, AK. pp. 701-726.
- Lowry, L. F. (1993). "Foods and feeding ecology." The Bowhead Whale, J. J. Burns, J. J. Montague, and C. J. Cowles, eds., The Society for Marine Mammalogy, pp. 1-787.
- Lowry, L. F., Burkanov, V. N., and Frost, K. J. (1997). "Importance of walleye pollock in the diet of phocid seals in the Bering Sea and northwestern Pacific Ocean." NOAA Technical Report, *NMFS 126*, U.S. Department of Commerce, NOAA.
- Lowry, L. F., Frost, K. J., Davis, R., DeMaster, D. P., and Suydam, R. S. (1998). "Movements and behavior of satellite-tagged spotted seals (*Phoca largha*) in the Bering and Chukchi Seas." *Polar Biology*, 19, pp. 221-230.
- Lowry, L. F., Frost, K. J., Burkanov, V. N., Simpkins, M. A., Springer, A., DeMaster, D. P., and Suydam, R. (2000). "Habitat use and habitat selection by spotted seals (*Phoca largha*) in the Bering Sea." *Canadian Journal of Zoology*, 78, pp. 1959-1971.
- Lucas, F. A. (1899). "The food of the northern fur seals." The fur seals and fur-seal islands of the North Pacific Ocean, Part 3, D. S. Jordan, ed., U.S. Treasury Department Document 2017, pp. 59-68.
- Ludwig, J. A., and Reynolds, J. F. (1988). *Statistical Ecology*, John Wiley & Sons, Ltd., New York.
- Lynde, C. M., Lynde, M. V., and Francis, R. C. (1986). "A regional and temporal differences in growth of walleye pollock (*Theragram chacogramma*) in the eastern Bering Sea and Aleutian Basin with implications for management." NWAFC Processed Report, *86-10*, U.S. Department of Commerce, NOAA. p. 48.
- Mahoney, B. A., and Shelden, K. E. W. (2000). "Harvest history of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska." *Marine Fisheries Review*, In press.
- Makhnyr, A. I., and Perlov, A. S. (1988). "A study of the effect of the harbour seal on the abundance of the brood stock of pink salmon (*Oncorhynchus gorbuscha*) off the coast of Sakhalin Island." Scientific research on sea mammals of the northern part of the Pacific Ocean in 1986-1987, N. S. Chernysheva, ed., All-Union Sci. Res. Inst. Sea Fish. Oceanogr. (VNIRO), Moscow, pp. 75-82.
- Maloney, N. E., and Heifetz, J. (1997). "Movements of tagged sablefish, *Anoplopoma fimbria*, released in the eastern Gulf of Alaska." NOAA Technical Report, *NMFS 130*, U.S. Department of Commerce, NOAA, Seattle, WA.
- Mantua, N. J., Hare, S. R., Zhang, Y., Wallace, J. M., and Francis, R. C. (1997). "A pacific interdecadal climate oscillation with impacts on salmon production." *Bulletin of the American Meteorological Society*, 78(6).
- Manzer, J. I. (1968). "Food of Pacific Salmon and Steelhead Trout in the Northeast Pacific Ocean." *Journal of Fisheries Research Board of Canada*, 25(5), pp. 1083-1089.
- Marine Mammal Commission. (1999). "Marine mammals and persistent ocean contaminants." *Proceedings of the Marine Mammal Commission Workshop*, Keystone, Colorado.
- Marlow, M. S., Stevenson, A. J., Chezard, H., and McConnaughey, R. A. (1999). "Tidally generated sea-floor lineations in Bristol Bay, Alaska." *Geo-Marine Letters*, 19, pp. 219-226.
- Marquette, W. M., and Bockstoce, J. R. (1980). "Historical shore-based catch of bowhead whales in the Bering, Chukchi, and Beaufort seas." *Marine Fisheries Review*, 42(9,10), pp. 5-19.
- Martin O'Connell Associates (Seattle). (1994). "The Local and Regional Economic Impacts of the Port of Seattle." Prepared for the Port of Seattle.

- Martineau, D., Beland, P., Desjardins, C., and Lagace, A. (1987). "Levels of organochlorine chemicals in tissues of beluga whales (*Delphinapterus leucas*) from the St. Lawrence Estuary, Quebec, Canada." *Archives of Environmental Contaminants and Toxicology*, 16, pp. 137-147.
- Masaki, Y. (1976). "Biological studies on the North Pacific sei whale." *Bulletin Far Seas Fisheries Research Laboratory (Shimizu)*, 14, pp. 1-104.
- Masaki, Y. (1977). "The separation of the stock units of sei whales in the North Pacific." *Report of the International Whaling Commission*, Special Issue 1, pp. 71-79.
- Mathisen, O. A. (1959). "Studies on Steller sea lion (*Eumetopia jubatus*) in Alaska." *Transactions of the North American Wildlife Conference*, 24, pp. 346-356.
- Mathisen, O. A., Baade, R. T., and Loff, R. J. (1962). "Breeding habits, growth and stomach contents of the Steller sea lion in Alaska." *Journal of Mammalogy*, 43, pp. 469-477.
- Matkin, C. O., Lennard, L. B., and Ellis, G. (2001). "Killer whales and predation on Steller sea lions." *Abstract of paper presented at the "Is it food? II workshop"*, Alaska Sea Life Center, Seward, Alaska.
- Matthews, E. A., and Pendleton, G. W. (2000). "Declining trends in harbor seal (*Phoca vitulina richardsi*) numbers at glacial and terrestrial haulouts in Glacier Bay National Park, 1992-1998.", GBNP, P.O. Box 140, Gustavus, AK 99826. p. 24.
- Mauzy, M. F. (1852). *Whale chart of the world (The wind and current charts)*, Washington, DC.
- Maybaum, H. (1990). "Effects of a 3.3 kHz sonar system on humpback whales, *Megaptera novengliae*, in Hawaiian waters." *EOS, Transactions, American Geophysical Union*, 71(2), p. 92.
- Maybaum, H. (1993). "Response of humpback whales to sonar sounds." *Journal of Acoustic Soc. Am.*, 94(3), pp. 1848-1849.
- McConnaughey, R. A., Mier, K. L., and Dew, C. B. (2000). "An examination of chronic trawling effects on soft-bottom benthos of the eastern Bering Sea." *ICES Journal of Marine Science*, 57, p. in press.
- McDermott, S. F., and Lowe, S. A. (1997). "The reproductive cycle of Atka mackerel (*Pleurogrammus monopterygius*) in Alaska waters." *Fishery Bulletin*, 95(2), pp. 231-333.
- McDonald, M. A. (1999). "Passive acoustic methods applied to fin whale population density estimation." *Journal of the Acoustical Society of America (Lancaster, PA)*, 105(5), pp. 2643-2647.
- McFarlane, G. A., and Nagata, W. D. (1988). "Overview of sablefish mariculture and its potential for industry." Alaska Sea Grant Report, 88-4, University of Alaska, Fairbanks, Fairbanks, AK 99775. pp. 105-120.
- McFarlane, G. A., and Beamish, R. J. (1990). "Effect of an external tag on growth of sablefish (*Anoplopoma fimbria*) and consequences to mortality and age at maturity." *Canadian Journal of Fisheries and Aquatic Science*, 47, pp. 1551-1557.
- McGowan, J. A., Cayan, D. R., and Dorman, L. M. (1998). "Climate-ocean variability and ecosystem response in the Northeast Pacific." *Science*, 281, pp. 210-217.
- McKinnell, S., Thomson, A. J., Black, E. A., Wing, B. L., Guthrie III, C. M., Koerner, J. F., and Helle, J. H. (1997). "Atlantic salmon in the North Pacific." *Aquaculture Research*, 28, pp. 145-157.
- McLaren, I. A. (1985). "The biology of the ringed seal (*Phoca hispida* Schreber) in the eastern Canadian Arctic." *Fisheries Research Board of Canada Bulletin*, 118, p. 97.
- Mead, J. G. (1989). "Beaked whales of Genus *Mesoplodon*." *Handbook of Marine Mammals: River Dolphins and the Larger Toothed Whales*, S. H. Ridgway and R. Harrison, eds., Academic Press, New York, pp. 349-430.



- Megrey, B. A. (1989). "Exploitation of walleye pollock resources in the Gulf of Alaska, 1965-1988: Portrait of a fishery in transition." *Proceedings of the International Symposium on the Biology and Management of walleye pollock, Anchorage, Alaska . Alaska Sea Grant Report 89-1*, pp. 33-58.
- Megrey, B. A., Hollowed, A. B., Hare, S. R., Macklin, S. A., and Stabenro, P. J. (1996). "Contributions of FOCI research to forecasts of year-class strength of walleye pollock in Shelikof Strait, Alaska." *Fisheries Oceanography*, 5(Suppl. 1), pp. 189-203.
- Merati, N., and Brodeur, R. D. (1997). "Feeding habits and daily ration of juvenile walleye pollock in the western Gulf of Alaska." NOAA Technical Report, *NMFS 126*, U.S. Department of Commerce, NOAA. pp. 65-80.
- Merrick, R. L., Loughlin, T. R., and Calkins, D. G. (1987). "Decline in abundance of the northern sea lion, (*Eumetopias jubatus*) in Alaska, 1956-86." *Fishery Bulletin*, 85(2), pp. 351-365.
- Merrick, R. L. (1987). "Behavioral and demographic characteristics of northern sea lion rookeries," M.S., Oregon State University, Corvallis, Oregon.
- Merrick, R. L., Gearin, P. J., Osmek, S., and Withrow, D. (1988). "Field studies of northern sea lions at Ugamak Island, Alaska, during 1985 and 1986 breeding seasons." NOAA Technical Memorandum, *NMFS F/NWC-143*, DOC, NOAA., p. 60.
- Merrick, R. L., Loughlin, T. R., Antonelis Jr., G. A., and Hill, R. (1994). "Use of satellite-linked telemetry to study Steller sea lion and Northern fur seal foraging." *Polar Research*, 13, pp. 105-114.
- Merrick, R. L., Brown, R., Calkins, D. G., and Loughlin, T. R. (1995). "A comparison of Steller sea lion, *Eumetopias jubatus*, pup masses between rookeries with increasing and decreasing populations." *Fishery Bulletin*, 93, pp. 753-758.
- Merrick, R. L., and Calkins, D. G. (1996). "Importance of juvenile walleye pollock, *Theragra chalcogramma*, in the diet of Gulf of Alaska Steller sea lions, *Eumetopia jubatus*." NOAA Technical Memorandum, *126*, U.S. Department of Commerce, NOAA. pp. 153-166.
- Merrick, R. L., and Loughlin, T. R. (1997). "Foraging behavior of adult female and young-of-the-year Steller sea lions (*Eumetopias jubatus*) in Alaskan waters." *Canadian Journal of Zoology*, 75(5), pp. 776-786.
- Merrick, R. L., Chumbley, M. K., and Byrd Jr., G. V. (1997). "Diet diversity of Steller sea lions (*Eumetopias jubatus*) and their population decline in Alaska: a potential relationship." *Canadian Journal of Fisheries and Aquatic Science*, 54, pp. 1342-1348.
- Messieh, S. N., Rowell, T. W., Peer, D. L., and Cranford, P. J. (1991). "The effects of trawling, dredging and ocean dumping on the eastern Canadian continental shelf seabed." *Continental Shelf Research*, 11, pp. 1237-1263.
- Methot, R. D. (1990). "Synthesis model: An adaptable framework for analysis of diverse stock assessment data." International North Pacific Fisheries Commission Bulletin, 50, International North Pacific Fisheries Commission, 6640 Northwest Marine Drive, Vancouver, BC, Canada V6T 1X2. pp. 259-277.
- Metrick, A., and Weitzman, M. L. (1996). "Patterns of Behavior in Endangered Species Preservation." *Land Economics*, 72(1), pp. 1-16.
- Miller, L. K. (1978). "Energetics of the northern fur seal in relation to climate and food resources of the Bering Sea." *MMC-75/08*, Marine Mammal Commission, Washington, DC.
- Miller, Morton, Lipton, D., and Hooker, P. (1994). "Profile of Change: A Review of Offshore Factory Trawler Operations in the Bering Sea/Aleutian Islands Pollock Fishery."
- Mitchell, R. (1968). "Northeast Pacific stranding distribution and seasonality of Cuvier's beaked whale, *Ziphius cavirostris*." *Canadian Journal of Zoology*, 46(265-279).

- Miyashita, T. (1993). "Distribution and abundance of some dolphins taken in the North Pacific driftnet fisheries." *INPFC Bulletin*, 53(III), pp. 435-449.
- Mizroch, S. A., Rice, D. W., and Breiwick, J. M. (1984a). "The fin whale (*Balaenoptera physalus*)." *Marine Fisheries Review*, 46(4), pp. 20-24.
- Mizroch, S. A., Rice, D. W., and Breiwick, J. M. (1984b). "The sei whale, *Balaenoptera borealis*." *Marine Fisheries Review*, 46(4), pp. 25-29.
- Mizroch, S. A. (1992). "Distribution of minke whales in the North Pacific based on sightings and catch data." Unpublished document, International Whaling Commission. p. 37.
- Mizue, K. (1951). "Food of whales in the adjacent waters of Japan." *Scientific Report of the Whales Research Institute Tokyo*, 5, pp. 81-90.
- Moore, J. C. (1963). "Recognizing certain species of beaked whales of the Pacific Ocean." *American Midl. Naturalist*, 70, pp. 396-428.
- Moore, S. E., and Barrowclough, E. I. (1984). "Incidental sighting of a ribbon seal (*Phoca fasciata*) in the western Beaufort Sea." *Arctic*, 37, p. 290.
- Moore, S. E., and Reeves, R. R. (1993). "Distribution and movement." The bowhead whale, J. J. Burns, J. J. Montague, and C. J. Cowles, eds., Soc. Mar. Mammalogy, pp. 313-386.
- Moore, S. E., Stafford, K. M., Dahlheim, M. E., Fox, C. G., Braham, H. W., Polovina, J. J., and Bain, D. E. (1998). "Seasonal variation in reception of fin whale calls at five geographic areas in the North Pacific." *Marine Mammal Science*, 14(3), pp. 617-627.
- Moore, S. E., Grebmeier, J. M., and Davies, J. R. (2000). "Gray whale foraging habitat in the northern Bering Sea: A GIS based retrospective summary." Document SC/52/E3 submitted to the Scientific Committee of the International Whaling Commission. p. 23.
- Moore, S. E., Waite, J. M., Mazzuca, L. L., and Hobbs, R. C. (2000). "Mysticete whale abundance and observations of prey associations on the central Bering Sea shelf." *Journal of Cetacean Research and Management*, 2(3), pp. 227-234.
- Morejohn, G. V., Loeb, V. J., and Baltz, D. M. (1973). "Coloration and sexual dimorphism in the Dall porpoise." *Journal of Mammalogy*, 54, pp. 977-982.
- Morris, B. F. (1981). "An assessment of the living marine resources of the central Bering Sea and potential resource use conflicts between commercial fisheries and Petroleum development in the Navarin Basin, Proposed sale No. 83.", U.S. Department of Commerce, NOAA, NMFS, Environmental Assessment Division, P.O. Box 21668, Juneau, AK 99802, Anchorage, AK.
- Morrison, R., Gish, R., Ruccio, M., and Schwenzfeier, M. (1998). "Annual Area Management Report for the Shellfish Fisheries of the Bering Sea.", State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Morton, A. (2000). "Occurrence, photo-identification and prey of Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) in the Broughton Archipelago, Canada, 1984-1998." *Marine Mammal Science*, 16, pp. 80-93.
- Mueter, F.-J. (1999). "Spatial and temporal patterns in the Gulf of Alaska groundfish community in relation to the environment," Ph.D., University of Alaska Fairbanks, Fairbanks, AK 99775.
- Muraski, S. (2000). "Definitions of overfishing from an ecosystem perspective." *ICES Journal of Marine Science*, In press.
- Murphy, M. L., Johnson, S. W., and Csepp, D. J. (2000). "A comparison of fish assemblages in eelgrass and adjacent subtidal habitats near Craig, Alaska.", DOC, NOAA, NMFS, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, AK 99801. p. submitted to Alaska Fishery Research Bulletin.

- Musienko, L. N. (1970). "Razmnozheine i razvitie ryb Beringova morya (Reproduction and development of Bering Sea fishes)." Soviet fisheries investigations in the northeastern Pacific, P. A. Moiseev, ed., National Technical Information Service, Springfield, VA.
- National Marine Fisheries Service (NMFS). (1981). "Environmental Impact Statement for the Groundfish of the Bering Sea and Aleutian Islands Area.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252. p. 97.
- NMFS. (1991a). "Recovery plan for the northern right whale (*Eubalaena glacialis*).", Prepared by the Right Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, MD 20910. p. 86.
- NMFS. (1991b). "Final recovery plan for the humpback whale (*Megaptera novaeangliae*).", Prepared by the Humpback Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, MD 20910. p. 105.
- NMFS. (1992a). "Recovery plan for the Steller sea lion (*Eumetopias jubatus*).", Prepared by the Steller Sea Lion Recovery Team for the National Marine Fisheries Service, Silver Spring, MD 20910. p. 92.
- NMFS. (1992b). "Endangered Species Act - Section 7 Biological Assessment - Groundfish fisheries in the Bering Sea/Aleutian Islands and Gulf of Alaska Regions managed under the North Pacific Fishery Management Council's Fishery Management Plans.", DOC, NOAA, National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802-1668. p. 12.
- NMFS. (1993a). "Final conservation plan for the northern fur seal (*Callorhinus ursinus*).", Prepared by the National Marine Fisheries Service, Alaska Fisheries Science Center, National Marine Mammal Laboratory, Seattle, Washington and the NMFS/Office of Protected Resources, Silver Spring, MD. p. 80.
- NMFS. (1993b). "Endangered Species Act - Section 7 Consultations Informal Decisional Document: Groundfish fishing conducted under the Gulf of Alaska and Bering Sea and Aleutian Islands Groundfish Fishery Management Plans.", DOC, NOAA, National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802-1668. p. 18.
- NMFS. (1994). "Endangered Species Act - Section 7 Reinitiation of Consultation Biological Opinion: Groundfish Fisheries Conducted under the Bering Sea and Aleutian Islands and Gulf of Alaska Fishery Management Plans of the North Pacific Fishery Management Council.", DOC, NOAA, National Marine Fisheries Service, Northwest Region, 7600 Sand Point Way NE, Seattle, WA 98115. p. 74.
- NMFS. (1995a). "Status review of the United States Steller sea lion, *Eumetopias jubatus* population.", U.S. Department of Commerce, NOAA, National Marine Mammal Laboratory, AFSC, 7600 Sand Point Way NE, Seattle, WA 98115. p. 45.
- NMFS. (1995b). "Endangered Species Act - Section 7 Reinitiation of Consultation Biological Opinion: Groundfish Fisheries Conducted under the Bering Sea and Aleutian Islands and Gulf of Alaska Fishery Management Plans of the North Pacific Fishery Management Council.", DOC, NOAA, National Marine Fisheries Service, Northwest Region, 7600 Sand Point Way NE, Seattle, WA 98115. p. 8.
- NMFS. (1996). "Draft environmental assessment/regulatory impact review/initial regulatory flexibility analysis for amendment of the fishery management plan for the groundfish fishery of the Bering Sea and Aleutian Islands Area to implement an improved retention-improved utilization groundfish management program.", DOC, NOAA, National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802-1668.

- NMFS. (1998a). "Final Supplemental Environmental Impact Statement: Groundfish Total Allowable Catch Specifications and Prohibited Species Catch Limits Under the Authority of the Fishery Management Plans for the Groundfish Fishery of the Bering Sea and Aleutian Islands Area and Groundfish of the Gulf of Alaska.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. p. 692 + Appendices and Comments.
- NMFS. (1998b). "Endangered Species Act Section 7 Consultation - Biological Opinion: Authorization of an Atka mackerel fishery under the BSAI groundfish FMP between 1999 and 2002; Authorization of a walleye pollock fishery under the BSAI groundfish FMP between 1999 and 2002; and Authorization of a walleye pollock fishery under the GOA groundfish FMP between 1999 and 2002 (Marine mammals including Steller sea lion).", DOC, NOAA, National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802-1668.
- NMFS. (1998c). "Recovery plan for the blue whale (*Balaenoptera musculus*).", R. R. Reeves, P. J. Clapham, R. L. Brownell Jr, and G. K. Silber, eds., Prepared for the National Marine Fisheries Service, Silver Spring, MD 20910, p. 42.
- NMFS. (1998d). "Draft recovery plan for the fin whale (*Balaenoptera physalus*).", R. R. Reeves, G. K. Silber, and P. M. Payne, eds., Prepared for the National Marine Fisheries Service, Silver Spring, MD 20910, p. 68.
- NMFS. (1998e). "Environmental Assessment and Regulatory Impact Review for Amendment 36 to the Fishery Management Plan for the Groundfish Fishery of the Bering Sea and Aleutian Islands area and Amendment 39 to the Fishery Management Plan for the Groundfish of the Gulf of Alaska to Create and Manage a Forage Fish Species Category.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668.
- NMFS. (1998f). "Draft technical guidance to NMFS for implementing the Essential Fish Habitat Requirements for the Magnuson-Stevens Act.", NMFS, Office of Habitat Conservation, Silver Spring, MD.
- NMFS. (1999a). "Environmental Assessment for an Emergency Rule to Implement Reasonable and Prudent Steller Sea Lion Protection Measures in the Pollock Fisheries of the Bering Sea and Aleutian Islands Area and Groundfish Fishery of the Gulf of Alaska." FONSI determination January 14, 1999, DOC, NOAA, National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802. p. 89.
- NMFS. (1999b). "Environmental Assessment for an Extension of an Emergency Rule to Implement Reasonable and Prudent Steller Sea Lion Protection Measures in the Pollock Fisheries of the Bering Sea and Aleutian Islands Area and Groundfish Fishery of the Gulf of Alaska." FONSI determination July 16, 1999, DOC, NOAA, National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802. p. 294.
- NMFS. (1999c). "Research plan to test the efficacy of no-trawl zones around Alaska Steller sea lion rookeries." Unpublished report, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115. p. 55.
- NMFS. (1999d). "Endangered Species Act - Section 7 Reinitiation of Consultation Biological Opinion: Groundfish Fisheries Conducted under the Bering Sea and Aleutian Islands and Gulf of Alaska Fishery Management Plans of the North Pacific Fishery Management Council.", NMFS, Northwest Region, 7600 Sand Point Way NE, Seattle, WA 98115. p. 60.
- NMFS. (1999e). "Ecosystem-Based Fishery Management: A Report to Congress by the Ecosystems Principles Advisory Panel.", Ecosystems Principles Advisory Panel. p. 54.

- NMFS. (2000a). "Endangered Species Act - Section 7 Consultation Biological Opinion and Incidental Take Statement. Activities Considered: Authorization of Bering Sea/Aleutian Islands groundfish fisheries based on the Fishery Management Plan for the Bering Sea/Aleutian Islands Groundfish and Authorization of the Gulf of Alaska groundfish fisheries based on the Fishery Management Plan for Groundfish of the Gulf of Alaska.", U.S. Department of Commerce, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802. pp. 352 + appendices, tables, & figures.
- NMFS. (2000b). "Environmental Assessment for an Emergency Rule to Implement Steller Sea Lion Protection Measures in the Pollock Fisheries of the Bering Sea and Aleutian Islands Area and the Gulf of Alaska." FONSI Determination January 11, 2001, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802. p. 282.
- NMFS. (2000c). "Draft EA Interactions between the Pacific cod fisheries in the Bering Sea, Aleutian Islands, and the Gulf of Alaska and Steller sea lions.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. p. 205 + Appendices.
- NMFS. (2000d). "Results of the 2000 NMFS Bering Sea Crab Survey: Executive Summary." 2000 Crab Stock Assessment and Fishery Evaluation, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- NMFS. (2000e). "Letter from James W. Balsiger to Ann G. Rappoport re: FMP-level section 7 consultation on the effects of the BSAI and GOA FMPs on listed species under the jurisdiction of USFWS."
- NMFS. (2000f). "Letter from James W. Balsiger to Ann G. Rappoport re: action-specific section 7 consultation on the effects of the 2001-2004 TAC specifications on listed species under the jurisdiction of USFWS."
- NMFS. (2001a). "Alaska Groundfish Fisheries Draft Programmatic Supplemental Environmental Impact Statement.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. pp. Volumes I-VIII approx 3300.
- NMFS. (2001b). "EA/RIR for the Extension and Revisions of the Emergency Interim Rule for 2001 Harvest Specifications for the Alaska Groundfish Fisheries and for Steller Sea Lion Protective Fisheries Management Measures." No FONSI. EA transmittal letter dated July 20, 2001, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. p. 306.
- NMFS. (2001d). "Bird and Halibut Bycatch Rates: Freezer Longline Fleet, 1998 through 2000." Report to the North Pacific Fishery Management Council, Agenda Item D-1(d).
- NMFS. (2001e). "Final Environmental Impact Statement and Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region." Prepared for NOAA, NMFS, Southwest Region, URS Corporation, Honolulu, HI.
- NMFS. (2001f). "Groundfish quotas and preliminary catch in round metric tons for the Gulf of Alaska and Bering Sea and Aleutian Islands Regions.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668.
- NMFS. (In Prep.). "Draft Environmental Impact Statement for American Fisheries Act Amendments.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668.
- National Research Council. (1996). *The Bering Sea Ecosystem*, National Academy Press, Washington, DC. 307 pp.
- National Research Council. (1999). *Sustaining Marine Fisheries*, National Academy Press, Washington, DC. 165 pp.

- Natural Resource Consultants Inc. (1986). "Commercial Fishing and the State of Washington: A Contemporary Economic Overview of Local and Distant Water Commercial Fisheries."
- Natural Resource Consultants Inc. (1988). "Commercial Fishing and the State of Washington: A Brief Overview of Recent and Future Growth in the Washington Seafood Industry."
- Natural Resource Consultants Inc. (1997). "Economic Impacts of Washington's Inshore Seafood Processing Industry, 1997 Update."
- Natural Resource Consultants Inc. (1999). "Status of Washington Based Commercial Fisheries and the Fleets Future Utilization of Fishermen's Terminal." Prepared for Port of Seattle, Fishermen's Terminal Market Research Project.
- Nelson, S. K. (1997). "Marbled Murrelet (*Brachyramphus marmoratus*)." The Birds of North America, A. Poole and F. Gill, eds., The Academy of Natural Sciences, Philadelphia, PA.
- Nemoto, T. (1957). "Foods of baleen whales in the northern Pacific." *Scientific Report of the Whales Research Institute Tokyo*, 12, pp. 33-89.
- Nemoto, T. (1959). "Food of baleen whales with reference to whale movements." *Scientific Report of the Whales Research Institute Tokyo*, 14, pp. 149-290.
- Nemoto, T. (1970). "Feeding pattern of baleen whales in the ocean." Marine Food Chains, J. H. Steel, ed., University of California Press, Berkeley, California, pp. 241-252.
- Nemoto, T., and Kawamura, A. (1977). "Characteristics of food habits and distribution of baleen whales with special reference to the abundance of North Pacific sei and Bryde's whales." *Report of the International Whaling Commission*, Special Issue 1, pp. 80-87.
- Nerini, M. (1984). "A review of gray whale feeding ecology." The gray whale: *Eschrichtius robustus*, M. L. Jones, S. L. Swartz, and S. Leatherwood, eds., Academic Press, New York, NY, pp. 225-248.
- Nishiwaki, M., and Handa, C. (1958). "Killer whales caught in the coastal waters off Japan for recent 10 years." *Scientific Report of the Whales Research Institute Tokyo*, 13, pp. 85-96.
- Nishiwaki, M. (1966). "Distribution and migration of the larger cetaceans in the North Pacific as shown by Japanese whaling results." Whales, Dolphins, and Porpoises, K. S. Norris, ed., University of California Press, Berkeley, California, Academic Press, New York, pp. 29-44.
- Nishiwaki, M. (1967). "Distribution and migration of marine mammals in the North Pacific area." *Bulletin of the Oceans Research Institute*, 17, pp. 93-103.
- Nishiwaki, M., and Kasuya, T. (1970). "A Greenland right whale caught at Osaka Bay." *Scientific Report of the Whales Research Institute Tokyo*, 22, pp. 45-62.
- Nishiwaki, M., and Oguro, N. (1971). "Baird's beaked whales caught on the coast of Japan in recent ten years." *Scientific Report of the Whales Research Institute Tokyo*, 13, pp. 85-96.
- Nishiwaki, M., and Oguro, N. (1972). "Catch of Cuvier's beaked whales off Japan in recent years." *Scientific Report of the Whales Research Institute Tokyo*, 24, pp. 35-41.
- Noda, K., Ichihashi, H., Loughlin, T. R., Baba, N., Kiyota, M., and Tatsukawa, R. (1995). "Distribution of heavy metals in muscle, liver and kidney of northern fur seal (*Callorhinus ursinus*) caught off Sanriku, Japan and from the Pribilof Islands, Alaska." *Environmental Pollution*, 1, pp. 51-59.
- Norman, S. A., Muto, M., Rugh, D., and Moore, S. (2000). "Gray whale strandings in 1999 and a review of stranding records in 1995-1998; final draft - unusual mortality event report." Submitted to the International Whaling Commission, SC/52/AS5, DOC, NOAA, NMFS. p. 36.
- Norris, K. S., and Prescott, J. H. (1961). "Observations on Pacific cetaceans of California and Mexican waters." *University of California Publ. Zool.*, 63, pp. 291-370.

- North Pacific Fishery Management Council (NPFMC). (1991). "Supplemental Environmental Assessment and Regulatory Impact Review/Initial Regulatory Flexibility Analysis of Proposed Inshore/Offshore Allocation Alternatives (Amendment 18/23) to the Fisheries Management Plans for the Groundfish Fishery of the Bering Sea and Aleutian Islands Area and the Gulf of Alaska (Draft).", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- NPFMC. (1992). "Final Supplemental Environmental Impact Statement and Regulatory Impact Review/Initial Regulatory Flexibility Analysis of Proposed Inshore/Offshore Allocation Alternatives (Amendment 18/23) to the Fishery Management Plans for the Groundfish Fishery of the Bering Sea and Aleutian Islands and the Gulf of Alaska.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- NPFMC. (1998). "Environmental Assessment /Regulatory Impact Review/Initial Regulatory Flexibility Analysis for Amendment 55 to the FMP for the Groundfish Fishery of the Bering Sea and Aleutian Islands Area; Amendment 55 to the FMP for Groundfish of the Gulf of Alaska; Amendment 8 to the FMP for the Commercial king and Tanner Crab Fisheries in the Bering Sea/Aleutian Islands; Amendment 5 to the FMP for Scallop Fisheries off Alaska; and Amendment 5 to the FMP for the Salmon Fisheries in the Exclusive Economic Zone off the Coast of Alaska: Essential Fish Habitat.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- NPFMC. (2000a). "Fishery Management Plan for the Groundfish Fishery in the BSAI Area." Updated through Amendment 66, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- NPFMC. (2000b). "Fishery Management Plan for the Groundfish of the GOA." Updated through Amendment 65, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- NPFMC. (2000c). "Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands Regions.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252. p. 417 + appendices.
- NPFMC. (2000d). "Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252. p. 333 + appendices.
- North Pacific Fishery Management Council, National Marine Fisheries Service, and Alaska Fisheries Science Center. (1998). "Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility Analysis: Inshore/Offshore 3 (Amendments 51/51)." Draft for Council/Public Review, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Northern Economics Inc. (1994). "Commercial Fishing Industry of the Gulf of Alaska." Prepared for the U.S. Department of the Interior, Minerals Management Service.
- O'Corry-Crowe, G. M., Suydam, R. S., Rosenberg, A., Frost, K. J., and Dizon, A. E. (1997). "Phylogeography, population structure and dispersal patterns of the beluga whale *Delphinapterus leucas* in the western Nearctic revealed by mitochondrial DNA." *Molecular Ecology*, 6, pp. 955-970.
- O'Corry-Crowe, G. M., and Lowry, L. F. (1997). "Genetic ecology and management concerns for the beluga whale (*Delphinapterus leucas*).", *Molecular genetics of marine mammals*, A. E. Dizon, S. J. Chivers, and W. F. Perrin, eds., Society for Marine Mammalogy, pp. 249-274.

- Odum, E. P. (1985). "Trends expected in stressed ecosystems." *Science*, 35, pp. 419-422.
- Ognev, S. I. (1935). *Mammals of the U.S.S.R. and adjacent countries*, I. P. S. Transl., translator, Moscow.
- Ohsumi, S., and Masaki, Y. (1975). "Japanese whale marking in the North Pacific, 1963-1972." *Bulletin Far Seas Fisheries Research Laboratory (Shimizu)*, 12, pp. 171-219.
- Ohsumi, S. (1983). "Population assessment of Baird's beaked whales in the waters adjacent to Japan." *Report of the International Whaling Commission*, 33, pp. 633-641.
- Okutani, T., and Nemoto, T. (1964). "Squids as the food of sperm whales in the Bering Sea and Alaskan Gulf." *Scientific Report of the Whales Research Institute Tokyo*, 18, pp. 111-121.
- Olesiuk, P. F. (1993). "Annual prey consumption by harbor seals (*Phoca vitulina*) in the Strait of Georgia, British Columbia." *Fishery Bulletin*, 91(3), pp. 491-515.
- Omura, H., and Sakiura, H. (1956). "Studies on the little piked whales from the coast of Japan." *Scientific Reports of the Whales Research Institute*, 11, pp. 7-18.
- Omura, H. (1958). "Northern Pacific right whales." *Scientific Report of the Whales Research Institute Tokyo*, 13, pp. 1-52.
- Omura, H., and Ohsumi, S. (1964). "A review of Japanese whale marking in the North Pacific to the end of 1962, with some information on marking in the Antarctic." *Norsk Hvalfangstid*, 53, pp. 90-112.
- Omura, H., Ohsumi, S., Nemoto, T., Nasu, K., and Kasuya, T. (1969). "Black right whales in the North Pacific." *Scientific Reports of the Whales Research Institute*, 21, pp. 1-78.
- Omura, H. (1986). "History of right whale catches in the waters around Japan." *Report of the International Whaling Commission*, Special Issue 10, pp. 35-41.
- Orensanz, J. M., Armstrong, J., Armstrong, D., and Hilborn, R. (1998). "Crustacean resources are vulnerable to serial depletion-the multifaceted decline of crab and shrimp fisheries in the greater Gulf of Alaska." *Reviews in Fisheries Science*, 8, pp. 117-176.
- Orlov, A. M. (1999). "Capture of especially large sleeper shark [*Somniosus pacificus* (Squalidae)] with some notes on its ecology in northwestern Pacific." *Journal of Ichthyology*, 39, pp. 548-553.
- Outer Continental Shelf Environmental Assessment Program. (1987). "Marine Fisheries: resources and environments." The Gulf of Alaska: Physical Environment and Biological Resources, D. W. Hood and S. T. Zimmerman, eds., Alaska Office, Ocean Assessments Division, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, and the Alaska OCS Region Office, Minerals Management Service, U.S. Department of the Interior, Washington, DC, pp. 417-458.
- Palka, D. L., and Hammond, P. S. (2001). "Accounting for responsive movement in line transect estimates of abundance." *Canadian Journal of Fisheries and Aquatic Science*, 58, pp. 777-787.
- Parma, A. M. (1998). "Changes in halibut recruitment, growth, and maturity and the harvesting strategy." International Pacific Halibut Commission 74th Annual Meeting Report, International Pacific Halibut Commission, P.O. Box 95009, Seattle, WA 98145. pp. 43-56.
- Parsons, J. L. (1977). "Metabolic studies on ringed seals (*Phoca hispida*)," M.Sc., University of Guelph, Ontario.
- Pauly, D., Christensen, V., Dalsgaard, J., Froese, R., and Torres Jr., F. (1998). "Fishing down marine food webs." *Science*, 279, pp. 860-863.
- Pautzke, C. G. (1997). "Russian Far East fisheries management." Report to Congress produced by NPFMC-NOAA Cooperative Agreement, 97-NA77FC006, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252. p. 49.



- Payne, S. A., Johnson, B. A., and Otto, R. S. (1999). "Proximate composition of some north-eastern Pacific forage fish species." *Fisheries Oceanography*, 8, pp. 159-177.
- Pearcy, W. G. (1962). "Egg masses and early development stages of the scorpaenid fish *Sebastolobus*." *Journal of the Fisheries Research Board of Canada*, 19(6), pp. 1169-1173.
- Pearcy, W. G., Brodeur, R. D., Shenker, J. M., Smoker, W. W., and Endo, Y. (1988). "Food habits of Pacific salmon and steelhead trout, midwater trawl catches and oceanographic conditions in the Gulf of Alaska, 1980-1985." *Bulletin of the Ocean Research Institute, University of Tokyo*, 26(II), pp. 29-78.
- Pearcy, W. G., Stein, D. L., Hixon, M. A., Pikitch, E. K., Barss, W. H., and Starr, R. M. (1989). "Submersible observations of deep-reef fishes of Heceta Bank, Oregon." *Fishery Bulletin*, 87, pp. 955-965.
- Perez, M. A., and Bigg, M. A. (1986). "Diet of northern fur seals, *Callorhinus ursinus*, off western North America." *Fishery Bulletin*, 84(4), pp. 959-973.
- Perez, M. A. (1990). "Review of marine mammal population and prey information for Bering Sea ecosystem studies." NOAA Technical Memorandum, *NMFS F/NWC-186*, U.S. Department of Commerce, NOAA. p. 81.
- Perez, M. A., and Loughlin, T. R. (1991). "Incidental catch of marine mammals by foreign and joint venture trawl vessels in the U.S. EEZ of the North Pacific, 1973-88." NOAA Technical Report, *NMFS 104*, DOC, NOAA, NMFS. p. 57.
- Perez, M. A., and McAlister, B. (1993). "Estimates of food consumption by marine mammals in the eastern Bering Sea." NOAA Technical Memorandum, *NMFS-AFSC-14*, U.S. Department of Commerce, NOAA. p. 36.
- Perrin, W. F., Warner, R. R., Fiscus, C. H., and Holts, D. B. (1973). "Stomach contents of porpoise, *Stenella* spp., and yellowfin tuna, *Thunnus albacares*, in mixed species aggregations." *Fishery Bulletin*, 71, pp. 1077-1092.
- Perry, A., Mobley Jr., J. R., Baker, C. S., and Herman, L. M. (1988). *Humpback whales of the central and eastern North Pacific: a catalog of individual identification photographs*, University of Hawaii Sea Grant Program, Honolulu, HI.
- Perry, A., Baker, C. S., and Herman, L. M. (1990). "Population characteristics of individually identified humpback whales in the central and eastern North Pacific: a summary and critique." *Report of the International Whaling Commission*, Special Issue 12, pp. 307-317.
- Perry, S. L., DeMaster, D. P., and Silber, G. K. (1999). "The Great Whales: History and status of six species listed as endangered under the U.S. Endangered Species Act of 1973." *Marine Fisheries Review*, 61, p. 74.
- Perryman, W. L., Leduc, R., and Brownell Jr, R. L. (1999). "Progress report on the eastern North Pacific right whale research during July 1998." Paper presented to the International Whaling Commission Scientific Committee, *SC/51/CAWS36*.
- Perryman, W. L., Donahue, M. A., Perkins, P. C., and Reilly, S. B. (2000). "Annual Calf Production for the California Stock of Gray Whales and Environmental Correlates 1994-2000." Unpublished document submitted to Scientific Committee of the International Whaling Commission, *SC/52/AS18*, Southwest Fisheries Science Center, 8604 La Jolla Shores Drive, P.O. Box 271, La Jolla, CA 92038. p. 29.
- Phillips, R. A., Petersen, M. K., Lilliendahl, K., Solmundsson, J., Hamer, K. C., Camphysen, C. J., and Zonfrillo, B. (1999). "Diet of the northern fulmar, *Fulmarus glacialis*: reliance on commercial fisheries?" *Marine Biology*, 135, pp. 159-170.
- Philo, L. M., George, J. C., and Albert, T. F. (1992). "Rope entanglement of bowhead whales (*Balaena mysticetus*)." *Marine Mammal Science*, 8, pp. 306-311.

- Philo, L. M., Shotts, E. B., and George, J. C. (1993). "Morbidity and mortality." The bowhead whale, J. J. Burns, J. J. Montague, and C. J. Cowles, eds., Society for Marine Mammalogy, pp. 275-312.
- Piatt, J. F., and Anderson, P. J. (1996). "Response of Common Murres to the Exxon Valdez oil spill and long-term changes in the Gulf of Alaska ecosystem." *American Fisheries Society Symposium*, 18, pp. 720-737.
- Pike, G. (1953). "Two record of *Berardius bairdi* from the coast of British Columbia." *Journal of Mammalogy*, 34, pp. 98-104.
- Pike, G. C., and Maxwell, B. E. (1958). "The abundance and distribution of the northern sea lion (*Eumetopias jubata* [sic]) on the coast of British Columbia." *Journal of the Fisheries Research Board of Canada*, 15, pp. 5-17.
- Pitcher, K. W., and Calkins, D. G. (1979). "Biology of the harbor seal (*Phoca vitulina richardsi*) in the Gulf of Alaska." OCEAP Final Report, 19 (1983), U.S. Department of Commerce, NOAA. pp. 231-310.
- Pitcher, K. W. (1980a). "Food of the harbor seal, *Phoca vitulina richardsi*, in the Gulf of Alaska." *Fishery Bulletin*, 78(2), pp. 544-549.
- Pitcher, K. W. (1980b). "Stomach contents and feces as indicators of harbor seal, *Phoca vitulina*, foods in the Gulf of Alaska." *Fishery Bulletin*, 78(3), pp. 797-798.
- Pitcher, K. W. (1981). "Prey of Steller sea lion, *Eumetopias jubatus*, in the Gulf of Alaska." *Fishery Bulletin*, 79(3), pp. 467-472.
- Pitcher, K. W., and Calkins, D. G. (1981). "Reproductive biology of Steller sea lions in the Gulf of Alaska." *Journal of Mammalogy*, 62, pp. 599-605.
- Pitcher, K. W. (1990). "Major decline in number of harbor seals, *Phoca vitulina richardsi*, on Tugidak Island, Gulf of Alaska." *Marine Mammal Science*, 6, pp. 121-134.
- Pitcher, K. W., Calkins, D. G., and Pendleton, G. W. (1996). "Pupping chronology of Steller sea lions in Southeast Alaska and the Gulf of Alaska." Technical Bulletin, 13, Alaska Department of Fish and Game, Division of Wildlife Conservation. pp. 25-32.
- Pitcher, K. W., Calkins, D. G., and Pendleton, G. W. (1998). "Reproductive performances of female Steller sea lions from the Gulf of Alaska: Indications of nutritional stress?" *Canadian Journal of Zoology*, 76, pp. 2075-2083.
- Pitcher, K. W., Burkanov, V. N., Calkins, D. G., LeBoeuf, B. J., Mamaev, E. G., Merrick, R. L., and Pendleton, G. W. (In press). "Spatial and temporal variation in the timing of births of Steller sea lions in the Gulf of Alaska." *Journal of Mammalogy*.
- Platforms of Opportunity Program (POP). (1997). "Database of opportunistic marine mammal sightings.", National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115.
- Popov, L. A. (1976). "Status of main ice forms of seals inhabiting waters of the U.S.S. R. and adjacent to the country marine areas." *ACMRR/MM/SC/51*, Food and Agriculture Organization of the United Nations. p. 17.
- Porter, B. (1997). "Winter ecology of Steller sea lions (*Eumetopias jubatus*) in Alaska," M.S., University of British Columbia, Vancouver.
- Prena, J., Schwinghammer, P., Rowell, T. W., Gordon Jr, D. C., Gilkinson, K. D., Vass, W. P., and D.L., M. (1999). "Experimental otter trawling on a sandy bottom ecosystem of the Grand Banks of Newfoundland: analysis of trawl bycatch and effects on epifauna." *Marine Ecology Progress Series*, 181, pp. 107-124.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. (1992). *Numerical Recipes in Fortran: The art of Scientific Computing*, Cambridge University Press, New York. 963 pp.

- Professional Growth Systems Inc. (1990). "Feasibility Study on Development of a New Comprehensive Health Care Facility for Unalaska." Prepared for Iliuliuk Family and Health Service, Inc.
- Quakenbush, L. T. (1988). "Spotted seal, *Phoca largha*." Selected marine mammals of Alaska: species accounts with research and management recommendations, J. W. Lentfer, ed., Marine Mammal Commission, Washington, DC, pp. 107-124.
- Queirolo, L. E., Fritz, L. W., Livingston, P. A., Loefflad, M. R., Colpo, D. A., and DeReynier, Y. L. (1995). "Bycatch, utilization and discards in the commercial groundfish fisheries of the Gulf of Alaska, eastern Bering Sea, and Aleutian Islands." NOAA Technical Memorandum, NMFS-AFSC-58, U.S. Department of Commerce, NOAA. p. 148.
- Radchenko, V. I. (1992). "The role of Squid in the pelagic ecosystem of the Bering Sea." *Okeanologiya*, 32(6), pp. 1093-1101.
- Raftery, A. E., Givens, G. H., and Zeh, J. E. (1995). "Inference from a deterministic population dynamics model for bowhead whales." *JASA*, 90, pp. 402-427.
- Ragen, T. J., Antonelis Jr., G. A., and Kiyota, M. (1995). "Early migration of northern fur seal pups from St. Paul Island, Alaska." *Journal of Mammalogy*, 76, pp. 1137-1148.
- Ramsay, M., and Farley, S. (1997). "Upper trophic level research: polar bears and ringed seals." The 1994 Arctic Ocean section: The first scientific crossing of the Arctic Ocean, W. Tucker and D. Cate, eds., U.S. Army Cold Regions Laboratory, Hanover, New Hampshire, pp. 55-58.
- Ramsey, F., and Schafer, D. (1996). *The Statistical Sleuth: A Course in Methods of Data Analysis*, Duxbury Press, Pacific Grove, CA.
- Raum-Suryan, K. L., and Harvey, J. T. (1998). "Distribution and abundance of and habitat use by harbor porpoise, *Phocoena phocoena*, off the northern San Juan Islands, Washington." *Fishery Bulletin*, 96, pp. 808-822.
- Raum-Suryan, K. L., Pitcher, K. W., Sease, J. L., Loughlin, T. R., and Calkins, D. G. (Submitted). "Insights into dispersal, rookery fidelity, and metapopulation structure of Steller sea lions (*Eumetopias jubatus*) in an increasing and declining population in Alaska." *Marine Mammal Science*.
- Rea, L. D. (1995). "Prolonged fasting in pinnipeds," Ph.D., University of Alaska Fairbanks, Fairbanks, AK 99775, Fairbanks.
- Rea, L. D., Castellini, M. A., Fadely, B. S., and Loughlin, T. R. (1998). "Health status of young Alaska Steller sea lion pups (*Eumetopias jubatus*) as indicated by blood chemistry and hematology." *Comparative Biochemistry and Physiology*, Part A 120, pp. 617-623.
- Ream, R. R., Baker, J. D., and Towell, R. G. (1999). "Bogoslof Island studies, 1997." Fur Seal Investigations, 1998, B. W. Robson, ed., U.S. Department of Commerce, NMFS, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115.
- Reeves, R. R., and Whitehead, H. (1997). "Status of the sperm whale, *Physeter macrocephalus*, in Canada." *Canadian Field-Naturalist*, 111, pp. 293-307.
- Reeves, R. R. (1998). "Distribution, abundance and biology of ringed seals (*Phoca hispida*): an overview." Ringed Seals in the North Atlantic, M. P. Heide-Jorgensen and C. Lydersen, eds., The North Atlantic Marine Mammal Commission, Tromsø, Norway, pp. 9-46.
- Reidman, M. L. (1987). "Summary of information on the biology of the sea otter." Final environmental impact statement for proposed translocation of southern sea otters. Technical Support Documents, U.S. Fish and Wildlife Service and University of California, Santa Cruz, CA.
- Reijnders, P. J. H. (1986). "Reproductive failure in common seals feeding on fish from polluted coastal waters." *Nature*, 324, pp. 456-457.

- Reinartz, K. F. (1988). "Passport to Ballard: The Centennial Story." Ballard News Tribune, Seattle.
- Reise, K. (1982). "Long-term changes in the macrobenthic invertebrate fauna of the Wadden Sea: are polychaetes about to take over?" *Netherlands Journal of Sea Research*, 16, pp. 29-36.
- Repenning, C. (1976). "Adaptive evolution of sea lions and walruses." *Systematic Zoology*, 25, pp. 375-390.
- Rester, J. K. (2000). "Annotated bibliography of fishing impacts on habitat." *Number 73*, Gulf States Marine Fisheries Commission, Ocean Springs, MS. p. 168.
- Rice, D. W., and Wolman, A. A. (1971). "The life history and ecology of the gray whale, *Eschrichtius robustus*." *Am. Soc. Mammal. Special Publication* 3. p. 142.
- Rice, D. W. (1974). "Whales and whale research in the eastern North Pacific." The whale problem: A status report, W. E. Schevill, ed., Harvard Press, Cambridge, MA, pp. 170-195.
- Rice, D. W. (1977). "Synopsis of biological data on the sei whale and Bryde's whale in the eastern North Pacific." *Report of the International Whaling Commission*, Special Issue 1(92-97).
- Rice, D. W. (1978). "The humpback whale in the North Pacific: distribution, exploitation and numbers." Report on a workshop on problems related to humpback whales (*Megaptera novaeangliae*) in Hawaii, K. S. Norris and R. R. Reeves, eds., Contributors report to the Marine Mammal Commission, pp. 29-44.
- Rice, D. W., and Wolman, A. A. (1982). "Whale census in the Gulf of Alaska, June to August 1980." *Report of the International Whaling Commission*, 32, pp. 1-11.
- Rice, D. W. (1986a). "Sperm whales." Marine mammals of the eastern North Pacific and Arctic waters, D. Haley, ed., Pacific Search Press, Seattle, WA, pp. 94-101.
- Rice, D. W. (1986b). "Beaked whales." Marine mammals of the eastern North Pacific and Arctic waters, D. Haley, ed., Pacific Search Press, Seattle, WA, pp. 102-109.
- Rice, D. W. (1989). "Sperm whale, *Physeter macrocephalus* Linnaeus, 1758." Handbook of marine mammals, S. H. Ridgway and R. Harrison, eds., Academic Press, pp. 177-233.
- Rice, D. W. (1992). "The blue whales of the southeastern North Pacific Ocean." AFSC Quarterly Report, *Oct-Dec*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. pp. 1-3.
- Rice, J., and Gislason, H. (1996). "Patterns of change in the size spectra of numbers and diversity of the North Sea fish assemblage, as reflected in surveys and models." *ICES Journal of Marine Science*, 53, pp. 1214-1225.
- Rice, D. W. (1998). "Marine Mammals of the world: Systematics and Distribution." The Society for Marine Mammalogy Special Publication, 4, Allen Press, Inc. p. 231.
- Richardson, W. J., Greene Jr., C., Malme, C. I., and Thomson, D. H. (1995). *Marine mammals and noise*, Academic Press, San Diego.
- Riemann, B., and Hoffmann, E. (1991). "Ecological consequences of dredging and bottom trawling in the Limfjord, Denmark." *Marine Ecology Progress Series*, 69(1-2), pp. 171-178.
- Risk, M. J., McAllister, D. E., and Behnken, L. (1998). "Conservation of cold- and warm-water seafans: Threatened ancient gorgonian groves." *Sea Wind*, 10(4), pp. 20-22.
- Robards, M. D., Piatt, J. F., Kettle, A. B., and Abookire, A. A. (1999). "Temporal and geographic variation in fish communities of lower Cook Inlet, Alaska." *Fishery Bulletin*, 97(4), pp. 962-977.
- Robson, B. W. (2001). "The relationship between foraging locations in breeding sites of lactating northern fur seals, *Callorhinus ursinus* in the eastern Bering Sea," Unpublished MS, University of Washington, Seattle, WA.

- Ronald, K., Keiver, K. M., Beamish, F. W. H., and Frank, R. (1984). "Energy requirements for maintenance and faecal and urinary losses of the grey seal (*Halichoerus grypus*).” *Canadian Journal of Zoology*, 62, pp. 1101-1105.
- Ronholt, L. L., Wakabayashi, K., Wilderbuer, T. K., Yamaguchi, H., and Okada, K. (1985). "Results of the cooperative U.S.-Japan groundfish assessment survey in Aleutian Islands water, June-November 1980.” Unpublished manuscript, U.S. Department of Commerce, NOAA, Northwest and Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. p. 303.
- Rose, C. S. (1999). "Injury rates of red king crab, *Paralithodes camtschaticus*, passing under bottom trawl footropes.” *Marine Fisheries Review*.
- Rosel, P. E., Dizon, A. E., and Haygood, M. G. (1995). "Variability of the mitochondrial control region in populations of the harbour porpoise, *Phocoena phocoena*, on inter-oceanic and regional scales.” *Canadian Journal of Fisheries and Aquatic Science*, 52, pp. 1210-1219.
- Rosen, D. A. S., and Trites, A. W. (1997). "Heat increment of feeding in Steller sea lions, *Eumetopias jubatus*.” *Comparative Biochemistry Physiology*, 118A(3), pp. 877-881.
- Rosen, D. A. S., and Trites, A. W. (1999). "Metabolic effects of low-energy diet on Steller sea lions, *Eumetopias jubatus*.” *Physiological and Biochemical Zoology*, 72, pp. 723-731.
- Rosen, D. A. S., Williams, L., and Trites, A. W. (2000). "Effect of ration size and meal frequency on assimilation and digestive efficiency in yearling Steller sea lions, *Eumetopias jubatus*.” *Aquatic Mammals*, 26, pp. 76-82.
- Rosen, D. A. S., and Trites, A. W. (2000a). "Digestive efficiency and dry-matter digestibility of Steller sea lions fed herring, pollock, squid and salmon.” *Canadian Journal of Zoology*, 78, pp. 234-239.
- Rosen, D. A. S., and Trites, A. W. (2000b). "Pollock and the decline of Steller sea lions: testing the junk-food hypothesis.” *Canadian Journal of Zoology*, 78, pp. 1243-1250.
- Rosenbaum, H. C., Brownell Jr, R. L., Brown, M. W., Schaeff, C., Portway, V., White, B. N., Malik, S., Pastene, L. A., Patenaude, N. J., Baker, C. S., Goto, M., Best, P. B., Clapham, P. J., Hamilton, P., Moore, M., Payne, R., Rowntree, V., Tynan, C. T., Bannister, J. L., and DeSalle, R. (2000). "World-wide genetic differentiation of *Eubalaena*: questioning the number of right whale species.” *Molecular Ecology*, 9, pp. 1793-1802.
- Rosenkranz, G. E., Tyler, A. V., Kruse, G. H., and Niebauer, H. J. (1998). "Relationship between wind and year class strength of Tanner crabs in the southeastern Bering Sea.” *Alaska Fishery Research Bulletin*, 5, pp. 18-24.
- Ross, P. S., DeSwart, R. L., Timmerman, H. H., Reijnders, P. J. H., Voss, J. G., van Loveren, H., and Osterhaus, A. D. M. E. (1996). "Suppression of natural killer cell activity in harbour seals (*Phoca vitulina*) fed Baltic Sea herring.” *Aquatic Toxicology*, 34, pp. 71-84.
- Rugen, W. C. (1990). "Spatial and Temporal Distribution of Larval Fish in the Western Gulf of Alaska, with Emphasis on the Peak Period of Abundance of the Walleye Pollock (*Theragra chalcogramma*) Larvae.” Unpublished data report, *Northwest and Alaska Fisheries Center Processed Report 90-01*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Rugh, D. J., Shelden, K. E. W., and Withrow, E. E. (1995). "Spotted seals sightings in Alaska 1992-93.” MMPA Assessment Program, Office of Protected Resources, NMFS, NOAA, 1335 East West Highway, Silver Spring, MD 20910.
- Rugh, D. J., Muto, M. M., Moore, S. E., and DeMaster, D. P. (1999). "Status review of the Eastern North Pacific stock of gray whales.” NOAA Technical Memorandum, *NMFS-AFSC-103*, U.S. Department of Commerce. p. 96.

- Rugh, D., DeMaster, D., Rooney, A., Breiwick, J., Shelden, K., and Moore, S. (In review). "Review of studies on stock identity in the bowhead whale from the western Arctic." *Journal of Cetacean Research and Management*.
- Rumohr, H., and Krost, P. (1991). "Experimental evidence of damage to benthos by bottom trawling with special reference to *Artica islandica*." *Meeresforschung*, 33, pp. 340-345.
- Rutecki, T. L., and Varosi, E. R. (1997). "Migrations of juvenile sablefish, *Anoplopoma fimbria*, in southeast Alaska." NOAA Technical Report, NMFS 130, U.S. Department of Commerce, NOAA, Seattle, WA.
- Saeki, K., Nakajima, M., Noda, K., Loughlin, T. R., Baba, N., Kiyota, M., Tatsukawa, R., and Calkins, D. G. (1999). "Vanadium accumulation in pinnipeds." *Archives of Environmental Contaminants and Toxicology*, 36, pp. 81-86.
- Sainsbury, K. J., Campbell, R. A., and Whitelaw, A. W. (1993). "Effects of trawling on the marine habitat on the north west shelf of Australia and implications for sustainable fisheries management." Editor - Sustainable Fisheries through Sustainable Fish Habitat, Bureau of Resource Sciences Publication. Australian Government Publishing Service, Canberra, Australia, pp. 137-145.
- Saulitas, E., Matkin, C., Barrett-Lennard, L. G., Heise, K., and Ellis, G. (2000). "Foraging strategies of sympatric killer whale (*Orcinus orca*) populations in Prince William Sound, Alaska." *Marine Mammal Science*, 16, pp. 94-109.
- Scarff, J. E. (1986). "Historic and present distribution of the right whale (*Eubalaena glacialis*) in the eastern North Pacific south of 50° N and east of 180° W." *Report of the International Whaling Commission*, Special Issue 10, pp. 43-63.
- Scheffer, V. B., and Slipp, J. W. (1944). "The harbor seal in Washington state." *American Midland Naturalist*, 32, pp. 373-416.
- Schell, D. M., and Saue, S. M. (1993). "Feeding and growth as indicated by staple isotopes." The bowhead whale, J. J. Burns, J. J. Montague, and C. J. Cowles, eds., Society for Marine Mammalogy, pp. 491-509.
- Schneider, D. C., and Hunt Jr, G. L. (1984). "A comparison of seabird diets and foraging distribution around the Pribilof Islands, Alaska." Canadian Wildlife Service Publication, CW66-65/1984, Canadian Wildlife Service. pp. 86-95.
- Schumacher, J. D., Stabeno, P. J., and Bograd, S. J. (1993). "Characteristics of an eddy over a continental shelf: Shelikof Strait, Alaska." *Journal of Geophysical Research*, 98, pp. 8395-8404.
- Schwinghammer, P., Guigne, J. Y., and Wiu, W. C. (1996). "Quantifying the impact of trawling on benthic habitat structure using high resolution acoustics and chaos theory." *Canadian Journal of Fisheries and Aquatic Sciences*, 53, pp. 288-296.
- Seal, U. S., Nelson, M. E., Mech, L. D., and Hoskinson, R. L. (1978). "Metabolic indicators of habitat differences in four Minnesota deer populations." *Journal of Wildlife Management*, 42, pp. 746-754.
- Seaman, G. A., Lowry, L. F., and Frost, K. H. (1982). "Foods of the belukha whale (*Delphinapterus leucas*) in Western Alaska." *Cetology*, 44, pp. 1-19.
- Sease, J. L. (1986). "Historical status and population dynamics of the Pacific walrus," M.S. Thesis, University of Alaska, Fairbanks, Fairbanks, AK 99775.
- Sease, J. L., and Loughlin, T. R. (1999). "Aerial and land-based surveys of Steller sea lions (*Eumetopias jubatus*) in Alaska, June and July 1997 and 1998." NOAA Technical Memorandum, NMFS-AFSC-100, U.S. Department of Commerce. p. 61.
- Sease, J. L., Strick, J. M., Merrick, R. L., and Lewis, J. P. (1999). "Aerial and land-based surveys of Steller sea lions (*Eumetopias jubatus*) in Alaska, June and July 1996." NOAA Technical Memorandum, NMFS F/NWC-99, U.S. Department of Commerce. p. 43.

- Sease, J. L., Taylor, W. P., Loughlin, T. R., and Pitcher, K. W. (2001). "Aerial and land-based surveys of Steller sea lions (*Eumetopias jubatus*) in Alaska, June and July 1999 and 2000." NOAA Technical Memorandum, *NMFS-AFSC-122*, U.S. Department of Commerce. p. 52.
- Sharma, G. D., Naidu, A. S., and Hood, D. W. (1972). "Bristol Bay: A model contemporary graded shelf." *American Association of Petroleum Geologists Bulletin*, 56, pp. 2000-2012.
- Shaughnessy, P. D., and Fay, F. H. (1977). "A review of the taxonomy and nomenclature of North Pacific harbour seals." *Journal of Zoology (London)*, 182, pp. 385-419.
- Sheffield, G., and Zarnke, R. (1997). "Summaries of serologic data collected from Steller sea lions in the Bering Sea and Gulf of Alaska, 1978-1996." Steller Sea Lion Recovery Investigations in Alaska, 1995-1996, Alaska Department of Fish and Game, Division of Wildlife Conservation, pp. 74-84.
- Shelden, K. E. W., and Rugh, D. J. (1995). "The bowhead whale (*Balaena mysticetus*): Its historic and current status." *Marine Fisheries Review*, 57(3-4), pp. 1-20.
- Shima, M., Hollowed, A. B., and Van Blaricom, G. R. (2000). "Response of pinniped populations to directed harvest, climate variability, and commercial fishery activity: a comparative analysis." *Reviews in Fish Science*, 8, pp. 89-124.
- Shimada, A. M., and Kimura, D. K. (1994). "Seasonal movements of Pacific cod (*Gadus macrocephalus*) in the eastern Bering Sea and adjacent waters based on tag-recapture data." *Fishery Bulletin*, 92(4), pp. 800-816.
- Shuck, C. J. (2000). "Spatial and temporal differences in growth and productivity of walleye pollock in the eastern Bering Sea," M.S., University of Washington, Seattle, WA.
- Shuntov, V. P. (1993). "Biological and physical determinants of marine bird distribution in the Bering Sea." The status, ecology, and conservation of marine birds of the North Pacific, K. Vermeer, K. T. Briggs, K. J. Morgan, and D. Siegel-Causey, eds., Canadian Wildlife Service and Pacific Seabird Group, pp. 10-17.
- Shustov, A. P. (1965a). "Distribution of the ribbon seal (*Histiophoca fasciata*) in the Bering Sea." Marine mammals, E. H. Pavloskii, B. A. Zenkovich, S. E. Kleinenberg, and K. K. Chapskii, eds., *Izv. Nauka*, pp. 118-121.
- Shustov, A. P. (1965b). "The food of the ribbon seal in the Bering Sea." *Izv. TINRO*, 59, pp. 178-183.
- Sigler, M. F., Fujioka, J. T., and Lowe, S. A. (2000). "Alaska sablefish assessment for 2001." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska as Projected for 2000, Bering Sea and Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Sinclair, E. H., Loughlin, T., and Percy, W. (1994). "Prey selection by northern fur seals (*Callorhinus ursinus*) in the eastern Bering Sea." *Fishery Bulletin*, 92(1), pp. 144-156.
- Sinclair, E. H., Antonelis, G. A., Robson, B. R., Ream, R., and Loughlin, R. (1996). "Northern fur seal, *Callorhinus ursinus*, predation on juvenile pollock, *Theragra chalcogramma*." NOAA Technical Report, *NMFS 126*, U.S. Department of Commerce, NOAA. pp. 167-178.
- Sinclair, E. H., Antonelis, G. A., Robson, B. R., Ream, R. R., and Loughlin, T. R. (1997). "Northern fur seal predation on juvenile walleye pollock." NOAA Technical Report, *NMFS 126*, U.S. Department of Commerce, NOAA.
- Sinclair, E. H., and Zeppelin, T. K. (Submitted). "Seasonal and spatial differences in diet in the western stock of Steller sea lions (*Eumetopias jubatus*)." *Journal of Mammalogy*.

- Sleptsov, M. M. (1955). "Biology of whales and the whaling fishery in Far Eastern seas." *Fisheries Research Board of Canada Bulletin*, 118, p. 6.
- Small, R. J. (2001). "Aerial surveys of harbor seals in southern Bristol Bay, Alaska, 1998-1999." Harbor Seal Investigations in Alaska Annual Report, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK, pp. 71-83.
- Small, R. J., Pendleton, G. W., and Wynne, K. M. (2001). "Harbor seal population trends in the Ketchikan, Sitka, and Kodiak areas of Alaska, 1983-1999." Harbor Seal Investigations in Alaska Annual Report, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK, pp. 8-30.
- Small, R. J., and VerHoef, J. M. (2001). "Movement patterns of non-pup harbor seals in the Kodiak Archipelago and Southeast Alaska." Harbor Seal Investigations in Alaska Annual Report, Alaska Department of Fish and Game, Division of Wildlife Conservation, Anchorage, AK, pp. 294-301.
- Smirnov, N. A. (1929). "A review of the Pinnipedia of Europe and northern Asia." *Izv. Otd. Priklad. Ikhtiol.*, 9, pp. 231-268.
- Smith, T. G., and Stirling, I. (1975). "The breeding habitat of the ringed seal (*Phoca hispida*): The birth lair and associated structures." *Canadian Journal of Zoology*, 53, pp. 1297-1305.
- Smith, T. G. (1981). "Notes on the bearded seal, *Erignathus barbatus*, in the Canadian Arctic." Canadian Technical Report of Fisheries Aquatic Science, 1042. p. 49.
- Smith, T. G. (1987). "The ringed seal, *Phoca hispida*, of the Canadian Western Arctic." *Canadian Journal of Fisheries and Aquatic Science*, 216, p. 81.
- Smith, K. R., and McConnaughey, R. A. (1999). "Surficial sediments of the eastern Bering Sea continental shelf: EBSED database documentation." NOAA Technical Memorandum, NMFS-AFSC-104, U.S. Department of Commerce, NMFS Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115-0070. p. 41.
- Sobolevskii, E. I. (1996). "The distribution and seasonal dynamics of feeding of the spotted seal *Phoca largha* in the Bering Sea." *Russian Journal of Marine Biology*, 22, pp. 199-204.
- Sobolevsky, Y. I. (1996). "Species composition and distribution of squids in the western Bering Sea." Alaska Sea Grant College Program Report, 96-01, University of Alaska, Fairbanks, Fairbanks, AK 99775. pp. 135-141.
- Spaulding, D. J. (1964). "Comparative feeding habits of the fur seal, sea lion, and harbor seal on the British Columbia coast." *Fisheries Research Board of Canada Bulletin*, 146, p. 52.
- Spraker, T. R., and Bradley, D. (1996). "Investigations in to the health status of Steller sea lions, *Eumetopias jubatus*, from 1992 to 1995." Steller Sea Lion Recovery Investigations in Alaska, 1992-1994, Alaska Department of Fish and Game, Division of Wildlife Conservation, pp. 88-108.
- Spraker, T. R., Calkins, D. G., and Loughlin, T. R. (In review). "Abortions and premature births in Steller sea lions (*Eumetopias jubatus*) from the Gulf of Alaska." Unpublished report, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115.
- Springer, A. M., Roseneau, D. G., Lloyd, D. S., McRoy, C. P., and Murphy, E. C. (1986). "Seabird responses to fluctuating prey availability in the eastern Bering Sea." *Marine Ecology Progress Series*, 32, pp. 1-12.
- Springer, A. M. (1992). "A review: walleye pollock in the North Pacific - how much difference do they really make?" *Fisheries Oceanography*, 1, pp. 80-96.
- Stabeno, P. J., Reed, R. K., and Schumacher, J. D. (1995). "The Alaska Coastal Current: continuity of transport and forcing." *Journal of Geophysical Research*, 100, pp. 2477-2485.



- Stabeno, P. J., Schumacher, J. D., Salo, S. A., Hunt Jr., G. L., and Flint, M. (1999). "Distribution and ecology of mesopelagic fishes and cephalopods." *The Bering Sea: physical, chemical and biological dynamics*, T. R. Loughlin and K. Ohtani, eds., University of Alaska Sea Grant Press.
- Stafford, K. M., Nieukirk, S. L., and Fox, C. G. (1999). "An acoustic link between blue whales in the northeast Pacific and the eastern tropical Pacific." *Marine Mammal Science*, 15, pp. 1258-1268.
- Stansby, M. E. (1976). "Chemical characteristics of fish caught in the northeast Pacific Ocean." *Marine Fisheries Review*, 38, pp. 1-11.
- Stelle, L. L., Blake, R. W., and Trites, A. W. (2000). "Hydrodynamic drag in Steller sea lions (*Eumetopias jubatus*)." *Journal of Experimental Marine Biology and Ecology*, 203, pp. 1915-1923.
- Stevens, B. G., and Haaga, J. A. (1994). "Ocean dumping of seafood processing wastes: comparisons of epibenthic megafauna sampled by submersible in impacted and non-impacted Alaskan bays and estimation of waste decomposition rate.", National Marine Fisheries Service, Kodiak Laboratory, P.O. Box 1638, Kodiak, AK 99615.
- Stevens, B. G., Haaga, J. A., MacIntosh, R. A., Otto, R. S., and Rugolo, L. (2000). "Report to Industry on the 2000 Eastern Bering Sea crab survey." NOAA/NMFS-AFSC Processed Report, 2000-07, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Stewart, B. S., and Everett, W. T. (1983). "Incidental catch of a ribbon seal (*Phoca fasciata*) in the central North Pacific." *Arctic*, 36, p. 369.
- Stewart, B. S., and Leatherwood, S. (1985). "Minke whale, *Balaenoptera acutorostrata* Lacepede, 1804." *Handbook of marine mammals*, S. H. Ridgway and R. Harrison, eds., Academic Press, New York, NY.
- Stewart, B. S., and DeLong, R. L. (1993). "Seasonal dispersion and habitat use of foraging northern elephant seals." *Symp. Zool. Soc. Lond. (1993)*, 66, pp. 179-194.
- Stewart, B. S., and DeLong, R. L. (1994). "Post-breeding foraging migrations of northern elephant seals." *Elephant seals, population ecology, behavior, and physiology*, B. J. LeBoeuf and R. M. Laws, eds., University of California Press, Los Angeles, pp. 290-309.
- Stewart, B. S., Yochem, P. K., Huber, H. R., DeLong, R. L., Jameson, R. J., Sydeman, W. J., Allen, S. G., and B.J., L. (1994). "History and present status of the northern elephant seal population." *Elephant Seals*, B. J. LeBoeuf and R. M. Laws, eds., University of California Press, Berkeley, pp. 29-48.
- Stewart, B. S., and DeLong, R. L. (1995). "Double migrations of the northern elephant seal." *Journal of Mammalogy*, 76(1), pp. 196-205.
- Stirling, I., Kingsley, M., and Calvert, W. (1982). "The distribution and abundance of seals in the eastern Beaufort Sea, 1974-79." *Canadian Wildlife Service Occasional Paper*, 47, pp. 1-23.
- Stoker, S. W., and Krupnik, I. I. (1993). "Subsistence whaling." *The bowhead whale*, J. J. Burns, J. J. Montague, and C. J. Cowles, eds., Society for Marine Mammalogy, pp. 579-629.
- Stone, R. P., O'Clair, C. E., and Shirley, T. C. (1993). "Aggregating behavior of ovigerous female red king crab, *Paralithodes camtschaticus*, in Auke Bay, Alaska." *Canadian Journal of Fisheries and Aquatic Science*, 50(4), pp. 750-758.
- Straley, J. M. (1994). "Seasonal characteristics of humpback whales (*Megaptera novaeangliae*) in southeastern Alaska," M.S., University of Alaska Fairbanks, Fairbanks, AK 99775, Fairbanks.

- Straty, R. R. (1987). "Habitat and behavior of juvenile Pacific rockfish (*Sebastes* spp. and *Sebastolobus alascanus*) off southeastern Alaska." *NOAA Symposium Series for Undersea Research*, 2(2), pp. 109-123.
- Strick, J. M., Fritz, L. W., and Lewis, J. P. (1997). "Aerial and ship-based surveys of Steller sea lions (*Eumetopias jubatus*) in Southeast Alaska, the Gulf of Alaska, and Aleutian Islands during June and July 1994." NOAA Technical Memorandum, *NMFS F/NWC-71*, DOC, NOAA, NMFS. p. 55.
- Sugimoto, T., and Tadokoro, K. (1997). "Interannual-interdecadal variations in zooplankton biomass, chlorophyll concentration and physical environment in the subarctic Pacific and Bering Sea." *Fisheries Oceanography*, 6, pp. 74-93.
- Sullivan, P. J., and Parma, A. M. (1998). "Population assessments, 1997." International Pacific Halibut Commission Report of Assessment and Research Activities, 1997, International Pacific Halibut Commission, P.O. Box 95009, Seattle, WA 98145. pp. 81-107.
- Sundberg, K., and Clausen, D. (1977). "Post-larval king crab (*Paralithodes camtschatica*) distribution and abundance in Kachemak Bay, Lower Cook Inlet, Alaska." Environmental Studies of Kachemak Bay and Lower Cook Inlet, L. L. Trasky, L. B. Flagg, and D. C. Burbank, eds., Alaska Department of Fish and Game, Anchorage, AK, pp. 1-36.
- Suydam, R. S., and George, J. C. (1992). "Recent sightings of harbour porpoises, *Phocoena phocoena*, near Point Barrow, Alaska." *Canadian Field-Naturalist*, 106(4), pp. 489-492.
- Swain, U. G., and Calkins, D. G. (1997). "Foraging behavior of juvenile Steller sea lions in the northeastern Gulf of Alaska: Diving and foraging trip duration." Unpublished report, Alaska Department of Fish and Game, 333 Raspberry Road, Anchorage, AK. pp. 91-106.
- Swartzman, G. L., and Haar, R. T. (1983). "Interactions between fur seal populations and fisheries in the Bering Sea." *Fishery Bulletin*, 81, pp. 121-132.
- Takahashi, N., and Wada, K. (1998). "The effect of hunting in Hokkaido on population dynamics of Steller sea lions in the Kuril Islands: a demographic modeling analysis." *Biosphere Conservation*, 1, pp. 49-62.
- Tamura, T., Fujise, Y., and Shimazaki, K. (1998). "Diet of minke whales *Balaenoptera acutorostrata* in the northwestern part of the North Pacific in summer, 1994 and 1995." *Fisheries Science*, 64(1), pp. 71-76.
- Tanasichuk, R. W. (1997). "Diet of sablefish, *Anoplopoma fimbria*, from the southwest coast of Vancouver Island." NOAA Technical Report, *NMFS 130*, U.S. Department of Commerce, NOAA, Seattle, WA.
- Tasker, M. L., Camphysen, C. J., Cooper, J., Garthe, S., Montevecchi, W. A., and Blaber, S. J. M. (2000). "The impacts of fishing on marine birds." *ICES Journal of Marine Science*, 57, pp. 531-547.
- Taylor, B. L., and Dawson, P. K. (1984). "Seasonal changes in density and behavior of harbor porpoise (*Phocoena phocoena*) affecting census methodology in Glacier Bay National Park, Alaska." Rep. Intl. Whal. Comm., 34. pp. 479-483.
- Taylor, B. L., Wade, P. R., DeMaster, D. P., and Barlow, J. (1996). "Models for management of marine mammals." Unpubl. doc. submitted to Int. Whal. Comm., *SC/48/SM50*. p. 12.
- Teilmann, J., Born, E. W., and Acquarone, M. (1999). "Behaviour of ringed seals tagged with satellite transmitters in the North Water polynya during fast-ice formation." *Canadian Journal of Zoology*, 77, pp. 1934-1946.
- Theilacker, G. H., Bailey, K. M., Canino, M. F., and Porter, S. M. (1996). "Variations in larval walleye pollock feeding and condition: a synthesis." *Fisheries Oceanography*, 5(Suppl. 1), pp. 112-123.

- Thomas, G. L. (1994). "Economically and ecologically responsible fish waste recycling in Orca Inlet, Prince William Sound, Alaska.", Research proposal by Prince William Sound Science Center, P.O. Box 705, Cordova, AK 99574.
- Thomas, G., and Thorne, R. (2001). "Night-time predation by Steller sea lions." *Nature*, 411(28), p. 1013.
- Thompson, G. G., and Shimada, A. M. (1990). "Pacific cod." NOAA Technical Memorandum, *NMFS F/NWC-178*, U.S. Department of Commerce, NOAA. pp. 44-66.
- Thompson, G. G., and Methot, R. D. (1993). "Pacific cod." Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands region as projected for 1994, Bering Sea and Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501.
- Thompson, G. G., and Zenger, H. H. (1994). "Pacific cod." Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska as projected for 1995, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501.
- Thompson, P. M., Tollit, D. J., Corpe, H. M., Reid, R. J., and Ross, H. M. (1997). "Changes in haematological parameters in relation to prey switching in a wild population of harbour seals." *Functional Ecology*, 11, pp. 743-750.
- Thompson, G. G., and Dorn, M. W. (1999). "Assessment of the Pacific cod stock in the eastern Bering Sea and Aleutian Islands area." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands Region, Bering Sea/Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 151-230.
- Thompson, G. G., Zenger, H. H., and Dorn, M. W. (1999). "Assessment of the Pacific cod in the Gulf of Alaska." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 105-184.
- Thompson, G. G., and Dorn, M. W. (2000). "Assessment of the Pacific cod stock in the eastern Bering Sea and Aleutian Islands area." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands Regions, Bering Sea/Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Thompson, G. G., Zenger, H. M., and Dorn, M. W. (2000). "Assessment of the Pacific cod stock in the Gulf of Alaska." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Gulf of Alaska, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- Thorsteinson, F. V., and Lensink, C. J. (1962). "Biological observations of Steller sea lions taken during an experimental harvest." *Journal of Wildlife Management*, 26, pp. 353-359.
- Thrush, S. F., Hewitt, J. E., Cummings, V. J., Dayton, P. K., Cryer, M., Turner, S. J., Funnell, G. A., Budd, R. G., Milburn, C. J., and Wilkinson, M. R. (1998). "Disturbance of the marine benthic habitat by commercial fishing: impacts at the scale of the fishery." *Ecological Applications*, 8(3), pp. 866-879.
- Tikhomirov, E. A. (1964). "Distribution and hunting of the sea lion in the Bering Sea and adjacent parts of the Pacific (in Russian)." Soviet Fisheries Investigations in the Northeast Pacific, P. A. Moiseev, ed., National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115, pp. 281-285.

- Tikhomirov, E. A. (1966). "Reproduction of seals of the family Phocidae in the North Pacific." *Zoologicheskii Zhurnal*, 45, pp. 275-281.
- Tillman, M. F. (1977). "Estimates of population size for the North Pacific sei whale." *Report of the International Whaling Commission*, Special Issue 1, pp. 98-106.
- Tillman, M. F., Donovan, G. P., and (eds). (1986). "Behavior of whales in relation to management: report of the workshop." *Report of the International Whaling Commission* (Special Issue 8), pp. 1-56.
- Tomilin, A. (1957). "Mammals of the USSR and Adjacent Countries.", V. G. Heptner, ed., U.S. Department of Commerce, Springfield, CA, Nauk SSSR, Moscow.
- Tomilin, A. G. (1967). "Mammals of the USSR and adjacent countries." Cetacea, Israel Program for Scientific Translations, Jerusalem, p. 717.
- Tormosov, D. D., Mikhaliyev, Y. A., Best, P. B., Zemsky, V. A., Sekiguchi, K., and Brownell Jr, R. L. (1998). "Soviet catches of southern right whales, *Eubaeana australis*, 1951-1971: biological data and conservation implications." *Biological Conservation*, 86, pp. 185-197.
- Townsend, C. H. (1935). "The distribution of certain whales as shown by logbook records of American whaleships." *Zoologica*, 19(1), pp. 1-50.
- Trites, A. W. (1992). "Northern fur seals: Why have they declined?" *Aquatic Mammals*, 18(1), pp. 3-18.
- Trites, A. W., Livingston, P. A., Vasconcellos, M. C., Mackinson, S., Springer, A. M., and Pauly, D. (1999). "Ecosystem change and the decline of marine mammals in the Eastern Bering Sea: testing the ecosystem shift and commercial whaling hypotheses." Fisheries Centre Research Reports 1999, Vol. 7, University of British Columbia. p. 100.
- Trites, A. W., and Jonker, R. A. H. (2000). "Morphometric measurements and body condition of healthy and starving Steller sea lion pups, (*Eumetopias jubatus*)." *Aquatic Mammals*, 26, pp. 151-157.
- Turnock, B. J., and Quinn, T. J. (1991). "The effect of responsive movement on abundance estimation using line transect sampling." *Biometrics*, 47, p. 14.
- Tynan, D., and DeMaster, D. P. (1996). "Observations and predictions of Arctic climate change.", Unpublished document, p. 11.
- Tynan, C. T. (1999). "Redistributions of cetaceans in the southeast Bering Sea relative to anomalous oceanographic conditions during the 1997 El Nino." *Proceedings of the 1998 Sci. Board Symposium on the impacts of the 1997-98 El Nino event on the North Pacific Ocean and its marginal seas*, pp. 115-117.
- U.S. Army Corps of Engineers. (1997). "Navigation Improvements, Detailed Project Report, and Environmental Assessment: King Cove, Alaska.", U.S. Army Corps of Engineers, U.S. Army Engineer District, Alaska.
- U.S. Army Corps of Engineers. (1998). "Harbor Improvements, Feasibility Report, and Environmental Assessment: Sand Point, Alaska.", U.S. Army Corps of Engineers, U.S. Army Engineer District, Alaska.
- U.S. Department of Commerce. U.S. Department of Commerce, Census Bureau
- U.S. Environmental Protection Agency (EPA). (2000). "Production of seafood processors in Alaska." Memorandum from F. Carroll, to K. Nixon, URS Corporation, U.S. Environmental Protection Agency Region 10. p. 2.
- U.S. Fish and Wildlife Service (USFWS). (1995). "Stock assessment sea otter (*Enhydra lutris*) Alaska stock.", U.S. Department of the Interior, Fish and Wildlife Service, 1211 E. Tudor Road, Anchorage, AK 99503. p. 5.

- USFWS. (1999a). "Population status and trends of sea ducks in Alaska.", U.S. Fish and Wildlife Service, Migratory Bird Management, Waterfowl Management Branch, 1011 E. Tudor Road, Anchorage, AK 99503, Anchorage, AK. p. 147.
- USFWS. (1999b). "Endangered Species Act Formal Section 7 Consultation for 1999-2000 Hook-and-Line Groundfish Fisheries of the Gulf of Alaska and Bering Sea and Aleutian Islands Area (Short-tailed Albatross).", U.S. Department of the Interior, Fish and Wildlife Service, 1011 E. Tudor Road, Anchorage, AK 99503. p. 36 + Tables and Figures.
- USFWS. (2000). "Final rule extending the endangered status of the short-tailed albatross (*Phoebastria albatrus*) to include the species' range within the United States." *Federal Register*, 65(July 31, 2000), pp. 46643-46654.
- USFWS. (2001). "Letter from Ann G. Rappoport to James W. Balsiger re: Endangered Species Act Formal Consultation for the 2001-2004 Total Allowable Catch Specifications for the Gulf of Alaska and Bering Sea/Aleutian Island Groundfish Fisheries." FSW Log No. WAES-01016.
- Unalaska City Schools. (2001). "Summary attendance data by year supplied by school staff."
- University of Alaska. (1973). "Age and Sex Characteristics of Alaska's Village Population.", University of Alaska, Institute of Social, Economic, and Government Research.
- Urban, J., Balcomb, K. C., Alvarez, C., Bloedel, P., Cubbage, J., Calambokidis, J., Steiger, G., and Aguayo, A. L. (1987). "Photo-identification matches of humpback whales (*Megaptera novaeangliae*) between Mexico and central California." *Seventh Biennial Conference of the Biology of Marine Mammals*, Miami, Florida.
- Urban, J. R., Gomez-Gallardo, A., Flores de Sahagun, C., Palmeros, M. R., and Ludwig, S. (1999). "Changes in the abundance and distribution of gray whales at Laguna San Ignacio, Mexico during the 1997/98 El Nino and the 1998/99 La Nina." Submitted to the Scientific Committee of the International Whaling Commission, *SSC/51/AS31*. p. 8.
- Urban, R., Jaramillo, A., Aguayo, A. L., Ladron de Guevara, P., Salinas, M., Alvarez, C. F., Medrano, L. G., Jacobsen, J. K., Balcomb, K. C., Claridge, D. E., Calambokidis, J., Steiger, G. H., Straley, J. M., von Ziegesar, O., Waite, J. M., Mizroch, S. A., Dahlheim, M. E., Darling, J. D., and Baker, C. S. (2000). "Migratory destinations of humpback whales wintering in the Mexican Pacific." *Journal of Cetacean Research and Management*, 2, pp. 101-110.
- Van Pelt, T. I., Piatt, J. F., Lance, B. K., and Roby, D. D. (1997). "Proximate composition and energy density of some North Pacific forage fishes." *Comparative Biochemistry and Physiology*, 118A(4), pp. 1393-1398.
- Varanasi, U., Stein, J. E., Reichert, W. L., Tilbury, K. L., Krahn, M. M., and Chan, S. (1992). "Chlorinated and aromatic hydrocarbons in bottom sediments, fish and marine mammals in US coastal waters: laboratory and field studies of metabolism and accumulation." *Persistent pollutants in marine ecosystems*, C. H. Walker and D. R. Livinstone, eds., Pergamon Press, Oxford, UK, pp. 83-115.
- Vibe, C. (1950). "The marine mammals and the marine fauna in the Thule District (northwest Greenland) with observations on ice conditions in 1939-41." *Medd. Gronl.*, 150, pp. 1-115.
- Wade, P. R., and Gerrodette, T. (1993). "Estimates of cetacean abundance and distribution in the eastern tropical Pacific." *Report of the International Whaling Commission*, 43, pp. 477-493.
- Wade, P. R., and DeMaster, D. P. (1996). "A Bayesian analysis of eastern Pacific gray whale population dynamics." Submitted to the International Whaling Commission, *SC/48/AS3*. p. 21.

- Waite, J. M. (1998). "Northern right whale sighted off Alaska." *Marine Mammal Society Newsletter*, 6(3), p. 7.
- Waite, J. M., and Hobbs, R. C. (1998). "Small cetacean aerial and vessel survey in Southeast Alaska and the eastern Gulf of Alaska, 1997." AFSC Processed report, 98-10, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. pp. 23-36.
- Waite, J. M., and Hobbs, R. C. (1999). "Small cetacean aerial and vessel survey in Prince William Sound and the western Gulf of Alaska in 1998 and preliminary harbor porpoise abundance estimates for the Southeast Alaska and the Gulf of Alaska stocks." AFSC Processed report, 99-08, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. pp. 39-54.
- Waite, J. M., Dahlheim, M. E., Hobbs, R. C., Mizroch, S. A., von Ziegesar-Matkin, O., Straley, J. M., Herman, L. M., and Jacobsen, J. (1999). "Evidence of a feeding aggregation of humpback whales (*Megaptera novaeangliae*) around Kodiak Island, Alaska." *Marine Mammal Science*, 15, pp. 210-220.
- Waite, J. M., and Hobbs, R. C. (2000). "Small cetacean aerial survey in Bristol Bay and the south side of the Alaska Peninsula in 1999." AFSC Processed report, 2000-11, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115. pp. 81-90.
- Waite, J. M., Friday, N., and Moore, S. E. (In review). "Killer whale (*Orcinus orca*) distribution and abundance for the central and southeastern Bering Sea, July 1999 and June 2000." *Marine Mammal Science*.
- Walker, W. A., Leatherwood, S., Goodrich, K. R., Perrin, W. F., and Stroud, R. K. (1986). "Geographical variation and biology of the Pacific shite-sided dolphin, *Lagenorhynchus obliquidens*, in the northeastern Pacific." Research on dolphins, M. M. Bryden and R. Harrison, eds., Oxford University Press, Oxford, pp. 441-465.
- Walker, W. A. (1990). "Geographical variation of the parasites *Crassicauda* (Nematoda) and *Phyllobothrium* (Cestoda) in *Phocoenoides dalli* in the northern North Pacific, Bering Sea and Sea of Okhotsk." *42nd Meeting of the Scientific Committee, International Whaling Commission*, International Whaling Commission, The Red House, Station Rd, Histon, Cambridge, CB44NP, UK.
- Walker, W. A., and Sinclair, E. H. (1990). "Geographic variation of Dall's porpoise, *Phocoenoides dalli*, in the eastern North Pacific, Bering Sea, and southern Fisheries Conservation Zone of the western North Pacific Ocean." *42nd Meeting of the Scientific Subcommittee, International Whaling Commission*, p. 22.
- Walker, W. A., and Jones, L. L. (1993). "Food habits of northern right whale dolphin, Pacific white-sided dolphin and northern fur seal caught in the high seas driftnet fisheries of the North Pacific Ocean, 1990." *International North Pacific Fisheries Commission Bulletin*, 53, International North Pacific Fisheries Commission. pp. 285-296.
- Walker, W. A., Hanson, M. B., Baird, R. W., and Guenther, T. J. (1998). "Food habits of the harbor porpoise, *Phocoena phocoena*, and Dall's porpoise, *Phocoenoides dalli*, in the inland waters of British Columbia and Washington." AFSC Processed Report, 98-10. pp. 63-75.
- Walker, W. A., and Hanson, M. B. (1999). "Biological observations on Stejneger's beaked whale, *Mesoplodon stejnegeri*, from strandings on Adak Island, Alaska." *Marine Mammal Science*, 15, pp. 1314-1329.
- Walline, P. D. (1983). "Growth of larval and juvenile walleye pollock related to year-class strength," Ph.D. Dissertation, University of Washington, Seattle, WA.

- Waples, R. S. (1991). "Pacific salmon *Onchorhynchus* spp., and the definition of "species" under the Endangered Species Act." *Marine Fisheries Review*, 53(3), pp. 11-22.
- Ward, J. H. (1963). "Heirarchical grouping to optimize an objective function." *Journal of the American Statistical Association*, 58, pp. 236-244.
- Watkins, W. A., and Schevill, W. E. (1975). "Sperm whales (*Physeter catadon*) react to pingers." *Deep-Sea Research II*, 22, pp. 123-129.
- Watkins, W. A. (1986). "Whale reactions to human activities in Cape Cod waters." *Marine Mammal Science*, 2, pp. 251-262.
- Watkins, W. A., Daher, M. A., Reppucci, G. M., George, J. E., Martin, D. L., DiMarzio, N. A., and Gammon, D. P. (2000a). "Seasonality and distribution of whale calls in the North Pacific." *Oceanography*, 13(2), pp. 62-67.
- Watkins, W. A., George, J. E., Daher, M. A., Mullin, K., Martin, D. L., Haga, S. H., and DiMarzio, N. A. (2000b). "Whale call data for the North Pacific, November 1995 through July 1999, occurrence of calling whales and source locations from SOSUS and other acoustic systems." Technical Report, *WHOI-00-02*, Woods Hole Oceanographic Institution. p. 156.
- Wertheimer, A. C. (1997). "The status of Alaska salmon." *Pacific salmon and their ecosystems; status and future options. Symposium Proceedings, Seattle, WA*, pp. 179-197.
- Wespestad, V. G., and Terry, J. M. (1984). "Biological and economic yields for eastern Bering Sea walleye pollock under different fishing regimes." *North American Journal of Fisheries Management*, 4, pp. 204-215.
- Wespestad, V., and Dawson, P. (1992). "Walleye pollock." Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands regions as projected for 1993, Bering Sea/Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501, pp. 1-1 to 1-32.
- Wespestad, V. G. (1993). "The status of Bering Sea pollock and the effect of the "Donut Hole" fishery." *Fisheries*, 18(3), pp. 18-25.
- Wespestad, V. G., Ianelli, J. N., Fritz, L., Honkalehto, T., Williamson, N., and Walters, G. (1997). "Bering Sea-Aleutian Islands walleye pollock assessment for 1998." Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands regions as Projected for 1998, Bering Sea/Aleutian Islands Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 35-120.
- Wespestad, V. G., Fritz, L. W., Ingraham Jr., W. J., and Megrey, B. A. (2000). "On relationships between cannibalism, climate variability, physical transport, and recruitment success of Bering Sea walleye pollock (*Theragra chalcogramma*)." *ICES Journal of Marine Science*, 57, pp. 272-278.
- Westrheim, S. J. (1996). "On the Pacific cod (*Gadus macrocephalus*) in British Columbia waters, and a comparison with Pacific cod elsewhere, and Atlantic cod (*G. morhua*)." *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2092, p. 390.
- Whitehead, J. (1987). "Updated status of the humpback whale, *Megaptera novaeangliae*, in Canada." *Canadian Field-Naturalist*, 101, pp. 284-294.
- Williams, T. M., Kooyman, G. L., and Croll, D. A. (1991). "The effect of submergence on heart rate and oxygen consumption of swimming seals and sea lions." *Journal of Comparative Physiology*, B 160, pp. 637-644.
- Winans, G. A., and Jones, L. L. (1988). "Electrophoretic variability in Dall's porpoise (*Phocoenoides dalli*) in the North Pacific Ocean and Bering Sea." *Journal of Mammalogy*, 69(1), pp. 14-21.

- Winship, A. J. (2000). "Growth and bioenergetic models for Steller sea lions (*Eumetopias jubatus*) in Alaska," M.Sc., University of British Columbia, Vancouver.
- Winship, A. J., Trites, A. W., and Calkins, D. G. (2001). "Growth in body size of the Steller sea lion (*Eumetopias jubatus*)." *Journal of Mammalogy*, 82, pp. 500-519.
- Witherell, D., and C. Coon. 2001. Protecting gorgonian corals off Alaska from fishing impact. Proceedings of the Nova Scotia Institute of Science. In press.
- Witherell, D., and Harrington, G. (1996). "'Evaluation of Alternative Management Measures to Reduce the Impacts of Trawling and Dredging on Bering Sea Crab Stocks" in *High Latitude Crabs: Biology, Management, and Economics*." Alaska Sea Grant Report, AK-SG-96-02, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775. pp. 41-58.
- Witherell, D., and Pautzke, C. (1997). "A brief history of bycatch management measures for eastern Bering Sea groundfish fisheries." *Marine Fisheries Review*, 59(4), pp. 15-22.
- Witherell, D., Pautzke, C., and Fluharty, D. (2000). "An ecosystem-based approach for Alaska Groundfish Fisheries." *ICES Journal of Marine Science*, In press.
- Withrow, D. E., and Loughlin, T. R. (1996). "Abundance and distribution of harbor seals (*Phoca vitulina richardsi*) along the north side of the Alaska Peninsula and Bristol Bay during 1995.", MMPA Assessment Program, Office of Protected Resources, NMFS, NOAA, 1335 East West Highway, Silver Spring, MD 20910.
- Withrow, D. E., and Cesarone, J. C. (1998). "Abundance and distribution of harbor seals (*Phoca vitulina* Richards) for northern southeast Alaska from Kayak Island to Frederick Sound in 1997." Marine Mammal Protection Act and Endangered Species Act implementation program, 1997, P. S. Hill, B. Jones, and D. P. DeMaster, eds., NOAA, National Marine Fisheries Service, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Withrow, D. E., and Cesarone, J. C. (1999). "An estimate of proportion on harbor seals missed during aerial surveys over glacial ice in Alaska." Marine Mammal Protection Act and Endangered Species Act implementation program, 1998, A. L. Lopez and D. P. DeMaster, eds., NOAA, National Marine Fisheries Service, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Wolfe, R. J., and Mishler, C. (1993). "The subsistence harvest of harbor seal and sea lion by Alaska natives in 1992." Final report for year one, subsistence study and monitor system, 50ABNF20055, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 94 + Appendices.
- Wolfe, R. J., and Mishler, C. (1994). "The subsistence harvest of harbor seal and sea lion by Alaska natives in 1993." Final report for year two, subsistence study and monitor system, 50ABNF20055, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 60 + Appendices.
- Wolfe, R. J., and Mishler, C. (1995). "The subsistence harvest of harbor seal and sea lion by Alaska natives in 1994." Final report for year three, subsistence study and monitor system, 50ABNF20055, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 69 + Appendices.
- Wolfe, R. J., and Mishler, C. (1996). "The subsistence harvest of harbor seal and sea lion by Alaska natives in 1995." Final report for year four, subsistence study and monitor system, 50ABNF20055, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 69 + Appendices.



- Wolfe, R. J., and Mishler, C. (1997). "The subsistence harvest of harbor seal and sea lion by Alaska natives in 1996." Technical Paper 241. Draft final report for five year subsistence study and monitor system, 50ABNF20055, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802. p. 70 + Appendices.
- Wolfe, R. J., and Hutchinson-Scarborough, L. B. (1999). "The subsistence harvest of harbor seals and sea lions by Alaska natives in 1998." Technical Report, 250, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Wolotira Jr., R. J., Sample, T. M., Noel, S. F., and Iten, C. R. (1993). "Geographic and bathymetric distributions for many commercially important fishes and shellfishes off the west coast of North America, based on research survey and commercial catch data, 1912-1984." NOAA Technical Memorandum, NMFS-AFSC-6, U.S. Department of Commerce, NOAA. p. 184.
- Worton, B. J. (1989). "Kernel methods for estimating the utilization distribution in home range studies." *Ecology*, 70, pp. 164-168.
- Wyllie-Echeverria, T., and Wooster, W. S. (1998). "Year-to-year variations in Bering Sea ice cover and some consequences for fish distribution." *Fisheries Oceanography*, 7, pp. 159-170.
- Yablokov, A. W. (1994). "Validity of whaling data." *Nature*, 367, p. 108.
- Yang, M. S. (1993). "Food habits of the commercially important groundfishes in the Gulf of Alaska in 1990." NOAA Technical Memorandum, NMFS-AFSC-22, U.S. Department of Commerce, NOAA. p. 150.
- Yang, M. S. (1996). "Diets of the important groundfishes in the Aleutian Islands in summer 1991." NOAA Technical Memorandum, NMFS-AFSC-60, U.S. Department of Commerce, NOAA. p. 105.
- Yang, M. (1999). "The trophic role of Atka mackerel, *Pleuragrammus monopterygius*, in the Aleutian Islands area." *Fishery Bulletin*, 97, pp. 1047-1057.
- Yang, M., and Page, B. N. (1999). "Diet of Pacific sleeper shark, *Somnius pacificus*, in the Gulf of Alaska." *Fishery Bulletin*, 97, pp. 406-409.
- Yang, M. S., and Nelson, M. W. (2000). "Food habits of the commercially important groundfishes in the Gulf of Alaska in 1990, 1993, and 1996." NOAA Technical Memorandum, NMFS-AFSC-112, U.S. Department of Commerce, NOAA. p. 174.
- Yano, K., and Dahlheim, M. E. (1995). "Killer whale, *Orcinus orca*, depredation on longline catches of bottomfish in the southeastern Bering Sea and adjacent waters." *Fishery Bulletin*, 93(2), pp. 355-372.
- York, A. E., and Kozloff, P. (1987). "On the estimation of numbers of northern fur seal, *Callorhinus ursinus* pups born on St. Paul Island, 1980-1986." *Fishery Bulletin*, 85, pp. 367-375.
- York, A. E. (1994). "The population dynamics of northern sea lions, 1975-1985." *Marine Mammal Science*, 10, pp. 38-51.
- York, A. E., Merrick, R. L., and Loughlin, T. R. (1996). "An analysis of the Steller sea lion metapopulation in Alaska." *Metapopulations and wildlife conservation*, D. R. McCullough, ed., Island Press, Covelo, CA, pp. 259-292.
- York, A. E., and Scheffer, V. B. (1997). "Timing of implantation in the northern fur seal, *Callorhinus ursinus*." *Journal of Mammalogy*, 78, pp. 675-683.
- York, A. E., Towell, R. G., Ream, R. R., Baker, J. D., and Robson, B. W. (2000). "Population assessment, Pribilof Islands, Alaska." *Fur Seal Investigations, 1998*, B. W. Robson, ed., DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.

- Zemsky, V. A., Berzin, A. A., Mikhaliyev, Y. A., and Tormosov, D. D. (1995). "Soviet Antarctic pelagic whaling after World War II: review of actual catch data. Report of the Subcommittee on southern hemisphere baleen whales." *Report of the International Whaling Commission*, 45, pp. 131-135.
- Zento-Savin, T., Castellini, M. A., Rea, L., and Fadely, B. S. (1997). "Plasma haptoglobin levels in threatened Alaska pinniped populations." *Journal of Wildlife Diseases*, 33(1), pp. 64-71.
- Zeppelin, T. K., Call, K. A., and Orchard, T. (In prep.). "Size of prey consumed by Steller sea lions (*Eumetopias jubatus*) in the Gulf of Alaska and Aleutian Islands.", National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115.
- Zheng, J., Murphy, M. C., and Kruse, G. H. (1995). "A length-based population model and stock recruitment relationship for red king crab, *Paralithodes camtschaticus*, in Bristol Bay, Alaska." *Canadian Journal of Fisheries and Aquatic Science*, 52, pp. 1229-1246.
- Zheng, J., and Kruse, G. H. (1998). "Stock-recruitment relationships for Bristol Bay Tanner crab." *Alaska Fishery Research Bulletin*, 5, pp. 116-130.
- Zheng, J., Kruse, G. H., and Murphy, M. C. (1998). "'A Length-based approach to estimate population abundance of Tanner crab, *Chionoecetes bairdi*, in Bristol Bay, Alaska" in *Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment and Management.*" *Canadian Special Publication of Fisheries and Aquatic Sciences*, 125, pp. 97-105.
- Zimmerman, S. T. (1994). "Northern fur seal." *ADF&G Wildlife Notebook Series*.
- Zimushko, V. V., and Lenskaya, S. A. (1970). *O pitanii serogo kita (Eschrichtius gibbosus Erx.) Na mestakj nagula (Feeding of the gray whale (Eschrichtius robustus Erx.) at foraging grounds) (In Russian)*, D. P. P. C. Consult. Bur., New York, 1971, p. 205-212, translator, Ekologiya, Akad. Nauk SSSR. 26-35 pp.
- Zolotov, O. G. (1993). "Notes on the reproductive biology of *Pleurogrammus monopterygius* in Kamchatkan waters." *Journal of Ichthyology*, 33(4), pp. 25-37.